

INDEX

Numbers

.3gp files, 203
3-to-1 rule, for microphone placement, 45
5.1 surround, creating, 126–128
16/44.1, 27, 98
16-bit depth, exporting recording to, 129
24/96, 27
24/192, for DVD-Audio, 121
24-bit depth, 325
32-bit float, 14, 28, 57, 123
64 Studio, 227, 260

A

AAC (Advanced Audio Coding) files, 145,
146, 152, 192, 203–204, 293
ABBA, “Dancing Queen,” 201
AC3 files, channel mapping for, 192
active processes, top command for viewing,
287–288
ADC/DAC (analog-to-digital/digital-to-
analog converter), 26, 32, 68,
321, 323
Adobe Flash Player music player, 263
Advanced Audio Coding (AAC) files, 145,
146, 152, 192, 203–204, 293
Advanced Linux Sound Architecture
(ALSA). *See* ALSA (Advanced Linux
Sound Architecture)
Advanced Systems Format (ASF) con-
tainer, 204
AEA R84 ribbon mic, 41
AIFF (Audio Interchange File Format)
files, 120, 192
alcohol, risk as cleaner for records, 55
Alerter, 297
aligning tracks, 175–180
all-pass filter, 230

ALSA (Advanced Linux Sound Architec-
ture), 263, 264–268, 289
applications, 274–275
format for naming devices, 270
alsamixer (Linux), 4, 264
master vs. PCM, 267
multiple sound cards and, 267
recording and playback settings,
266–267
volume level adjustments, 268
alsa-utils, for hardware testing, 269–275
Amarok, 6, 117
metadata display in, 115
Amazon.com, 161
ambience, 324
ambient sounds, 252, 324
ambisonic microphone, 43
AMD, vs. Intel, 47
amplifiers, 70
tube vs. solid-state, 44, 344–245
Amplify effect, 22, 61, 89, 91, 94, 107, 112,
114, 138, 139, 190, 221, 235, 241
amplitude, 19, 323
adjusting, 190
fine-tuning levels, 21
maximum, 6
amps, 34
amradio curve, 248–249
analog hole, 117, 324
analog media, converting to digital, 53
analog Real time synthesizer (aRts), 263
analog superiority, myths about, 335
analog-to-digital/digital-to-analog con-
verter (ADC/DAC), 26, 32, 68,
321, 323
Analyze menu, 252–255
angle handle, for point label, 173
antistatic brush, 54
antivirus software, 51

- aplay command, 269–271, 274–275
 - Apogee DA16X, 321
 - appending to existing track, 5
 - Apple, 120, 152
 - archiving studio masters, 125
 - Arch Linux, 259
 - Ardour, 166
 - arecord command, 273–274
 - aRts (KDE), 289
 - ART USB Phono Plus V2, 69
 - ASF (Advanced Systems Format) container, 204
 - ASIO (Audio Streaming Input/Output) driver, 294
 - Asunder, 130
 - asynchronous mode, 39
 - attack, 62, 92, 95, 235, 244, 245–247
 - Audacity
 - customizing, 303–316
 - default options, 303
 - high-quality recordings from, 122–130
 - quick-start, 2–7
 - support for multiple tracks, 38
 - system requirements, 48
 - window on Windows PC, 2
 - audience noise, recording, 80
 - audio CDs, 102–103
 - audio components, 32–36
 - configuration in Windows, 301–302
 - example studio, 33–35
 - special effects, 46
 - audio files
 - adding, 12
 - vs. data project, 99
 - formats, 25–26
 - lossy formats, 145–146
 - resampling, 114
 - secret of recording, 50–52
 - storage requirements, 8
 - Audio Grabber, 117
 - Audio Interchange File Format (AIFF) files, 120, 192
 - audio sample, 27
 - Audio Streaming Input/Output (ASIO) driver, 294
 - audio tape, 72
 - Audio-Technica headphones, 46
 - Audio-Technica stereo condenser mic, 40, 41
 - Audio-Technica AT-PL120, 70–71
 - Audiograbber, 130
 - audiophiles, myth about, 336
 - AudioScience ASI564I sound card, 318
 - .au files, 7, 12–15
 - .aup files, 7, 12, 125
 - Auto Duck effect, 148–150, 222–223
 - Automatic Updates, 297, 300
 - autosave interval, 8
 - Average bitrate setting, for MP3, 143
- ## B
- Bach, Johann Sebastian, “Toccatina and Fugue in D Minor,” 75
 - background music track
 - adding, 148–150
 - dynamic range compression, 240
 - backups, 13, 47
 - balanced cables, 44
 - bandwidth, for self-hosting, 160
 - Beats per Minute (BPM), 239
 - Behringer ADA8000, 321
 - Behringer dynamic mic, 37, 40
 - Behringer mixers, 33, 34–35, 37, 38, 85, 319
 - Behringer UCA222, 319
 - Bell, Alexander Graham, 326
 - B&H Photo Video, 317
 - bidirectional polar pattern, 42, 43
 - .bin files, 103, 110–111
 - bit depth, 14, 19, 26–27, 28–29, 84, 324–325
 - default for recording, 28
 - for DVD-Audio, 121
 - and file size, 29
 - for high-quality recording, 123–125
 - BitPim, 206
 - bitrate, 28–29, 143, 199
 - black-and-white broadcast frame rate, 186
 - blank label tracks, inserting, 176
 - blue noise, 213
 - Bluetooth, 205–206
 - Blumlein pair, 42
 - boom stands, 45
 - BPM (Beats per Minute), 239
 - Brasero, 103, 104, 108–110, 130
 - breaks, creating
 - in songs, 96–97, 112–114
 - in track, 179–180
 - brown noise, 211–212
 - bulk CD duplication, 158
 - business of recording artist, 155–156
 - copyrights and legal issues, 162–163
 - online music distribution, 158–159
 - online presence development, 156–158
 - self-hosting, 160–161
 - busses, for mixer, 82

C

- cables
 - for microphones, 44–45
 - myths about, 335
- Camcaster, 160
- Cannon Electric, 36
- cannon plug, 36
- Capel, Chris, 245
- CAPS (C* Audio Plugin Suite), 180, 229
 - C* Click Metronome plug-in, 181
- Captchas, 157
- Cardbus, 32
- cardioid polar pattern, 42
- cassette recorders, 72
- cassette tapes, 72
- cathode ray tube (CRT) monitor, radiation and noise from, 51
- C* Audio Plugin Suite (CAPS), 180, 229
 - C* Click Metronome plug-in, 181
- CD Baby, 158–159
- CDDA (Compact Disk Digital Audio)
 - frame rate, 187
- CDDA frames, 104, 107, 187
- CD frames, timing for, 90
- CD players, 76
 - problems reading discs, 102
- CD-quality audio, 27, 325
 - vs. DVD-Audio, 120
 - storage requirements, 47
- CD-R, vs. CD-RW, 77, 99
- CD-ready files, exporting single track to, 64
- cdrecord, 77
- CD ripper, 117, 130
- CD-RW, vs. CD-R, 77, 99
- CDRWin, 104, 108
- CDs
 - copying vinyl LPs to, 34, 53–77
 - basic steps in process, 56–57
 - fixing defects, 58–62
 - recording, 58
 - settings, 57
 - custom-mix, 75
 - dynamic range for, 241
 - mass duplication, 99, 158
 - purchasing blank, 66
 - ripping, 117–118
 - technical advantages, 74
 - vs. vinyl LPs or tape, 71–77
 - writing songs, 99
- CD settings, 90
- CD text, 98
- CD writers, 103–104
- cell phones. *See also* ringtones
 - transferring files to, 204–206
- Change Pitch effect, 12, 224, 239
- Change Speed effect, 12, 177, 240
- Change Tempo effect, 12, 139, 177, 185, 217, 239
- channel coupling, in Ogg Vorbis, 116
- channels, 167, 325
 - assigning tracks to, 188
 - mapping, 25, 191–193
- Chris's dynamic compressor, 245–247
- Cirago USB Bluetooth interface, 206
- circle handle, 173
- Cirlinca, 129
- classical music, compressing, 245
- cleaning up recording for voicecast, 136–139
- CleanSpeech mode, 309–310
- Click Removal effect, 60
- clicks, 44, 187
 - removing, 9, 60–61, 236–237
- click track, 180
- Click Track effect, 182, 215–216
- clipboard, 10
- ClipBook, 297
- clipped segments, finding, 124
- clipping, 5, 190–191, 325
 - finding and repairing, 61
 - fixing, 91–92
 - viewing, 58
- clips, 168, 178–179
- CMS (content management system), 160
- CMT (Computer Music Toolkit), 229
- collapsing track, 19
- combining tracks, and volume increase, 114
- commercial CDs, longevity, 77
- Commodore-Amiga, 120
- Compact Disk Digital Audio (CDDA)
 - frame rate, 187
- Compact Flash card, 87
- compilation CD, 101–118
 - authoring in Audacity, 104–111
 - one track per song project, 104–106
 - single Audacity track and CD-mastering program, 108–110
 - single Audacity track compilation project, 104, 106–108
 - fixes and cleanups, 111–114
- compression. *See* dynamic range compression
- Compressor effect, 94, 243
- computer media players, 116–117

- Computer Music Toolkit (CMT), 229
- computers, 47
 - connecting legacy devices to, 67–71
 - connecting tape deck to, 71
 - connecting turntable to, 69–71
 - dedicated to recording, 51
 - operating systems, 47–48
- computer tape for audio, 72
- condenser mics, 40–41
 - cables for, 44–45
- connecting legacy devices to computers, 67–71
- connectors, 33, 36
 - gold-plated, 335
 - for legacy components, 67
- constant bitrate, for MP3, 116, 143, 152
- content management systems (CMS), 160
- control nodes, 59
- Control Panel (Windows), Sound
 - module, 4
- Control toolbar, 8
- converting
 - analog media to digital, 53
 - MP3 files to Red Book standard, 103
- Copy button (Edit toolbar), 8, 10
- copying
 - vintage 78s, 66–67
 - vinyl LPs to CDs, 34, 53–77
 - basic steps in process, 56–57
 - fixing defects, 58–62
 - preparation, 54–56
 - recording, 58
 - settings, 57
- copy protection, 118, 324
- copyrights, 162–163
- Cowboy Junkies, *Trinity Session*, 43
- CPU, 47
 - for high-resolution recording, 122
- crash recovery mechanism, 8
- Creative Commons license, 158, 163
- credit card payments, processing
 - online, 161
- Credit Card Swiper Program, 158–159
- crossed figure eight, 42
- cross-fades, 113–114, 208, 325
- CRT (cathode ray tube) monitor, radiation and noise from, 51
- .cue file, 103
- cue sheets, 110–111
- customer service, 161
- custom-mix CDs, 75, 101–118
- Cut button (Edit toolbar), 8, 10
- Cut Preview, 305

D

- damping, 180
 - for reverberation, 219
- DAO (disc-at-once) support, 103
- data CDs, 102, 114
 - vs. audio CDs, 99
- DAW (digital audio workstation), 325
- dBFS (decibels relative to full scale), 326
- DC offset, 22, 63, 236
- decay, 62, 92, 95, 230, 235, 244, 246
- Decay value (Risset Drum effect), 217
- decibels, 19, 326
- decibel scale, in Track panel, 140
- decibels relative to full scale (dBFS), 326
- default bit depth, 28
- default noise reduction level, 62
- defects in recording, fixing, 58–62
- delay, 230
- DELETE key, 21, 58
- deleting tracks, 19
- depth, for phaser, 226
- deselecting, all tracks with Ctrl-A, 16
- device drivers, audio for Windows, 293–294
- Devices dialog, 304–305
- Device toolbar, 2, 12, 183
- dial-up Internet users, 153
- Digigram sound cards, 81, 318, 319
- digital audio, quality of copies, 74
- digital audio decibel scale, 6
- digital audio myths, 333–336
- digital audio workstation (DAW), 325
- digital rights management (DRM), 119, 161, 326
- digital-to-analog conversion, 26, 32, 68, 321, 323
- Directories dialog, 315
- Direct Stream Digital (DSD), 131
- disc-at-once (DAO) support, 103
- discovery mode, for Bluetooth, 205
- discrete playback channels, 326
- discrete tracks, 165
- Discwasher brushes, 54
- discWelder for Windows, 120, 129
- diskDVD Identifier, 77
- disk ID, reading, 77
- distortion, 5, 6
- distributing recordings. *See* online music distribution
- dithering, 129, 307
- .dll file extension, 230
- domain name, registering, 156
- Dotster, 156

- downmixing, 326
 - multichannel recording, 89
 - multitrack recordings, 88–89
- downsampling, 114, 326
- Draw button (Tools toolbar), 8, 9, 237
- DRM (digital rights management), 119, 161, 326
- drop frame rate, 186
- dropouts, from CPU overload, 124
- drums, compression for, 93
- drum synthesizer, Hydrogen, 278–280
- drum track, 217
- Drupal, 160
- dry signal, 232
- Dry signal level (Gverb plug-in), 219
- DSD (Direct Stream Digital), 131
- DTMF tones effect, 210
- DTS files, channel mapping for, 192
- dual-tone multifrequency (DTMF), 210
- dust cover, for turntables, 76
- DVD-Audio format, 54, 120
 - authoring software, 129–130
 - channel mapping for, 192
 - overview, 121–122
- DVD-AUDIO Solo Plus, 120, 129
- DVD Audio Tools for Linux, 120, 129
- DVD Media Inspector for Mac, 77
- DVDFab, 118
- DVDFab Platinum, 130
- DVDInfo for Windows, 77
- dvd::rip, 118, 130
- dvd-rw-mediainfo for Linux, 77
- DVDs
 - ripping, 118
 - super high-fidelity audio, 119–131
- dynamic compression, 246
- dynamic expansion, 246
- dynamic mics, 41
 - cables for, 44–45
- dynamic range, 27–28, 123
- dynamic range compression, 54, 93–95, 240–247
 - Chris's dynamic compressor, 245–247
 - customizing, 62–63
 - recommendations, 241–243
 - for ringtones, 200
 - settings, 243–244
- dyn:bolic, 227, 260–261

E

- EAC algorithm, 20
- Early reflection level, for reverberation, 220
- Echo effect, 213

- Echo AudioFire 2, 320
- Edirol FA-101, 166, 320
- Edit menu
 - Cut, 174
 - Join, 175
 - Preferences. *See* Preferences dialog
 - Redo, 170
 - Silence, 92
 - Silence Audio, 21
 - Split, 175
 - Split Cut, 92, 178
 - Split Delete, 138, 178
 - Split New, 178
 - Trim, 21, 196
 - Undo, 139, 170
- Edit toolbar, 8
- Effect menu
 - Amplify, 22, 61, 89, 91, 94, 107, 112, 114, 138, 139, 190, 221, 235, 241
 - Auto Duck, 148–150, 222–223
 - Change Pitch, 12, 224, 239
 - Change Speed, 12, 177, 240
 - Change Tempo, 12, 139, 177, 185, 217, 239
 - Click Removal, 60
 - Compressor, 94, 243
 - Echo, 213
 - Equalization. *See* Equalization effect
 - Fade In/Out. *See* Fade In/Out effects
 - Leveller, 200, 201, 247
 - Noise Removal, 61, 62, 92, 234
 - Normalize, 6, 22, 63, 89, 97, 114, 141, 201, 235–236
 - Phaser, 224–225
 - Repair, 61, 139, 237
 - Repeat, 187
 - Repeat Last Effect, 218, 234
 - Reverberation, 218–221
 - Reverse, 226
 - Sliding Time Scale/Pitch Shift, 226
 - Truncate Silence, 238
 - WahWah, 227
- effects. *See* Effect menu; Generate menu
- Effects dialog, 316
- electrical interference, and internal sound cards, 38
- electric lines, interference from, 45
- Electronic Arts, 120
- EMU 1616M PCI, 37
- eMusic, 159
- Enhanced Windows Driver Model (EWDm) drivers, 294
- Enlightened Sound Daemon (ESD), 263, 289

- Envelope button (Tools toolbar), 8, 9, 21, 59, 92, 94, 96, 112–113, 140, 148
 - Equalization effect, 62, 70, 248–251
 - Draw curves view, 198
 - for ringtone, 196
 - Error Reporting Service, 298
 - ESD (Enlightened Sound Daemon), 263, 289
 - EWDM (Enhanced Windows Driver Model) drivers, 294
 - Exact Audio Copy, 117
 - expanding track, 19
 - Export dialog, 6–7, 14–15, 125, 142, 145, 152–155, 199, 203, 204
 - exporting recording
 - to 16-bit, 129
 - to CD-Ready files
 - multiple tracks, 64–65
 - single long track, 64
 - to MP3, quality settings, 142–144
 - to MP3 or Ogg, 141–146
 - to Ogg Vorbis, quality settings, 142
 - to playable audio file, 6
 - podcasts, 146
 - to WAV file, 98
 - Export Multiple, 15, 64–65, 89, 98, 125, 168, 255
 - ExpressCard sound card, 32
- F**
- Facebook, 157
 - Fade In/Out effects, 21, 59, 97, 112, 140, 208, 325
 - Truncate Silence effect and, 238
 - fades, creating, 9, 96–97, 112–114, 140, 208. *See also* Auto Duck effect; cross-fades; Fade In/Out effects
 - fair use, 118, 162
 - feedback, for phaser, 226
 - ffado device driver, 280–281
 - FFADO drivers for FireWire recording interfaces, 258
 - FFmpeg encoder, 152, 203, 293
 - FFmpeg library, 145
 - field recording, 48
 - file converter application, 203
 - file formats
 - for online music distribution, 151–155
 - and quality settings, 115–116
 - File menu
 - Edit Chains, 310
 - Export, 6–7, 14–15, 125, 142, 145, 152–155, 199, 203, 204
 - Export Labels, 172
 - Export Multiple, 15, 64–65, 89, 98, 125, 168, 255
 - Export Selection, 188
 - Import, 12, 15
 - Audio, 105, 107, 148, 170–171, 196
 - Open, 12, 87
 - Open Metadata Editor, 24, 64, 97, 106
 - Save, 12
 - Save As, 12
 - Save Project, 83
 - Save Project As, 4, 13, 58, 87
 - files
 - bit depth and size, 29
 - sharing across projects, 13
 - file transfer, to mobile phones, 204–206
 - firewalls, and performance, 295
 - FireWire
 - future of, 39
 - vs. USB devices, 39–40
 - FireWire audio interface, 32, 38
 - FireWire recording interfaces, 170, 320
 - connecting with JACK, 280–282
 - Fit in Window for view, 21
 - Fit Project button (Edit toolbar), 8, 11
 - Fit Selection button (Edit toolbar), 8, 11
 - FLAC (Free Lossless Audio Codec), 26, 102, 115–116, 120, 154
 - for archiving studio masters, 125
 - channel mapping for, 192
 - importing, 170
 - flanger, 224
 - flexible cables, 45
 - floating decimal point, 28, 123
 - floppy tape drives, 77
 - Fluxbox, 287
 - Focusrite Saffire Pro 26, 45, 170, 320
 - ffado-mixer for, 281
 - Focusrite Saffire Pro 40, 38
 - formatting SD card, 205
 - frame rate for CD audio, 57, 104
 - frames, 185–187
 - Frampton, Peter, “Do You Feel Like We Do,” 227
 - Fraunhofer-Gesellschaft, 203
 - Free Lossless Audio Codec (FLAC). *See* FLAC (Free Lossless Audio Codec)
 - Free Software Foundation, 261
 - Freesound Project, 93
 - Freeverb, 221
 - frequency, 327
 - Frequency smoothing, 62, 235
 - full-speed, 39
 - fundamental frequency, 231, 327

G

- Gain slider, 19, 24, 188, 190
- gapless burning, 103
- Generate menu, 209–218
 - Chirp, 211
 - Click Track, 182, 215–216
 - DTMF tones, 210
 - Noise, 211–213
 - Silence, 59, 97, 112, 138, 148, 179–180, 212–213
 - Tone, 124, 209, 213–215
- genre, choosing distributors by, 159
- Get Noise Profile button, 62
- gigahertz (GHz), 327
- GNOME, 287
- Gnome CD Master, 103, 104, 108
- GoDaddy, 156
- golden ear, myth of, 333–334
- gold-plated connectors, 335
- Google Checkout, 161
- gooseneck stand, 45
- graphical environment for Linux, 287
- Graphic EQ view, 197, 250
- graphics processing unit, 287
- Grip, 117, 130
- Grooveshark, 115
- ground wires, for turntables, 69
- Guinness World Records, for lowest note
 - by human voice, 327
- Gverb plug-in, 218–221

H

- half-omnidirectional polar pattern, 43
- HandBrake, 118, 130
- handles
 - for dragging toolbars, 8
 - for labels, 96
- hard drives, CD-quality audio requirements, 47
- hardware, 317–321
 - basics, 1
 - FireWire recording interfaces, 320
 - sound cards, 318–319
 - USB recording interfaces, 319–320
- harmonic frequencies, 74, 125, 231, 327
- headphones, 46–47
 - for monitoring live recording, 87
- hearing ranges, 51
- hemispherical polar pattern, 43
- Hempton, Gordon, 51
- Hendrix, Jimi, *Electric Ladyland*, 75
- hertz, 327
- hh:mm:ss + CDDA frames, 104, 107

- high-fidelity audio DVDs, 119–131
- high frequencies, 125
- high-pass filter, 62, 231
- high-quality recordings
 - from Audacity, 122–130
 - bit depth for, 123–125
 - sampling rate, 125
- high-resolution recording, CPU for, 122
- High-Z, 328
- hosts, for plug-ins, 207
- hotplug, 167, 328
- human hearing, range for, 241
- human psychoacoustics, 143, 330
- Hydrogen drum synthesizer, 278–280
- hyper-cardioid polar pattern, 42

I

- IBM, 120
- ICANN (Internet Corporation for Assigned Names and Numbers), 157
- Icecast, 160
- IceWM, 287
- IFF (Interchange File Format), 120
- impedance, 328
- Import/Export dialog, 312–313
- importing, recording into Audacity, 87
- Independent Online Distribution Alliance (IODA), 159
- Indexing Service, 298, 300
- Infrared Monitor, 298
- inkjet printable DVD blanks, 130
- Inner fade, for Auto Duck, 150
- Input bandwidth setting, for reverberation, 219
- input channels, 167
- Input Level Meter, 4, 5, 86
- inserting silence, 59
- integers, 28
- Intel, vs. AMD, 47
- intellectual property, 118, 328
- Interchange File Format (IFF), 120
- Interface dialog, 308–309
- Internet Corporation for Assigned Names and Numbers (ICANN), 157
- Internet distribution strategy, 156
- Internet Information Services, 300
- Internet radio, 75
- interpolation, for seamless join, 139
- IODA (Independent Online Distribution Alliance), 159
- isynchronous mode, 39
- iTunes, 159
 - AAC format for, 203
 - and DRM, 162

J

- JACK, 263, 264
 - connecting FireWire recording interface, 280–282
 - creating persistent configurations, 282–283
 - Hydrogen configuration to use, 279–280
 - settings, 283–285
 - using with Audacity, 276–285
- jacks, 33, 67
- joint stereo, 143, 144
- Jones, Rickie Lee, “The Magazine,” 242
- Joomla, 160
- jump ahead feature, 305

K

- K3b (Linux), 103, 104, 117, 118, 130
- K9copy, 118, 130
- KAudioCreator, 117, 130
- KDE, 287
- Keyboard dialog, 316
- kilohertz (kHz), 327
- Kodak, CDs, 102

L

- labels
 - for CDs, 65, 99
 - for DVDs, 130
 - for editing multiple tracks, 174
 - moving, 96
 - for song break, 95–96
 - for song tracks, 63
 - for tracks, 172–174
- LADSPA (Linux Audio Developer’s Simple Plugin API), 207, 227–230
 - ladspa-sdk* package, 229
- LAME MP3 encoder, 142, 145, 292
- laptops
 - microphone input, 135
 - for portable recording, 48, 81
- large diaphragm (LDM) condenser mics, 41
- latency, 39, 306, 328
 - fixing errors, 251–252
 - and Linux, 262–263
 - measuring and fixing, 183–185
- legacy devices, connecting to computer, 67–71
- legacy media, transferring, 130
- legal issues, 162–163
- Leveller effect, 200, 201, 247
- LFE (low-frequency effects) channel, 122, 192
- libdvdcss, 130

- Libraries dialog, 314
- licenses, Creative Commons, 158
- LightScribe disk type, 65, 99
- LightScribe DVD burner, 130
- limiter, 201
- linear phase, 213
- linear pulse-code modulation (LPCM), 121
- linear scale, 19
- Line In port, on sound card, 68
- line level, 46
- line matching transformer, 328
- Link Tracks button (Edit toolbar), 8, 10, 88, 96, 176–177
- Linn Records, 120
- Linux, 48, 257–290
 - audio, 263–264
 - history, 289–290
 - CD writers, 103
 - and latency, 262–263
 - media players, 6, 116
 - plug-ins, 227–230
 - real-time kernels
 - building, 261–262
 - distributions with, 258–261
 - sound device, 3
 - specialized multimedia distributions, 260–261
 - system tweaks, 287–288
 - for USB 2.0 audio devices, 40
 - for web hosting, 160
 - Linux Audio Developer’s Simple Plugin API (LADSPA), 207, 227–230
 - live tracks for CD, 79–100
 - Audacity settings for recording, 83–87
 - editing recordings, 87–97
 - making good recordings, 80–83
 - monitoring recording, 87
 - multitrack recording of live performance, 82–83
 - logarithmic decibel scale, 20
 - longevity, of recording media, 76–77
 - loopback cable, 184, 251
 - loops, creating, 187
 - lossy channel coupling, in Ogg Vorbis, 142
 - lossy formats, 6–7, 145–146
 - loudness, 326
 - Love, Courtney, 155, 163
 - low-frequency effects (LFE) channel, 122, 192
 - low-frequency oscillation, 224–225
 - low noise floor, 28, 86
 - low-pass filter, 62, 231–232
 - Low-Z, 328
 - LPCM (linear pulse-code modulation), 121
 - LXDE, 287

M

- .m4a* files, 152, 203, 293. *See also* AAC (Advanced Audio Coding) files
- .m4b* files, 203. *See also* AAC (Advanced Audio Coding) files
- .m4p* files, 152, 203, 293. *See also* AAC (Advanced Audio Coding) files
- .m4r* files, 203. *See also* AAC (Advanced Audio Coding) files
- .m4v* files, 203. *See also* AAC (Advanced Audio Coding) files
- Mac support, for USB 2.0 audio devices, 40
- Magnatune, 115, 120, 158
- mailing lists, 157–158
- make oldconfig command, 262
- Make Stereo Track command, 19, 59
- MAM-A, 99
- Mambo, 160
- mapping tracks to surround channels, multichannel mixer for, 126–127
- Marantz PMD digital recorders, 49
- mass CD duplication, 99
- masters, saving, 125
- M-Audio Delta sound cards, 38, 166, 318
- M-Audio Fast Track Ultra 8R, 40, 319
- M-Audio Micro Track II, 50
- M-Audio MobilePre USB, 34, 35–36, 45, 68, 81, 85, 170, 319
 - and JACK, 277
- M-Audio NRV10, 38, 166
- maximum amplitude, 6
- Maximum Pause, for Auto Duck, 150
- Max spike width value, 60
- megahertz (MHz), 327
- Menees, Roger, 327
- Meridian Lossless Packing (MLP) lossless compression, 122, 129
- Messenger, 298
- metadata, 64, 97–98, 106, 115, 328
- Metadata Editor, 24
- Meter toolbar, 11, 86
- metronome track, 180–182
- MHz (megahertz), 327
- micro-minis, 68
- microphone preamps, 45–46
- microphones, 1, 40–45
 - 3-to-1 rule for placement, 45
 - cables, 44–45
 - impedance, 328
 - for live performance recording, 82
 - placement, 45
 - polar patterns, 42–43
 - selecting based on occasion, 43–44
 - for studio recording, 167
 - for voicecast recording, 134–135
- microSD card reader, 206
- microSD cards, 206
 - for phones, 204–205
- Microsoft, 120
- Microsoft.NET Framework, 300
- Microsoft Visual Studio, 294
- MIDI note table, for click track, 216
- mini-jacks, 68
- miniSD cards, for phones, 204–205
- Minnetonka Audio Software discWelder, 120, 129
- mirroring, with RAID 10, 47
- Mitsui, CDs, 102
- mixdown, to stereo, 188–191
- Mixer Board, 23–24, 88, 188
 - for adjustments to relative volumes of stereo channel, 147
 - customizing, 189–190
- Mixer toolbar, 4, 11, 136
- mixing console, 82–83
- MLP (Meridian Lossless Packing) lossless compression, 122, 129
- MME (Multi-Media Extensions), 2, 293
- mobile phones. *See* cell phones
- monitoring live recording, 87
- mono tracks, 166, 171
- mono TRS plugs, 36
- Mouse dialog, 316
- moving
 - labels, 96
 - tracks, 19, 175–180
- MP3 files, 6, 26, 102, 115, 116
 - converting to Red Book CD, 103
 - enabling Windows support, 292
 - exporting to, 141–146
 - patent conflicts, 153
 - variable bitrate, 152
- .mp4* files, 203. *See also* AAC (Advanced Audio Coding) files
- Mplayer, 6, 116
- multichannel mixer
 - digital, 83
 - interface, 126–127
- multichannel recording, 37–38, 89, 167
- multichannel surround sound, 141, 191–193
- multicore CPUs, 47, 122–123
- Multi-Media Extensions (MME), 2, 293
- Multi-Tool button (Tools toolbar), 8, 9
- multitrack recordings, 165–193. *See also* recordings
 - editing and downmixing, 88–89
 - of live performance, 82–83
 - making, 168–171
 - saving, 125

music CD, creating, 65
music track, adding as background to pod-
cast, 148–150
Musix, 261
Mute button (Mixer Board), 19, 148, 171
MySpace, 157

N

National Television System Committee
(NTSC) frames, 186–187
ncurses interface, 264
Nero, 103, 117
netbook, for portable recording, 48
Network DDE, 297
Neumann KU-81i Dummy Head, 51
node control points, 96–97, 112
noise, 44
 blocking unwanted, 50
 CDs vs vinyl LPs, 74
 clicking, 104
 deliberately adding, 129
 and internal sound cards, 38
 recording audience, 80
 recording before and after music, 58
 removal, 61–62, 92–93, 234–235
noise floor, 324
 setting for compression, 94, 243
noise profile, 61–62, 92
Noise Removal effect, 61, 62, 92, 234
Nokia, 201
nondrop frame rate, 186
normalization, 97, 115, 141, 235–236
 for audio from vinyl LPs, 63
 and compression, 95
 to raise volume, 6
 for setting songs to same volume
 level, 112
Normalize effect, 6, 22, 63, 89, 97, 114,
141, 201, 235–236
NTSC (National Television System Com-
mittee) frames, 186–187
.ny files, 230
Nyquist, 207, 230
Nyquist-Shannon theorem, 28

O

Ogg Vorbis files, 6, 26, 102, 115, 116,
141–146, 153–154
Olympus LS10, 49
omnidirectional polar pattern, 42, 43
online credit card payments,
 processing, 161

online music distribution, 158–159
 file formats and audio quality, 151–155
Open Sound System (OSS), 263, 289
open source streaming servers, 160
operating systems, 47–48
Orange Book standard, 102, 115
 configuring Audacity for, 114–116
OSS (Open Sound System), 263, 289
OSSwin project, 142
Outer Fade, for Auto Duck, 150
output channels, 168
overdubbing, 168, 182–185, 329
 latency and, 183, 251

P

padding track with silence, 179–180
paging file
 for Windows Vista/7, 299
 for Windows XP, 296
pain, threshold of, 331
PAL (Phase Alternating Line), 187
Pan slider, 19, 24, 188, 190
Paste button (Edit toolbar), 8, 10
Patchbay, 282–283
patents, on file formats, 26, 141, 293
Pause button (Control toolbar), 5, 8, 58
pausing recording, 87
PayPal account, 161
PCI-E sound card, 32, 318
PCI Express, 38
PCI sound card, 32, 37, 38, 318
PCMCIA sound card, 81, 319
peak level, 6, 329
peak ratings, 20
peaks, reducing too-tall, 139–140
perception of sound, 330
performance in Windows, 294–301
phantom power, 40, 49, 82, 167
phase, 213, 329
Phase Alternating Line (PAL), 187
Phaser effect, 224–225
phase shifting, 214, 329
Phillips, CDs, 102
phonograph records. *See* vinyl LPs
Phonon, 263
 and JACK, 276
 turning off, 285–286
phono plugs, 68
Pink Floyd, “Time,” 75
pink noise, 211, 212
Pioneer stereo amplifiers, 34, 46
piracy, 155
pitch, 12, 327, 329–330
 and MIDI Note Number values, 181

- Pitch (EAC) view, 19–20
 - Planet CCRMA packages, 227, 228, 258
 - Plantronics USB headset, 46, 135
 - playback
 - selecting one track for, 19
 - speed of, 12
 - starting, 171
 - starting point, 9
 - tips and tricks, 171–172
 - volume, 4. *See also* volume level
 - Playback dialog, 305
 - Play button (Control toolbar), 5, 8
 - play region, 171
 - Plone, 160
 - Pluck plug-in, 216
 - plug-ins, 207–232. *See also* Generate menu
 - plugs, 33, 67
 - pocket digital recorders, 49
 - podcasts, 133–150
 - background music track for, 148–150
 - dynamic range compression, 240
 - exporting, 146
 - steps for creating, 134
 - two-person, 146–148
 - voicecasts, 134–141
 - Audacity settings, 135–136
 - cleaning up recording, 136–139
 - replacing segment, 137
 - point labels, 173
 - polar patterns, for microphones, 42–43
 - pops, fixing, 60–61
 - portable digital recorder, 80–81
 - portable recording, 48–50
 - preamp, 70
 - preemptive multitasking, and latency, 258
 - prefab storefront, 161
 - Preferences dialog, 8, 83, 303
 - Devices, 2, 3, 67, 83–84, 105, 107, 114, 126, 135, 167, 304–305
 - Directories, 315
 - Effects, 316
 - Import/Export, 24, 25, 64, 67, 89, 98, 106, 126, 188, 191, 196, 312–313
 - Interface, 140, 308–309
 - Keyboard, 316
 - Libraries, 293, 314
 - Mouse, 316
 - Playback, 61, 171, 198, 305
 - Projects, 13, 313–314
 - Quality, 14, 57, 121, 129, 135, 307
 - Recording, 85, 105, 107, 114, 136, 183, 184, 251, 262, 306
 - Spectrograms, 315
 - Tracks, 311–312
 - Warnings, 316
 - Preset bitrate setting, for MP3, 143
 - PreSonus AudioBox 2x2, 320
 - PreSonus StudioLive 16-Channel FireWire Digital Mixer, 83
 - preview, default length, 61
 - Preview button, changing duration, 198
 - printing CD labels, 99
 - Pristine Classical, 115
 - processes, top command for viewing active, 287–288
 - profile of noise, 61–62, 92, 93
 - project management, 12–15
 - Pro-Ject Phono Box II USB Phono Preamp, 320
 - projects
 - .aup* files for, 7
 - sharing files across, 13
 - Projects dialog, 313–314
 - proprietary file formats, for ringtone, 203–204
 - proximity effect, 43
 - psychoacoustics, 143, 330
 - PulseAudio, 263, 289–290
 - vs. JACK, 264
 - turning off, 285–286
 - pumping and breathing, compression and, 244
 - pure:dyne, 261
 - purple noise, 213
- ## Q
- QIC (quarter-inch cartridge) tapes, 72
 - Qjackctl, 277, 283–285
 - Quality dialog, 307
 - quality of recordings, factors affecting, 122
 - quality settings
 - consistency for recording and editing, 86
 - default export for WAVs, 14
 - and file formats, 115–116
 - quarter-inch cartridge (QIC) tapes, 72
 - querying sound cards, 275–276
- ## R
- Rademacher function, 214
 - RAID, 47
 - RAM, 47
 - Ratio setting, for compression, 94–95, 243
 - RCA audio connectors, 68
 - Real-time Conversion settings, 307
 - real-time preemption, 258
 - receivers, 70
 - Record button (Control toolbar), 5, 8, 58

- recording, 5. *See also* multitrack recordings
 - default quality setting, 14
 - new track, during playback, 183
 - portable, 48–50
 - secrets for quality, 50–52
 - session display, 5
 - starting, stopping and pausing, 87
 - testing, 273–274
 - volume level, 4, 86
 - recording artist, business, 155–156
 - Recording dialog, 306
 - recording engineers, 336
 - Recording Industry Association of America (RIAA), 102
 - recording interfaces
 - FireWire, 320
 - USB, 319–320
 - recording media, longevity of, 76–77
 - record production, history, 55
 - rectangular dither, 129, 307
 - Red Book CD Audio standard, 57, 65, 98, 99, 102
 - converting MP3 files to, 103
 - red noise, 212
 - Redo button (Edit toolbar), 8, 10
 - redo operation, 170
 - reel tapes, 72
 - reflectivity, 102
 - region labels, 96, 173, 174
 - Register.com, 156
 - registering domain name, 156
 - renting snail mailbox, 157
 - Repair effect, 61, 139, 237
 - Repeat Last Effect command, 218, 234
 - replacing segment, in podcast, 137
 - resampling, 114, 326
 - reverberation, 232
 - Reverberation effect, 218–221
 - Reverse effect, 226
 - Rhapsody, 162
 - Rhythmbox, 6, 116
 - RIAA (Recording Industry Association of America), 102
 - RIAA equalization curve, 69, 70
 - ribbon mics, 41–42
 - Ridata, 99
 - Ring Tone Text Transfer Language (RTTTL), 201–202
 - ringtones, 195–206
 - customizing, 196–200
 - dynamic range compression, 200
 - file formats, 199, 201–202
 - proprietary, 203–204
 - transferring to phones, 204–206
 - ripping, 130
 - CDs, 117–118
 - DVDs, 118
 - Risset, Jean Claude, 217, 330
 - Risset Drum effect, 216–218
 - RME Fireface 800, 320
 - RME Hammerfall sound card, 166, 318, 319
 - RMS (root-mean-square), 20, 330
 - Roomsize setting, for reverberation, 219
 - root-mean-square (RMS), 20, 330
 - Routing and Remote Access, 297
 - Roxio, 103, 104, 108
 - rt patch, 261–262
 - RTTTL (Ring Tone Text Transfer Language), 201–202
 - runlevel command, 286
- ## S
- SACD (Super Audio CD), 131
 - sample format, 14, 19, 84, 325
 - sampling rate, 26–27, 86, 325, 330
 - default, 307
 - for high-quality recordings, 125
 - SAO (session-at-once), 103
 - satellite radio, 75
 - saving
 - masters, 125
 - projects, 4, 13–15
 - tracks as separate WAV files, 15
 - sawtooth waveform, 215, 231
 - SCMS (Serial Copy Management System), 66, 102
 - scratches
 - fixing, 58
 - removing, 236–237
 - screensavers, 51
 - SD card, 204–205
 - SDL (Simple DirectMedia Layer), 289
 - SDM (small diaphragm) condenser mics, 41
 - seamless join, interpolation for, 139
 - Seek Time, 305
 - segments of tracks, selecting, 15–19
 - selecting
 - all tracks with CTRL-A, 16
 - to end of track, 17
 - multiple clips, 178–179
 - nonadjacent tracks, 16
 - track segments across multiple tracks, 174
 - Selection button (Tools toolbar), 8, 9, 15
 - Selection toolbar, 12, 17, 90, 104, 197

- Select threshold setting, 60
- self-hosting, 160–161
- selling online, 161
- Serial Copy Management System (SCMS), 66, 102
- services, disabling
 - in Windows Vista/7, 300
 - in Windows XP, 297
- session-at-once (SAO), 103
- shaped dither, 129, 307
- sharing files, across projects, 13
- short-play records, 66
- shotgun polar pattern, 42, 43
- Shoutcast, 160
- Shure M78S Phono Cartridge, 66, 71
- Shure X2U XLR-to-USB Signal Adapter, 320
- signal processing, 208
- signal-to-noise ratio, 6
- signed WAV settings, 155
- silence
 - creating, 96
 - inserting, 59, 112
 - truncating, 238
- Silence button (Edit toolbar), 8, 10, 21, 58
- Silence Finder, 255
- Simple DirectMedia Layer (SDL), 289
- sine wave, 209, 213, 214, 225, 231
 - creating, 124
 - for testing effects, 218
- skips, fixing, 60–61
- Skip to End button (Control toolbar), 8, 18
- Skip to Start button (Control toolbar), 8, 18
- Sliding Time Scale/Pitch Shift effect, 226
- Slinky, 225, 226
- small diaphragm (SDM) condenser mics, 41
- Smart Card, 298
- smoking, 52
- snail mailbox, renting, 157
- Snap Guide, 138, 175, 178
- sockets, 33
- software
 - DVD-Audio authoring, 129–130
 - media players, 116–117
- solid-state amplifier, vs. tube, 44, 334–335
- Solo button (Mixer Board), 19, 148
- Songbird, 116
- songs
 - creating graceful breaks, 96–97, 112–114
 - writing to CDs, 99
- sonic cannons, 324
- Sony BMG, copy protection, 118
- Sony PCM-D50, 49
- Sony's Creative Software CD Architect, 103, 104, 108
- sound, perception of, 330
- Sound Activated Recording, 23, 306
- Sound Blaster 16, 289
- sound cards, 170, 318–319
 - as ADC/DAC, 68
 - problem with internal, 38
 - querying, 275–276
- sound chips, and stereo microphone inputs, 168
- Sound control panel (Windows 7), 292
- sound engineers, interacting with, 83
- SoundJuicer, 130
- Sound module, 4
- sound quality
 - characterizations, 41
 - subjectivity in, 44
 - vinyl LPs vs. CDs, 71
- source code, browsing, 208
- spam, 157
- speakers, 46–47, 271–272
- speaker-test command, 271–272
- Specify Uncompressed Options dialog, 14
- Spectrograms dialog, 315
- Spectrum view, 20
- speed of playback, 12
- Split Stereo to Mono, 19
- Split Stereo Track command, 19, 58, 112, 167, 171, 233
- splitters, 82
- splitting
 - stereo track for repairs, 90–91, 111–112
 - tracks, 178
- split tracks, rejoining, 175
- square waveform, 214, 231
- stands, for microphones, 45
- starting
 - playback, 171
 - recording, 87
- Steely Dan, “Haitian Divorce,” 227
- Steinberg, 294
 - Wavelab, 120, 130
 - Virtual Studio Technology (VST), 230
- stereo channel, Mixer Board for adjusting
 - relative volumes, 147
- stereo mic, 167
- stereo recordings, 80
 - mixdown to, 188–191
- stereo track, 19, 166
 - creating, 19
 - DVD-Audio support for, 121–122
 - splitting for repairs, 90–91, 111–112
 - stereo TRS plugs, 36

- Steve Harris's plug-ins, 229
- stiff cables, 45
- stiffness, 232
- Stop button (Control toolbar), 5, 8, 58
- stopping point, for playback, 172
- stopping recording, 87
- storage requirements, for bit depth/sampling rate combinations, 124
- storefront, prefab, 161
- striping, 47
- studio, sound reduction for, 50
- studio recording, microphones for, 167
- stylus, care of, 55
- sub-cardioid polar pattern, 42
- subwoofer channel, 192
- Super Audio CD (SACD), 131
- super-cardioid polar pattern, 42
- surround channel, DVD-Audio support for, 121–122
- synchronizing tracks, 9, 88
- System Properties dialog
 - Windows Vista/7, 299–301
 - Windows XP, 296–298
- System Restore, and performance, 300

T

- Tablet PC, 300
- Tail level, for reverberation, 220
- Taiyo Yuden, 77, 99, 102
- TAO (track-at-once), 103
- TAP (Tom's Audio Processing) plug-ins, 229
- tape, vs. vinyl LPs or CDs, 71–77
- tape deck, connecting to computer, 71
- Task Manager (Windows), Audacity priority in, 295
- TDK CDs, 77, 102
- Telnet, 298, 301
- tempo, 330
 - changing, 185
- Terminal Services, 298
- testing
 - channel mappings, 192
 - recording, 273–274
 - sine wave for, 218
 - speakers, 271–272
- Themes, 298
- threshold of pain, 331
- Threshold setting, for compression, 94, 243
- timbre, 331
- timecodes, 186
- Time Record, 23
- Time Scale, 5
 - for playback starting point, 171

- Time Shift button (Tools toolbar), 8, 9, 113, 138, 169, 175, 251, 325, 329
 - for cross-fades, 208
 - inside tracks, 179–180
 - for multiple tracks, 177
 - for track group, 177
- timing, fixing, 251–252
- tip-ring-sleeve (TRS). *See* TRS (tip-ring-sleeve)
- .toc file, 103
- Tom's Audio Processing (TAP) plug-ins, 229
- tone controls, myth of unneeded, 335
- tones
 - creating, 209
 - DTMF, 210
 - frequency range of, 209–210
- toolbars, handles for dragging, 8
- too-loud passages, fixing, 91–92
- Tools toolbar, 8
- top command, 287–288
- touch-tone telephones, dual-tone multifrequency (DTMF) tones from, 210
- track-at-once (TAO), 103
- track focus, vs. track selection, 15–16
- track groups, 176–177
- Track menu, 188
 - Make Stereo Track, 112, 171, 233
 - Move Track Up/Down, 171
 - Split Stereo to Mono, 168, 171, 196
 - Split Stereo Track, 58, 112, 147, 167, 171, 233
- track names, 14–15
 - mixer board icons to match, 189–190
- Track panel, 19–20
 - decibel scale, 140
 - Solo button, 171
- tracks, 58, 134, 166–168, 331
 - aligning and moving, 175–180
 - appending to existing, 5
 - combining, and volume increase, 114
 - cutting single into song tracks, 63, 95–96
 - deleting, 19
 - from DVDs, 118
 - for each song title, 56–57
 - editing two-track as two mono tracks, 147–148
 - editing two-track recording as a single track, 146–147
 - labels for, 172–174
 - linking, 176–177
 - mapping to channels, 25, 126–127
 - metadata for, 64, 97–98
 - metronome, 180–182
 - recording, during playback, 183

- tracks (*continued*)
 - removing parts, 21
 - saving each as separate WAV file, 15
 - selecting all with CTRL-A, 16
 - selecting nonadjacent, 16
 - selecting whole, 6, 15–19
 - splitting, 178
 - synchronizing, 9
 - time shift inside, 179–180
 - volume level, 188
- Tracks dialog, 311–312
- track segments, creating, 175
- Tracks menu, 19
 - Add Label At Selection, 173
 - Add New
 - Audio Track, 209
 - Label Track, 172, 176
 - Align Tracks, 175–176, 251
 - Edit Labels, 173, 174
 - Link Audio and Label Tracks, 176
 - Mix and Render, 88, 113, 150, 188, 191
 - Resample, 98, 199
- Transcription toolbar, 12
- transferring legacy media, 130
- transient response, 40, 331
- transitions, smoothing, 92
- Transport menu
 - Overdub, 183, 184
 - Sound Activation Level, 23
 - Timer Record, 252
- triangle waveform, 231
- triangular dither, 129, 307
- Trim button (Edit toolbar), 8, 10, 21
- trimming, 58, 90
- TRS (tip-ring-sleeve), 36
 - adapter, 69
 - plugs, 41, 68
- Truncate Silence effect, 238
- tube amplifier, vs. solid-state, 44, 334–335
- Tucows, 156
- TuneCore, 159
- turntables, connecting to computer, 69–71
- TweakHound, 297, 300
- two-person podcasts, 146–148
- two-track recording
 - editing as single track, 146–147
 - editing as two mono tracks, 147–148

U

- Ubuntu Linux PC, 2–3, 258–259
- Ubuntu Studio, 227, 260
- unbalanced cables, 44
- Undo button (Edit toolbar), 8, 10

- undo operation, 7, 90, 139, 170
- Unix, for USB 2.0 audio devices, 40
- unlocked phone, 205
- upsampling, 85, 114, 331
- USB devices, 4
 - and Audacity, 1, 12
 - audio interface, 32
 - cable for file transfer to phone, 206
 - CD/DVD burners, 103
 - vs. FireWire, 39–40
 - mixers, 38
 - phono preamps, 69
 - recording interfaces, 135, 319–320
 - turntable with phono preamp, 70

V

- variable bitrate, 116, 142, 143, 152
- Variable bitrate setting, for MP3, 116, 143
- Verbatim CDs, 77, 99, 102
- video card, for Linux system, 287
- video time, measurement, 186
- View menu, 21
 - Clipping, 89
 - Fit in Window, 90, 91
 - Fit Vertically, 90
 - Mixer Board, 88
 - Show Clipping, 58, 61, 91, 114, 124, 136, 190, 251
 - Toolbars, 8
 - Zoom to Selection, 90
- vintage 78s, 66–67, 71
- vinyl LPs, 66
 - copying to CD, 34, 53–77
 - basic steps in process, 56–57
 - dividing long track into individual songs, 63
 - dynamic range compression customization, 62–63
 - exporting single long track to CD-ready files, 64
 - exporting to CD-ready files, multiple tracks, 64–65
 - fixing defects, 58–62
 - normalization, 63
 - recording, 58
 - settings, 57
 - writing songs, 65
 - damage from use, 73
 - dynamic range for, 241
 - preparing for copying, 54–56
 - vs. tape or CDs, 71–77
- Virtual Studio Technology (VST), 207
- virus checkers, and performance, 295
- vision-impaired, web design for, 157

- VLC Media Player, 6, 116, 117, 118, 130
- voicecasts, 134–141
 - Audacity settings, 135–136
 - two-person, 146–148
- volume level
 - control setting before powering on, 167
 - increasing, 22
 - normalization to raise, 6, 97
 - for recording or playback, 4
 - setting songs for consistency, 107, 112
 - vertical scale for, 19
- volume unit (VU) meter, 331
- VST (Virtual Studio Technology), 207
- VU (volume unit) meter, 331

W

- WahWah effect, 227
- Wal-Mart, DRM servers, 161–162
- Warnings dialog, 316
- warps, fixing, 59–60
- wattage, and amplifier rating, 46
- WAV (Waveform Audio Format) files, 6,
 - 25, 98, 115, 120, 155
 - 32-bit float, 14
 - aplay to play, 269
 - channel mapping for, 191–192
 - exporting tracks to, 64–65, 98
 - importing, 170
 - for Red Book CDs, 102
 - for ringtone, 199
 - saving track as separate file, 15
 - studio masters as, 13, 14, 125
- waveform, 20, 231
- Waveform Audio Format (WAV) files. *See*
WAV (Waveform Audio Format) files
- Waveform (dB) view, 19–20
- WDM/KS (Windows Driver Model Kern-
ing Streaming), 294
- WebClient, 298
- web designer, 157
- web hosting services, 156–157
- WebHostingTalk, 157, 160
- web streaming, frame rates, 187
- wet/dry balance, 232
- white noise, 211, 212
- wide-groove records, 66
- Winamp, 116, 130
- Windows
 - audio devices configuration, 301–302
 - configuring for best audio quality,
291–302
 - MP3 support, 292
 - WMA, M4A/M4P support, 293

- low-latency recording and audio driv-
ers, 293–294
- plug-ins, 230
- tuning for best performance, 294–301
- Windows 7, 48, 292
 - tuning for best performance, 299–301
- Windows DirectSound, 3, 83
- Windows Driver Model Kernel Streaming
(WDM/KS), 294
- Windows Media Audio (WMA) files. *See*
WMA (Windows Media Audio) files
- Windows Media Player, 6, 116, 117
- Windows Meeting Space, 301
- Windows Vista, 47, 291–292
 - default recording and playback devices, 4
 - tuning for best performance, 299–301
- Windows XP, 47–48, 291
 - performance tuning, 296–298
- wind sock, 40
- wireless mics, 43
- WMA (Windows Media Audio) files, 145,
146, 204
 - Audacity support, 293
 - channel mapping for, 192
 - encoding ringtone in, 205
- Work Made for Hire and Copyright Cor-
rections Act of 2000, 163

X

- Xfce, 287
- XLR connectors, 37, 41
- XLR plugs, 36
- Xmms, 116

Y

- Y-adaptor, 69
- Yahoo!, 162
- Yamaha Pocketrak 2G, 49

Z

- zero crossing point, 225
- Zero Decibels Full Scale, 20
- Zoom button (Tools toolbar), 8, 9, 11
- Zoom H2 portable digital recorder, 35,
49, 80
- Zoom In/Out buttons (Edit toolbar), 8, 61
- Zoom to Selection for view, 21
- zZounds, 317