

## **Errata for *Attacking Network Protocols* (updated to 7<sup>th</sup> printing)**

**Page 3:** Under “Application layer (layer 4)”:

. . . which converts a name to a **node** on the network.

should now read:

. . . which converts a name to an **address of a node** on the network.

**Page 6:** In the 2nd paragraph:

Ethernet uses a **64**-bit value called a Media Access Control . . .

should now read:

Ethernet uses a **48**-bit value called a Media Access Control . . .

**Pages 18–19:** On page 18, we added a callout (1) to Figure 2-5.

and on page 19, the first sentence:

Selecting the **filter circled in Figure 2-5** displays only events related to network connections from a monitored process.

should now read:

Selecting the **filter (1)** displays only events related to network connections from a monitored process.

**Pages 28–29:** At the bottom of the page and onto the next:

. . . resolve **only local hostnames**.

should now read:

. . . resolve **hostnames locally**.

**Page 42:** In the paragraph after Figure 3-5:

. . . big endian is referred as network order

should now read:

. . . big endian is referred **to** as network order

**Page 60:** In the last sentence of the first paragraph:

%06%E3%58

should now read:

%06%E3X

**Page 137:** In the last paragraph, “.ddl” should now read “.dll”

**Page 169:** In the last sentence,

component certificates

should now read:

root certificates

**Page 217:** In the penultimate paragraph,

NUL pointer

should now read:

NULL pointer

**Page 224:** In Listing 9-11, the for loop which reads:

```
for(int i = 1; i < N - 1; ++i)
```

should now read:

```
for(int i = 1; i < N; ++i)
```

and the end of the loop which reads:

```
while(swapped == false);
```

should now read:

```
while(swapped);
```

**Page 253:** “Listing 107” should now read “Listing 10-7”

**Page 264:** Two times on the page, “NUL” should now read “NULL”

and

```
./test_shellcode execv.bin
```

should now read:

```
./test_shellcode execve.bin
```