

The Art of Mac Malware

The Guide to Analyzing Malicious Software

by Patrick Wardle

Errata updated to print 2

Page	Error	Correction	Print corrected
29	(You can instruct Finder to show such hidden files by pressing COMMAND-SHIFT-SPACE [⌘-⇧-SPACE] or using the ls command with the -a option in the Terminal.)	(You can instruct Finder to show such hidden files by pressing COMMAND-SHIFT-PERIOD [⌘-⇧-.] or using the ls command with the -a option in the Terminal.)	Print 2
53	<pre>void sub_10000c007(...) { auth = [Authenticator sharedAuthenticator]; sfAuth = [SFAuthorization authorization]; [sfAuth obtainWithRight:"system.preferences" flags:0x3 error:0x0]; [auth authenticateUsingAuthorizationSync:sfAuth]; }</pre>	<pre>void sub_10000c007(...) { auth = [Authenticator sharedAuthenticator]; sfAuth = [SFAuthorization authorization]; [sfAuth obtainWithRight:"system.preferences" flags:0x3 error:0x0]; [auth authenticateUsingAuthorizationSync:sfAuth]; }</pre>	Print 2
60	<pre>file = @"[email]/tmp/applist.txt" retain];</pre>	<pre>file =[email]/tmp/applist.txt" retain];</pre>	Print 2
121	<pre>execTask('chmod -R 0700 ' + @"\\" + @"\\"");</pre>	<pre>execTask('chmod -R 0700 ' + @"\\" + poshellMac + @"\\"");</pre>	Print 2