

INDEX

Symbols

&& operator, 17, 20, 96
* operator, 13, 18, 156
*= operator, 34
{ } (block), 31, 44, 85
{ } (object), 63, 113
- operator, 14, 15, 18
-= operator, 34
= operator, 25, 64, 168, 170, 197
== operator, 16, 19, 66, 79
=== operator, 19, 79, 410
/ operator, 14
/= operator, 34
> operator, 16
>= operator, 16
< operator, 16
<= operator, 16
– operator, 34
% operator, 14, 34, 286, 408, 417, 419
+ operator, 13, 15, 18, 156, 403
++ operator, 34
+= operator, 34
?: operator, 17, 20
[] (array), 60
[] (subscript), 61
|| operator, 17, 19, 51, 96, 123, 326, 408
200 (HTTP status code), 300, 354
204 (HTTP status code), 360
2d (canvas context), 277
400 (HTTP status code), 424
404 (HTTP status code), 300, 359, 374, 376
405 (HTTP status code), 358
406 (HTTP status code), 420
500 (HTTP status code), 359, 363

A

a (HTML tag), 210, 224, 226, 318
Abelson, Hal, 190
absolute path, 424

absolute positioning, 229, 233, 241, 245, 250
abstract syntax tree, *see* syntax tree
abstraction, 82, 84, 85, 91, 191, 208, 218
acceleration, 268
Accept header, 312, 363, 420
access control, 127, 151, 178, 371
Access-Control-Allow-Origin header, 305
actionTypes object, 130
activeElement property, 317
actor, 256, 261, 266–267, 291
actorAt method, 266
addEntry function, 66
addEventListener method, 236, 270, 356
addition, 13, 117
address, 299
address bar, 209, 299, 301
adoption, 153
age difference (exercise), 95, 411
alert function, 27, 47, 211
algorithm, 423
algorithmic optimization, 398, 405
alignment, 114
all function, 313, 421
alpha, 343
alphanumeric character, 155
alt attribute, 221
ALT key, 240
altKey property, 240
ambiguity, 202
AMD, 183, 185
American English, 156
ampersand character, 211, 301
analysis, 139, 143
ancestor element, 262
ancestry example, 87–90, 92–95
ANCESTRY_FILE data set, 88
angle, 231, 282–283, 341, 419
angle brackets, 210
animate method, 266

- animation
 - avoiding stutter, 230
 - cat in ellipse, 230
 - collision detection, 265
 - frames for, 285–286, 290–291
 - game, 264, 266–269, 271
 - getting elements by tag name, 233
 - mouse trail, 250
 - off-screen, 244
 - scheduling, 230
 - simple, 129, 134
 - sprite, 293
 - stopping, 271
 - SVG vs. canvas, 295
- anonymous function, 178
- appendChild method, 220, 260, 416
- Apple, 213
- application (of functions), *see* function
 - application
- apply method, 86, 101
- approximation, 119
- arc, 281–283
- arc method, 282, 420
- arcTo method, 281, 282
- area, 341
- argument, 27, 47, 51, 163, 192
- arguments object, 74, 86, 409
- argv property, 350
- arithmetic, 13, 18, 198
- Armstrong, Joe, 98
- array
 - creation, 60, 91, 121, 409
 - defined, 64
 - Egg support, 202
 - every method, 96
 - filtering, 88
 - flattening, 95
 - forEach method, 84
 - as grid, 120, 343
 - higher-order functions and, 87
 - indexing, 61, 409, 417
 - length property, 62, 121
 - map method, 89
 - methods, 72
 - objects and, 78
 - random element from, 123
 - reverse method, 78
 - searching, 69, 72
 - slice method, 73
 - some method, 96
 - splice method, 377
 - as table, 68
 - traversal, 83
- Array constructor, 121
- Array prototype, 102, 104
- array-like object, 86, 186, 318, 323, 353
- arrow function, 125
- artificial intelligence, 119, 130, 135, 201, 412
- artificial life, 119, 254, 328
- artificial stupidity (exercise), 135, 412
- ASCII art, 352
- assert function, 149
- assertion, 149, 150
- assignment, 25, 34, 168, 170, 202, 416
- assumption, 148, 150
- asterisk, 13, 156
- asynchronous I/O, 183, 304, 348
- asynchronous programming
 - callbacks, 304, 308
 - code execution path and, 185
 - defined, 272
 - dependencies and, 183
 - error handling, 307
 - functions and, 352
 - Node and, 348
 - overview, 348, 349
 - parallelism and, 349
 - promise interface, 310
 - reading files, 323
 - writable streams, 356
- attack, 305
- attribute, 210, 222, 332, 421, 422
- Aurelius, Marcus, 234
- authorization, 371
- autocompletion (exercise), 328, 421
- autofocus attribute, 317
- automatic semicolon insertion, 24
- avatar, 254
- average function, 90, 95, 96, 411
- axis, 268, 277, 287–288

B

- Babbage, Charles, 58
- background, 254, 260–261, 265, 291
- background (CSS), 250, 254, 261
- backgroundReadFile function, 184, 306

- backslash character
 - boundary markers, 166
 - escaping in regular expressions, 154, 166
 - escaping in strings, 14
 - paths using, 364
- backtracking, 162, 165
- backward compatibility, 177
- ball, 297, 420
- Banks, Iain, 252
- bean counting (exercise), 56, 409
- beforeunload event, 246
- behavior, 122, 129, 172, 201, 412–413
- benchmark, 225, 389, 395
- Berners-Lee, Tim, 298
- best practices, 3
- bezierCurve method, 281
- binary data, 3, 353
- binary number, 11, 12, 68, 142, 162, 322
- binary operator, 13, 15, 23
- bind method, 94, 101, 125
- bit, 4, 12, 16, 68
- bitmap graphics, 284, 297
- Blob type, 324
- block, 31, 32, 42, 145, 146, 192
- block comment, 36, 165
- block element, 224, 226–227
- blocking, 183, 230, 246, 248, 304, 348, 354
- blur event, 245–246
- blur method, 317
- body (HTML tag), 210–211, 216
- body (HTTP), 301–303, 355, 360, 361, 374
- body property, 216, 217, 219
- bold, 226
- book analogy, 175, 188
- Book of Programming, The*, 10, 346
- Boolean
 - conditional execution, 29
 - conversion to, 19, 29, 32
 - defined, 16
 - Egg support, 197
 - immutable types, 65
 - using with while loop, 31
- Boolean function, 29
- border (CSS), 225, 226
- border-radius (CSS), 241
- bouncing, 122, 255, 257–258, 265, 267, 297
- BouncingCitterr type, 122
- boundary, 160, 161, 166, 170, 172, 291, 414
- box, 151, 215, 254, 297, 420
- box shadow (CSS), 262
- br (HTML tag), 422
- braces, *see* curly braces
- branching, 160, 162
- branching recursion, 51, 289
- break keyword, 33, 35
- breakpoint, 143
- British English, 156
- browser
 - bitmaps in, 297
 - color field support, 336
 - compatibility between, 213
 - console output, 27
 - dialog boxes in, 28
 - doctype and, 211
 - events in, 236
 - global scope, 77
 - graceful degradation, 387
 - history of JavaScript, 6
 - JavaScript support, 2
 - long polling, 369
 - old, 213
 - private namespace pattern, 180
 - responsiveness, 390
 - security, 212–213, 305, 364
 - sessionStorage, 327
 - XMLHttpRequest and, 302–304
- browser wars, 213
- Browserify, 183
- brush, 332, 336–337, 340
- bubbling, *see* event propagation
- bucket fill, 343, 423
- budget, 387
- Buffer type, 353, 356
- bug
 - browser history, 213
 - decoupling and, 177
 - defined, 81, 139
 - lastIndex property and, 167
 - regular expressions and, 166
- business software, 302
- button, 235, 301, 318, 328, 339

button (HTML tag), 212, 236, 241, 251, 319, 325, 327

byName object, 92, 95

C

C (programming language), 389

cache, 182, 184, 415

call method, 101, 105, 114, 126, 131, 199

call protocol, 396

call stack, 46–48, 51, 145, 147, 149, 396

callback function

- defined, 306
- error arguments, 307
- event handlers, 235
- promises and, 308
- readable streams, 355
- writable streams, 356

calling (of functions), *see* function application

camel case, 36, 227

cancelAnimationFrame function, 248

canvas

- arcTo method, 282
- bezierCurve method, 281
- circles, 281
- clearRect method, 285
- color picker exercise, 342
- context, 277, 339
- cross-domain requests, 338
- defined, 275
- drawGraph function, 393
- drawing text in, 284
- filling and stroking, 278
- graphics options in browser, 295
- loading pixel data into, 285
- path, 278
- performance and, 295
- size, 277, 278
- strokeTo method, 279
- toDataURL method, 337
- transformations in, 286–288

canvas (HTML tag), 277, 332

canvas property, 333

CanvasDisplay type, 290, 291, 293

capitalization

- with censored keyboard, 417
- in header names, 304
- in property names, 227
- in variable names, 35–36

capture group, 158, 159, 163–164, 373

career, 253

caret character, 155, 160, 170

carnivore, 136

carriage return, 169

cascading, 228

Cascading Style Sheets, *see* CSS

case conversion, 62

case keyword, 35

case-sensitivity, 157, 304, 414

casual computing, 2

cat’s hat (exercise), 233

catch keyword, 145, 147–148, 150, 413

catch method, 310

CD, 11

celery, 367

cell, 328

censored keyboard (exercise), 250, 417

center, 263

centering, 230

century, 96, 411

certificate, 311

chaining, 309, 362

change event, 317, 320, 327, 339, 425

chapter, 175

character, 14, 240, 320

character category, 171

character encoding, 353

charAt method, 56, 74

charCode property, 240, 417

charCodeAt method, 240, 403

chat, 208

checkbox, 316, 321, 328, 422

checked attribute, 316, 321

chess board (exercise), 38, 408

child node, 217, 218, 220, 243

childNodes property, 218, 221, 418

choice, 160

Chrome, 213

circle, 231, 281–282, 341

circle (SVG tag), 276

circular dependency, 188, 415

circus, 72

class attribute, 220, 224, 228, 260, 262, 333, 382

className property, 224

cleaning up, 146, 264

- clearing, 223, 275, 285, 288–289, 291–292, 420
- clearInterval function, 248
- clearRect method, 285, 420
- clearTimeout function, 248
- cleverness, 186
- click event, 236, 238, 241, 421, 425
- client, 208, 310, 355, 368, 379
- clientHeight property, 225
- clientWidth property, 225
- clientX property, 242, 334
- clientY property, 242, 334
- clipboard, 212, 250
- clipping, 291
- cloneNode method, 383
- cloning, 383
- closePath method, 279
- closing tag, 210, 212
- closure, 48, 85, 202, 324, 397, 416–418
- code, 7, 23, 43, 165, 254
- code golf, 172
- code structure, 32, 41, 115, 175
- coin, 254, 255, 266–270, 294
- Coin type, 258, 267
- collaboration, 207
- collection, 5, 60, 62, 64, 78, 117, 412
- collision detection, 264–269, 420
- colon character, 17, 35, 63, 226
- color, 276, 278, 292, 332, 336, 342
- color (CSS), 226, 227
- color picker, 336
- color picker (exercise), 342, 423
- colWidths function, 108
- comma character, 192
- command key, 240
- command line, 347, 349–351
- comment, 36, 165, 202, 217, 368, 370, 384, 416
- comment field reset (exercise), 386, 425
- COMMENT_NODE code, 217
- CommonJS, 180–182, 188, 350, 351
- communication, 208, 310
- community, 348
- comparison
 - of colors, 423
 - creating Boolean values, 16
 - of DOM nodes, 425
 - of NaN, 17
 - of numbers, 16, 28
 - of objects, 66
 - of strings, 16
 - for switch statement, 35
 - of undefined values, 19
- compass direction, 122, 129
- compatibility, 6, 207, 213, 303, 336
- compilation, 200, 389–390, 402, 416
- completion, 303, 328
- complexity, 3, 81, 91, 99, 186, 399
- composability, 5, 90, 91, 186
- compositing, 336
- composition, 115
- computed property, 61
- computer, 1, 3
- concat method, 73, 95, 112, 417, 426
- concatenation, 15, 73, 112, 417, 423, 424
- concurrency, 246
- conditional execution, 17, 29, 35, 38, 196, 387
- conditional operator, 17, 20
- configuration, 169
- confirm function, 28
- Confucius, 2
- connection, 208, 299, 304, 306, 311, 369
- consistency, 36, 207, 218
- console.log, 15, 27, 46, 75, 143
- constant, 76, 269
- constructor
 - Error, 146
 - inheritance using, 114
 - instanceof operator and, 115
 - overview, 103
 - prototype property for, 103
 - using without new keyword, 141
- content negotiation (exercise), 312, 363, 420, 424
- Content-Length header, 300
- Content-Type header, 300, 354, 358, 364
- context, 277, 333–334, 339
- context menu, 239
- context parameter, 125, 126
- continue keyword, 34
- control flow, 29, 31–33, 46, 85, 145, 310
- control key, 240
- control point, 280, 281

- controls object, 333, 336
- convention, 36, 186
- Conway's Game of Life, 328
- coordinates, 120, 241, 260, 277, 278, 334, 422–423
- copying, 383
- copy-paste programming, 53, 176
- correlation, 67–69, 71
- cosine, 76, 231
- counter variable, 31, 33, 231, 408, 409, 417, 421
- crash, 147, 150, 361, 375, 386
- createElement method, 221, 332, 416
- createPaint function, 333
- createReadStream function, 356, 359
- createServer function, 354, 356, 372, 373
- createTextNode method, 221, 421
- createWriteStream function, 356, 360
- crisp, 295
- critters, 119
 - action handlers and, 131–133
 - animating, 126–128
 - behavior, 129–130
 - predators of, 136
- Crockford, Douglas, 206
- cross-domain request, 305, 338, 343
- cryptography, 311
- CSS, 227, 244, 261–262, 264, 275, 333
- ctrlKey property, 240
- curl program, 361
- curly braces, 31
 - brace notation, 63
 - for function body, 42
 - for multiple loops, 408
 - with parentheses, 84
 - with pattern, 156–157
- cursor, 319–320
- curve, 280–281
- cycle, 217

D

- Dark Blue (game), 254
- dash character, 14, 155, 227
- data, 2, 59
- data attribute, 222, 223, 251
- data event, 356
- data format, 87, 218, 305
- data loss, 386
- data set, 68, 87, 111
- data structure, 59–79
 - in ancestor example, 92–93
 - when building programming language, 192
 - lists, 78–79
 - trees, 216–217
 - using simple, 186
 - in weresquirrel example, 60–61
- data URL, 337
- database, 303
- dataTable function, 112, 114
- date, 155, 156, 158
- Date constructor, 158–159
- date field, 336
- Date type, 177, 187
- Date.now function, 159, 371, 404
- dblclick event, 241
- debouncing, 248
- debugger statement, 143
- debugging
 - defined, 140
 - Error constructor, 145
 - JavaScript weaknesses, 6
 - overview, 139
 - use strict and, 141
 - using assertions, 150
 - using catch keyword, 148
 - using console.log, 143
- decentralization, 207
- decimal number, 11, 142, 162
- declaration, 226
- decodeURIComponent function, 301, 358, 373, 424
- decoupling, 177
- deep comparison, 66, 79
- deep comparison (exercise), 79, 410
- default behavior, 226, 239, 417
- default keyword, 35
- default value, 20, 93, 278, 326, 409
- defensive programming, 127, 128
- define function, 183–185
- defineProperty function, 106, 113, 411
- degree, 282, 287
- DELETE method, 300–301, 357, 359, 374, 384
- delete operator, 64
- denotify function, 361
- deoptimization, 397, 402

- dependence, 67
- dependency, 176–177, 180, 183–184, 188, 352
- deserialization, 87
- developer tools, 7, 27, 144, 147
- dialog box, 27, 28
- diamond, 296, 419
- digit, 11, 12, 142, 155–157, 173
- Dijkstra, Edsger, 118
- dimensions, 117, 119, 225, 253, 255, 265, 277, 408
- dinosaur, 201
- direct child node, 228
- directions object, 122, 129
- directory, 353–354, 357–359, 364, 425
- disabled attribute, 318
- discretization, 119, 254, 265, 267, 271
- dispatching, 35, 372
- display, 260, 290, 295
- display (CSS), 226, 251, 380
- distance, 394
- division, 14
- division by zero, 14
- DNA, 92, 93
- do loop, 32
- doctype, 210–211
- document, 209, 215, 246, 275
- document format, 311, 312
- Document Object Model, *see* DOM
- documentation, 186, 347
- documentElement property, 216, 217, 304
- dollar sign, 25, 160, 163, 170
- DOM
 - addEventListener, 236
 - canvas element, 275
 - cloneNode, 383
 - construction, 218, 220, 222, 332, 380
 - creating structures in JavaScript, 380
 - CSS and, 275
 - documentElement, 217
 - events and, 241
 - forms in, 315
 - graphics in, 255
 - object properties, 222
 - overview, 216, 220
 - selectors and, 229
 - value property, 319
- domain, 209, 301, 305, 325, 338
- domain-specific language, 82, 142, 153, 201, 229, 310, 380
- DOMDisplay type, 260, 290
- dot character, *see* period character
- double-click, 241
- double-quote character, 14, 173, 192, 211
- download, 7, 177, 232, 361, 368, 386
- draggable bar example, 242
- dragging, 242
- drawGraph function, 393
- drawImage method, 285, 287, 290, 292–293, 420
- drawing
 - building a program for, 331–344
 - and canvas element, 275–297
 - checkboxes, 422
 - subsystems, in platform game, 259–264
- drawing program example, 241, 331
- drawTable function, 109
- drawTalk function, 382, 383, 387
- drop-down menu, 316, 322
- duplication, 176, 415
- dynamic scope, 146
- dynamic typing, 139, 402

E

- ECMAScript, 6, 45, 125, 308, 427
- ecosystem, 119, 135, 136
- ecstatic module, 373
- editor, 255
- efficiency, 50, 182, 200, 255, 412
- Egg language, 191–203
 - array support, 202
 - comments in, 202
 - environment, 198
 - evaluator, 195
 - functions in, 199
 - overview, 191, 201
 - parsing, 195
 - uniformity, 192
- elegance, 50, 91, 193
- element, 210, 217, 222
- elementFromChar function, 124
- ELEMENT_NODE code, 217, 417
- elements property, 318
- ellipse, 230, 231

- else keyword, 30
- elt function, 222, 332, 380
- email, 311
- email field, 336
- empty set, 165
- encapsulation
 - defined, 99, 100
 - importance of, 176
 - inheritance and, 115
 - using modules, 177–178, 186, 188
- encodeURIComponent function, 301, 370
- encoding, 208
- encryption, 311
- end event, 356
- end method, 355, 356, 358, 424
- enemies example, 168
- energy, 130–133, 412
- engine, 389
- engineering, 213
- ENOENT (status code), 359, 363
- ENTER key, 319, 339
- entity, 211
- entropy, 130
- enumerability, 106
- environment, 26, 196, 198, 247, 416
- equality, 16
- erase tool, 335, 336
- error, 139–142, 144, 147, 148
- error event, 307, 324, 360
- error handling
 - asynchronous programming
 - and, 307
 - catch keyword, 145
 - catch method, 310
 - ENOENT, 359
 - for file server, 361
 - HTTP status codes, 359
 - long polling and, 386
 - overview, 144, 145
 - then method, 310
 - unhandled exceptions, 147
 - user experience and, 381
 - using promises, 361
- error message, 195, 309, 327
- error recovery, 144
- error response, 300, 306, 359–361
- error tolerance, 127, 211
- Error type, 145, 147, 148, 359
- ESC key, 273
- escaping
 - in HTML, 210, 212
 - in regular expressions, 154–155, 166
 - in strings, 14, 192
 - in URLs, 301, 358, 370, 373
- Escher, M.C., 274
- eval, 180
- evaluate function, 195–196, 198
- evaluation, 180, 195, 200
- even number, 31, 56
- event handling
 - asynchronous programming and,
 - 272, 304
 - callbacks, 235
 - default behavior, 239
 - DOM and, 236
 - event objects, 237
 - event propagation, 237
 - focus events, 245
 - in games, 254, 273
 - keyboard events, 239, 320
 - load event, 284, 304
 - reading from streams, 356
 - scroll events, 244
 - starting scripts, 246
 - submitting forms, 319
 - target property, 321
- event object, 237, 240–242, 334, 342
- event propagation, 237–238, 243,
 - 245, 246
- event type, 237
- every and some (exercise), 96, 411
- every method, 96
- evolution, 153, 176
- exception, 307, 361
- exception handling
 - asynchronous programming
 - and, 307
 - chaining actions and, 308
 - vs. crashing, 361
 - error handling and, 145
 - overview, 148
 - purpose of, 361
 - toDataURL method and, 338
 - try keyword, 145
 - uncaught exceptions, 147
- exec method, 157–158, 167–168
- execution order, 29, 45, 46
- exercises, 2, 7, 37, 142

- exit method, 350
- expectation, 239
- experiment, 3, 7, 172, 240
- exploit, 213
- exponent, 13, 173, 414
- exponentiation, 32, 33
- exporting, 179, 182, 415
- exports object, 179, 181–182, 351, 415
- expression, 23–25, 28, 31, 33, 196
- expressivity, 2, 201
- extinction, 135
- extraction, 158

F

- factorial function, 8
- failure, 306
- fallthrough, 35
- false, 16
- farm example, 52, 54, 160
- farmer, 87
- field, 315, 318, 321, 328, 425
- figlet module, 352
- file extension, 358
- file field, 316, 323
- file format, 168
- file reading, 323
- file server module, 379
- file server example, 357–362, 364, 424, 425
- File type, 323
- FileReader type, 324, 339
- files property, 323
- filesystem, 323, 332, 339, 353–354, 357, 425
- fill method, 279
- fillColor property, 284
- filling, 278–279, 284, 296
- fillRect method, 278, 285, 342, 344, 422
- fillStyle property, 278, 332, 333, 337
- fillText method, 284, 419
- filter method, 88, 94, 109, 257, 411
- finally keyword, 146, 151, 413
- finish event, 361
- Firefox, 213, 303
- firewall, 365, 369
- firstChild property, 218
- fixed positioning, 245
- FizzBuzz (exercise), 38, 408

- flattening (exercise), 95
- flexibility, 6
- flipHorizontally function, 293, 419
- flipHorizontally method, 287
- flipping, *see* mirroring
- floating-point number, 13
- flood fill (exercise), 343, 423
- flow diagram, 161, 162
- focus, 241, 245, 317–318, 320, 321, 386, 425
- focus event, 245–246, 338
- focus method, 317
- fold function, 89
- font, 284, 340
- font-family (CSS), 227
- font-weight (CSS), 228
- food, for critters, 130, 132, 134–135, 413
- food chain, 133, 136
- for attribute, 321
- for loop, 33, 124, 148, 397, 409, 410
- force-directed graph layout, 391, 393–394
- for/in loop, 70–71, 105–107, 410, 411
- forEach method, 84, 125, 324, 418, 426
- form, 301–302, 315, 318–319, 365
- form (HTML tag), 315–316, 318, 339, 379, 385, 425, 426
- form property, 318
- forwarding, 371
- fractal example, 289
- fractional number, 13, 173, 254
- fragmentation, 400
- frame, 285–286, 290–291, 293, 420
- framework, 54, 133
- fromCharCode function, 240, 403
- fs module, 353–354, 364
- fsp object, 362
- function
 - body, 42
 - declaration, 45–46
 - definition, 27, 42, 45, 52
 - higher-order, 84–86, 87, 89, 90, 125
 - model of, 49
 - as namespace, 177–179
 - naming, 52–54
 - overview, 41
 - program division and, 175
 - as property, 62

- function, *continued*
 - purity, 54
 - scope, 43, 44, 125, 202
 - as value, 45, 48, 83–84, 306, 418
 - wrapping, 86
- Function constructor, 181, 184, 198, 200, 327, 421
- function keyword, 42, 45, 179
- Function prototype, 102, 104
- future of JavaScript, 6, 26, 171, 185, 308

G

- game
 - acceleration of character in, 240
 - drawing display for, 290–294
 - platform, 253–273
 - running, 270
- game of life (exercise), 328, 422
- GAME_LEVELS data set, 273
- garbage collection, 12, 396, 399, 400
- garble example, 351
- gardening, 367
- gatherCorrelations function, 70
- gaudy home pages, 250
- generation, 328, 422
- generational garbage collection, 400
- get function, 308
- GET method, 300, 301, 303, 319, 357, 425
- getAttribute method, 222, 224
- getBoundingClientRect method, 225, 242, 334
- getContext method, 277
- getDate method, 159
- getDay method, 177
- getElementById method, 220
- getElementsByClassName method, 220
- getElementsByName method, 321
- getElementsByTagName method, 219, 221, 223, 232, 417
- getFullYear method, 159
- getHours method, 159
- getImageData method, 342, 343
- getItem method, 325–326
- getMinutes method, 159
- getMonth method, 159
- getPrototypeOf function, 102, 104, 202, 416

- getResponseHeader method, 303
- getSeconds method, 159
- getter, 113, 117
- getTime method, 159
- getURL function, 307
- getYear method, 159
- global object, 77, 125, 140, 350
- global scope, 43, 176, 178–179, 182, 236, 350, 416
- globalCompositeOperation property, 336
- Goethe, Johann Wolfgang von, 314
- Google, 213
- graceful degradation, 388
- grammar, 23, 169
- grandfather, 92–93
- graph, 295, 390, 404
- graph layout, 391
- graphical user interface, 1
- graphics
 - and canvas, 275
 - canvas element, 277
 - interface, 295
 - in platform game, 262
 - and DOM, 254–255
 - encapsulation, 259
 - vector vs. bitmap, 284
- GraphNode type, 392
- gravity, 268, 269
- greater than, 16
- greed, 165
- grid, 119–121, 422
- Grid type, 121
- groupBy function, 96
- grouping, 31, 96, 157–158, 163–164, 411, 414

H

- h1 (HTML tag), 210, 224
- hard drive, 12, 323, 325, 348, 386
- hard-coding, 219, 296, 334
- hasEvent function, 68
- hash character, 202
- hasOwnProperty method, 106–107, 202, 416
- head (HTML tag), 210–211, 216
- head property, 216
- header, 300–301, 303, 304, 306, 354
- height (CSS), 342
- help text example, 245

- helper function, 218
- herbivore, 133–136, 413
- hexadecimal number, 162, 301
- hidden element, 227, 251, 380
- higher-order function, 84–86, 87, 89, 90, 125
- highlightCode function, 223
- history, 6, 99, 378
- Hoare, C.A.R., 80
- Hooke’s law, 393
- hooligan, 371
- Host header, 301, 304
- hot code, 390
- hover effect, 243, 244
- href attribute, 210, 219, 222, 337
- HTML, 209, 215, 217, 276, 332
- html (HTML tag), 211, 216
- HTML5 form fields, 336
- HTTP, 209, 299–301, 305, 310–311, 360
- http module, 354–355, 363
- HTTPS, 209, 311, 355
- https module, 355
- human language, 2, 23, 41
- Hypertext Markup Language, *see* HTML
- Hypertext Transfer Prototol, *see* HTTP

I

- id attribute, 220, 228, 321, 379
- idempotency, 360, 424
- identifier, 192
- identitiy, 65
- if keyword, 29–30, 35, 170, 408
- image, 210, 221, 246, 275, 301, 332, 338
- imagination, 253
- img (HTML tag), 210, 221, 226, 246, 275, 285, 339
- implementation, 171
- implementation detail, 177
- implements (reserved word), 26
- in operator, 64, 69, 105–107, 410
- indentation, 32, 33
- index, 61, 109
- index property, 157
- index.html*, 379
- indexOf method, 69, 72, 74, 154, 167, 377, 421
- infinite loop, 34, 47, 130, 148, 409
- infinity, 14
- inheritance, 102, 114–116, 130, 148, 359
- ini* file, 168, 176
- initialization, 246, 379, 380
- inline caching, 402, 403
- inline element, 224, 226
- inlining, 396, 397
- inner function, 44, 85, 110, 417
- inner loop, 91, 163, 397, 401, 402
- innerHeight property, 245
- innerWidth property, 245
- input, 28, 144, 235, 255
- input (HTML tag), 245, 250, 316, 319, 321, 323
- input event, 320, 421
- insertBefore method, 220
- install, 352
- installation, 177
- instance, 103
- instanceof operator, 115, 148
- instantiateTemplate function, 387, 426
- instantiation, 382
- instruction, 4
- integer, 13
- integration, 153, 218
- interconnection, 176
- interface
 - canvas, 275
 - design, 54, 177, 185, 217–218
 - DOM as, 218
 - modules and, 180
 - objects as, 179
 - overview, 99, 107
 - sequence, 117
 - table, 108
- interface (reserved word), 26
- interface design, 54, 177, 185, 217–218
- internationalization, 170
- Internet, 168, 208, 209, 212, 364, 365
- Internet Explorer, 213, 302
- interpretation, 7, 180, 195–196, 200, 389
- interview question, 38
- inversion, 155
- invoking (of functions), *see* function application
- IP address, 209, 299, 301, 365

- isEven (exercise), 56, 408
- isInside function, 243
- isNaN function, 30
- isolation, 99, 176–178, 180, 212
- iteration, 117

J

- Jacques, the weresquirrel, 60
- Java, 6
- JavaScript
 - absence of, 387
 - availability of, 2
 - flexibility of, 6
 - history of, 6, 207
 - in HTML, 211
 - syntax, 23
 - uses of, 6
 - versions of, 6
 - weaknesses of, 6
- JavaScript console, 7, 15, 27, 143, 147, 327, 349
- JavaScript Object Notation, *see* JSON
- join method, 62, 105, 110, 199, 351
- journal, 60, 63, 65, 66, 70, 75
- JOURNAL data set, 68
- JSON, 87, 305, 309, 325, 352, 425
- JSON.parse function, 87, 425
- JSON.stringify function, 87
- jump, 4
- jump-and-run game, 253
- jumping, 254, 268, 269
- just-in-time compilation, 390

K

- Kernighan, Brian, 138
- key code, 240, 270
- keyboard, 26, 239, 254, 270, 317–318
- keyboard focus, *see* focus
- keyCode property, 240, 417
- keydown event, 239–240, 248, 270, 417
- keypress event, 240, 417
- keyup event, 239, 240, 270
- keyword, 24, 26, 223
- Khasekhemwy, 320
- Knuth, Donald, 40
- Kurds, and censored keyboard, 250

L

- label, 284, 297
- label (HTML tag), 321
- labeling, 321
- landscape example, 44
- lastChild property, 218
- lastIndex property, 167–168
- lastIndexOf method, 72
- Last-Modified header, 300
- Lava type, 258, 267
- layering, 186, 208
- layout, 224–226
- laziness, 225
- leaf node, 217
- leak, 213, 273, 338, 364, 424
- left (CSS), 229–231, 233, 342
- legend, 123
- length property
 - for arrays, 62, 83
 - for strings, 53, 61, 74, 409
- less than, 16
- let keyword, 26, 45
- level, 418
- Level type, 256
- lexical scoping, 44, 85
- library, 177, 218, 306, 350–352
- life expectancy (exercise), 96, 411
- LifeLikeWorld type, 130
- line, 278–282, 335, 419
- line break, 14, 169
- line comment, 36, 165
- line tool, 332, 334–335
- line width, 278, 286
- lineCap property, 335
- lines of code, 199
- lineTo method, 279, 282
- lineWidth property, 278, 333, 335, 337
- link, 210, 218–219, 239, 241, 332
- link (HTML tag), 264
- linked list, 78, 410, 427
- list (exercise), 78, 410
- listen method, 354–355
- listening (TCP), 208, 354
- literal expression, 23, 153, 194, 196
- literate programming, 176
- live data structure, 215, 221, 229, 418
- live view, 368, 382
- lives (exercise), 273, 418

- load event, 246, 284, 293, 304, 324, 339, 420
- loading, 183
- local scope, 176, 200
- local variable, 43, 48, 84, 85, 202, 409, 418
- localhost, 354
- localStorage object, 325–326, 384
- locked box (exercise), 151, 413
- logging, 143
- logical operators, 17
- long polling, 368–370, 376–377, 386
- loop
 - body, 32, 34
 - defined, 31
 - for, 33, 83
 - nested, 84, 92
 - over matches, 168
 - termination of, 33
 - while, 5
- lycanthropy, 60, 66

M

- machine code, 3, 200, 389
- malicious script, 212, 246
- man-in-the-middle, 311
- map, 70, 105, 107, 257, 318, 405, 411, 427
- map method, 89, 108–110, 125, 351, 411
- Marcus Aurelius, 234
- match method, 158, 168
- matching, 154, 160–162, 167, 172
- Math object, 56, 61, 75–76
- Math.abs function, 422
- Math.acos function, 76
- Math.asin function, 76
- Math.atan function, 76
- Math.ceil function, 77, 265, 292
- Math.cos function, 76, 231, 341, 420
- mathematics, 50, 85
- Math.floor function, 76, 265, 292
- Math.max function, 28, 61, 75, 291
- Math.min function, 28, 56, 75, 291, 422
- Math.PI constant, 76, 282
- Math.random function, 76, 123, 133, 259, 328
- Math.round function, 77
- Math.sin function, 76, 231, 259, 268, 341
- Math.sqrt function, 68, 75, 411
- Math.tan function, 76
- max-height (CSS), 262
- maximum, 28, 75, 108
- max-width (CSS), 262
- media type, 312, 358
- meetups, JavaScript, 367
- memory, 12, 79, 200, 386, 396, 400, 405
- mental model, 186
- Mephistopheles, 314
- mesh, 209
- message, 247
- message box, 27
- message event, 247
- meta key, 240
- metaKey property, 240
- method, 100, 102, 113, 115
- method attribute, 301
- method call, 95, 101
- methods object, 357
- micro-optimization, 398, 405
- Microsoft, 213, 302
- Microsoft Paint, 331
- Middle East, graph of, 390
- mime module, 358
- MIME type, 312, 358, 363
- mini application, 325
- minimalism, 176, 254
- minimum, 28, 56, 75, 90
- minimum (exercise), 56, 408
- minus, 14, 173
- Miro, Joan, 330
- mirror, 288, 297, 420
- mirroring, 286, 287
- MKCOL method, 364, 424
- mkdir function, 424
- modification date, 359
- modifier key, 240
- modularity, 302
- module
 - AMD system, 183
 - interface, 177, 180
 - large, 179
 - NPM and, 351
 - purpose of, 176
 - requiring, 351
 - scope for, 177
- module loader, 180, 183, 185, 350

- module object, 182
- modulo operator, 14
- Mongolian vowel separator, 171
- month name (exercise), 187, 414
- Mosaic, 213
- motion, 254
- MOUNTAINS data set, 108, 111, 232
- mouse, 26, 332, 334, 342, 421
 - button, 237, 238, 241
 - cursor, 241
- mouse trail (exercise), 250, 417
- mousedown event, 238, 241, 332, 334, 421
- mousemove event, 242–243, 248, 334–335, 417
- mouseout event, 243
- mouseover event, 243, 338
- mouseup event, 241, 243, 332, 334
- moveTo method, 279, 282
- Mozilla, 213, 303
- multiple attribute, 322, 323
- multiple-choice, 316, 321, 322
- multiplication, 13, 257, 267
- multiplier function, 49
- mutability, 64, 65, 105
- mutation, 412

N

- name attribute, 318, 321
- namespace, 75, 176, 177, 180, 181
- namespace pollution, 75, 176, 179
- naming, 4, 6
- NaN, 14, 17, 18, 140
- negation, 15, 17
- neighbor, 328, 422
- nerd, 166
- nesting
 - of arrays, 68
 - of expressions, 23, 193
 - of functions, 44, 85, 110
 - of loops, 38, 91, 124, 408
 - of objects, 216, 219
 - in regular expressions, 163
 - of scope, 44
- Netscape, 6, 213
- network, 207–209, 311, 371
- new operator, 103
- newline character, 14, 38, 155, 165, 169, 421

- nextSibling property, 218
- node, 216–217
- node program, 349, 350
- Node.js
 - asynchronous programming
 - and, 352
 - console.log and, 27
 - DELETE method, 359
 - file server example, 361
 - fs module, 353
 - GET method, 358
 - HTTP module, 354
 - long polling and, 368–370
 - module system, 182, 350–351
 - NPM, 177, 351
 - overview, 347–349, 363
 - PUT method, 360
 - stopping script, 355
 - streams and, 356
- node_modules directory, 351–352
- NodeList type, 218
- nodeType property, 217, 417, 418
- nodeValue property, 219
- nonbreaking space, 171
- normalizing, 394
- not a number, 14
- note-taking example, 325
- notification, 369
- NPM, 177, 351–353, 358, 362, 372–373
- null, 18, 19, 79, 95, 144, 411
- number
 - conversion to, 18, 29
 - immutable types, 65
 - matching with regular expression, 155, 173
 - notation, 12, 13
 - precision of, 13
 - representation, 12
 - special values, 14
- number field, 336
- Number function, 29, 36
- number puzzle example, 51

O

- object
 - creation, 103
 - DOM and, 216
 - global, 77
 - identity, 65

- immutable, 65
- instanceof operator, 115
- looping over, 70
 - as map, 105, 124, 257, 411
 - Math, 75
 - OOP history, 99
 - overview, 59, 102
 - property, 61
- Object prototype, 102, 106, 107
- object shape, 403
- Object.create function, 102, 107, 200
- Object.keys function, 112, 123, 232
- object-oriented programming, 99–100, 107–108, 115
- obstacle, 130, 264–265
- obstacleAt method, 265
- offsetHeight property, 225
- offsetWidth property, 225
- on method, 356
- onClick attribute, 212, 236
- open method, 303–304
- OpenGL, 277
- opening tag, 210
- operator, 13, 15–16, 19, 192, 198, 403
- optimization
 - batching updates, 401
 - benchmarking, 225
 - canvas elements, 337
 - clarity of code, 91
 - compiling, 390, 396
 - profiling, 395
 - pure functions, 55
 - transformations, 297
 - type observation, 402
- option (HTML tag), 316–317, 322, 334, 425
- optional, in pattern, 156
- optional argument, 48, 74, 78
- options property, 322
- ordering, 208
- organization, 175–176
- outline, 278
- output, 15, 27, 143, 198, 421
- overflow, with numbers, 13
- overflow (CSS), 262
- overlap, 265
- overlay, 228
- overriding, 104, 107, 114, 415
- overwriting, 360, 365, 375

P

- p (HTML tag), 210, 224
- package (reserved word), 26
- package manager, 177
- package.json file, 352
- padding (CSS), 261
- page reload, 246, 315, 319, 325, 426
- pageX property, 241, 342
- pageXOffset property, 225
- pageY property, 241, 342
- pageYOffset property, 225, 245
- Palef, Thomas, 254
- paragraph, 210
- parallelism, 246, 301, 348–349
- parameter, 42, 43, 47, 74, 86, 141, 418
- parent node, 237
- parentheses
 - declaring precedence, 13
 - expressions, 23
 - for loops, 33
 - functions and, 27, 179, 192
 - if statements, 30
 - regular expressions, 157, 159
160, 170
 - while loops, 31
- parentNode property, 218
- parse function, 195
- parseApply function, 194
- parseExpression function, 193
- parseINI function, 170
- parsing, 191–193, 211, 376
- partial application, 94
- password, 311, 364, 371
- password field, 316
- path
 - canvas, 278–280, 282, 335, 419
 - closing, 279
 - filesystem, 350, 357–358, 424
 - URL, 300, 303, 357–358, 369, 372
- pathfinding, 130, 135, 413
- pathfinding (exercise), 404–405, 426–427
- patience, 343
- pattern, 153–155, 166
- pausing (exercise), 273, 418
- pea soup, recipe analogy, 82
- peanuts, in weresquirrel example, 71–72
- percent, 245

- percent sign, 301
- performance
 - canvas, 295, 344
 - compilation and, 200
 - games and, 255
 - JavaScript engine, 389
 - regular expressions and, 162
 - single thread and, 247
 - synchronous functions, 354
- period character, 27, 61, 155, 165, 173, 424
- persistence, 325, 368, 384, 386, 425
- phase, 258–259, 268
- phi coefficient, 67–68
- phi function, 68
- photosynthesis, 130–131, 133
- physics, 264, 268, 391, 417
- physics engine, 265
- pi, 13, 76, 231, 259, 282
- PI constant, 76
- picture, 275–276, 285, 295, 332
- pie chart example, 283–284, 297, 419
- pipe, 208
- pipe character, 160, 414
- pipe method, 358, 360
- pixel, 225, 231, 276, 285, 291, 295, 297, 342
- pixel art, 285
- pizza, in weresquirrel example, 67–68
- placeholder, 380, 383
- plant, 130–131, 133–135, 412
- Plant type, 133
- PlantEater type, 133
- platform game, 253, 273
- Plauger, P.J., 138
- player character, 285, 293
- Player type, 257, 268
- plus character, 13, 156, 173
- plus function, 91
- pointer, 218
- polling, 235
- polymorphism, 107–108, 115
- pop method, 62, 72
- Popper, Karl, 222
- port, 208, 299, 354–355
- pose, 285
- position, 225
- position (CSS), 229, 233, 245, 254, 262, 342, 422
- POST method, 301, 302, 319, 370, 384, 426
- postMessage method, 247
- power example, 42, 48, 50, 200
- pre (HTML tag), 223
- precedence, 13, 14, 17, 228
- predators (exercise), 136, 413
- predicate function, 88, 96
- predictability, 186, 399
- premature optimization, 50, 402
- preprocessing, 183
- preventDefault method, 239, 245–246, 270, 319, 334, 417
- previousSibling property, 218
- primitiveMultiply (exercise), 150, 413
- privacy, 212, 338
- private (reserved word), 26
- private property, 127, 151
- process object, 350
- profiling, 50, 91, 395, 398
- program, 2, 23, 29
- program size, 81–82, 172, 259, 310
- programming
 - difficulty of, 2
 - history of, 4
 - joy of, 3
- programming language
 - creating, 191
 - history, 3
 - JavaScript as, 139
 - machine language and, 389
 - Node.js and, 348
 - power of, 5
 - scopes in, 176
- programming style
 - complexity and, 3
 - encapsulation, 259
 - indentation, 33
 - inheritance, 115
 - interfaces, 113
 - loops, 31
 - promises, 362
 - semicolons, 24
 - using underscores, 36, 109
 - whitespace, 32
- progress bar, 244
- project chapter, 119, 176, 191, 253, 331, 367

- promise, 308–310, 313, 324, 362–363, 421
- Promise constructor, 308, 313, 421
- prompt function, 28, 340
- promptDirection function, 148–149
- promptInteger function, 144
- propagation, *see* event propagation
- property
 - adding, 104
 - assignment, 64
 - brace notation, 63
 - console.log, 27
 - deletion, 64
 - DOM objects and, 222
 - global scope and, 77
 - interfaces and, 113
 - methods and, 100
 - model of, 64
 - naming, 127
 - Object.keys function, 112
 - overview, 61, 102, 140
 - own, 106
 - square brackets and, 61
 - testing for, 64
- protected (reserved word), 26
- protocol, 208, 209, 299–300, 337
- prototype
 - avoidance, 107
 - creating objects from, 102
 - deriving, 114
 - diagram, 104
 - functions and, 102
 - interference, 105
 - Object.prototype, 102
 - overview, 102, 105
 - pollution, 106
- prototype property, 103–104
- proxy, 371
- pseudo array, *see* array-like object
- pseudorandom number, 76
- pseudoselector, 244
- public (reserved word), 26
- public space (exercise), 364, 425
- publishing, 352
- punch card, 4
- pure function, 54, 78, 88, 91, 186, 328, 412, 422
- push method, 62, 72, 426
- pushing data, 368
- PUT method, 300–301, 357, 360, 370, 375, 385, 425
- Pythagoras, 341, 411

Q

- quadratic curve, 280
- quadraticCurveTo method, 280, 419
- query string, 301–302, 370, 376, 426
- querySelector method, 229, 332, 382
- querySelectorAll method, 229
- question mark, 17, 156, 165, 301
- quirks, 213
- quotation mark, 14, 173
- quoting
 - in JSON, 87
 - of object properties, 63
- quoting style (exercise), 173, 414

R

- rabbit example, 100–103, 105
- radian, 282, 287
- radio button, 316, 321
- radius, 281, 341
- radix, 11
- raising exception, 145
- random number, 76, 123, 133, 259, 340
- randomElement function, 123
- range, 155–157
- range function, 5, 78, 409
- ray tracer, 295
- readability, 5, 36, 54, 144, 176, 308, 310
- readable stream, 356, 358, 424
- readAsDataURL method, 339
- readAsText method, 324
- readdir function, 354, 359
- readFile function, 180, 353, 361, 425
- readFileSync function, 354
- reading code, 7, 119
- readStreamAsJSON function, 374–375
- readStreamAsString function, 424
- real-time, 235
- reasoning, 17
- recipe analogy, 82
- record, 63, 122
- recovery, 386
- rect (SVG tag), 276
- rectangle, 254, 265, 277, 278, 296

- rectangle tool (exercise), 342, 422
- recursion, 50, 196, 219, 408, 417, 425, 426
- reduce method, 89–90, 92, 95, 108–109
- reduceAncestors function, 93
- ReferenceError type, 202
- RegExp constructor, 153–154, 166
- regexp golf (exercise), 172
- registerChange function, 374–375, 378, 425
- regular expressions
 - alternatives, 160
 - backtracking, 162
 - boundary, 160
 - character categories, 171
 - character sets, 154
 - creation, 153, 166
 - debugging, 166
 - escaping, 154, 155, 166, 414
 - flags, 157, 163, 166, 414
 - global option, 163, 167–168, 223
 - greedy operators, 165
 - grouping, 157, 163
 - internationalization, 170
 - lastIndex property, 167
 - matching, 161, 167
 - methods, 154, 158, 167
 - overview, 153, 154
 - repetition, 156
 - replace method and, 163
- relatedTarget property, 243
- relative path, 350, 357, 364, 425
- relative positioning, 229, 230
- relative URL, 303
- relativePos function, 334, 422, 423
- remainder operator, 14, 34, 286, 408, 417, 419
- remote access, 357
- remote procedure call, 310
- removeChild method, 220
- removeEventListener method, 236, 418
- removeItem method, 325
- rename function, 354
- rendering, 277
- repeating key, 239
- repetition, 52, 156, 162, 166, 248, 387, 426
- replace method, 163, 173, 414, 424
- replaceChild method, 220
- replaceSelection function, 320
- reproduction, 130, 132, 133, 135, 413
- repulsion, 391, 393
- request, 300, 301, 303, 319, 354–355, 361, 368
- request function, 355, 356, 363, 424
- requestAnimationFrame function, 230, 246, 248, 271, 297, 417
- require function, 180, 181, 183, 188, 350, 352
- RequireJS, 185
- reserved word, 26, 224
- reset, 425
- resize, 339
- resolution, 350
- resource, 209, 300, 301, 311, 337, 357, 374
- response, 300, 301, 306, 354, 358, 360, 362, 424
- responseText property, 303, 304
- responseXML property, 304
- responsiveness, 235, 347, 390
- restore method, 288, 289
- result property, 324
- return keyword, 42, 47, 103, 408, 411
- return value, 28, 42, 144, 352, 410
- reuse, 54, 177, 351
- reverse method, 78
- reverse proxy, 371
- reversing (exercise), 78, 409
- rgb (CSS), 261, 343, 423
- right-aligning, 112, 232
- robustness, 369
- root, 217
- rotate method, 287, 289
- rotation, 296, 419
- rounding, 76, 143, 265–266, 281, 292
- router, 365, 369, 372
- Router type, 372
- row, 232
- rowHeights function, 108
- RTableCell type, 114
- rules (CSS), 227–228
- run function, 198
- runAnimation function, 271, 273
- runGame function, 272–273, 418
- runLayout function, 394

runLevel function, 271, 273
running code, 7
run-time error, 139, 141, 142, 144,
150, 416

S

Safari, 213
sandbox, 59, 212, 215, 305, 338
save link, 337
save method, 288–289
saving, 332
scalar replacement of aggregates,
396, 399
scale method, 286, 288
scaling, 260, 285–286, 293, 420
scheduling, 348
scientific notation, 13, 173
scope, 43, 44, 77, 125, 176, 177,
181, 416
script (HTML tag), 211–212, 246, 380
scroll event, 244, 248
scrolling, 239, 244–245, 263, 270, 291
search method, 167
searching, 161, 162, 167, 219, 344, 404
section, 169, 170
Secure HTTP, *see* HTTPS
security, 212–213, 305, 311, 323,
338, 358
SecurityError type, 338, 423
select (HTML tag), 316–317, 322, 325,
332, 334, 425
selected attribute, 322
selection, 319, 334
selectionEnd property, 319
selectionStart property, 319
selector, 229
self variable, 125
self-closing tag, 210
semicolon, 24, 33, 226
send method, 303, 304
sequence, 156
sequence (exercise), 117, 412
serialization, 87
server, 208, 299–301, 306, 347,
354–357
session, 327, 338
sessionStorage object, 327
set, 155, 217

setAttribute method, 222, 224
setInterval function, 248, 285, 341
setItem method, 325, 326
setRequestHeader method, 304, 312
setter, 113
setTimeout function, 248, 378
shape, 275, 279, 281, 284, 296
shapes (exercise), 296, 419
shared property, 103, 104, 114
SHIFT key, 240
shift method, 72
shiftKey property, 240
short-circuit evaluation, 20, 51,
197, 411
SICP, 191
side effect, 24, 28, 42, 54, 220, 278
sign, 13, 173, 414
sign bit, 13
signal, 11
simplicity, 186, 200
simulation, 119, 123, 126, 128, 130,
391, 417
sine, 76, 231, 259, 268
single-quote character, 14, 173, 212
size attribute, 322
skill, 332
skill-sharing project, 367–369, 372,
379, 387
skipSpace function, 194, 202
slash character, 14, 36, 153, 154, 165,
303, 364, 424
slice method, 73, 74, 221, 324, 415
sloppy programming, 127, 249
smooth animation, 230
SMTP, 208
some method, 96, 373, 426
sorting, 217
source property, 167
special form, 191, 196
special return value, 144
specialForms object, 196
specificity, 228
speed, 297, 420
spell-check example, 186
spiral, 296, 419
splice method, 377
split method, 110, 351
spray paint tool, 340
spring, 391, 393

- sprite, 285, 292–293
- square, 29, 42
- square brackets, 61, 69, 155, 409
- square example, 45
- square root, 68, 75, 411
- src attribute, 210, 211
- stability, 135, 136, 177, 413
- stack, *see* call stack
- stack overflow, 47, 50, 56, 409
- stack trace, 145, 149, 361
- staged compilation, 390
- standard, 6, 26, 46, 170, 207, 336
- standard environment, 26
- standard output, 349, 357
- standards, 213
- star, 296, 419
- Star Trek, 280
- starvation, 135, 413
- stat function, 354, 359, 363
- state, 24, 32–34, 289, 412, 418
- statement, 23, 24, 29, 31, 33, 42, 179
- static (reserved word), 26
- static file, 369, 373
- static typing, 139, 402
- Stats type, 359
- status code, 300, 303, 306–307, 350, 358
- status property, 303
- statusText property, 303
- stdout property, 357
- stopPropagation method, 238
- stream, 208, 355, 356, 358, 360
- StretchCell (exercise), 117, 412
- strict mode, 140
- string
 - immutable types, 65
 - indexing, 56, 73, 74, 157
 - methods, 74, 110, 158, 240
 - notation, 14
 - overview, 14, 60
 - properties, 62, 73
 - searching, 74
- String function, 29, 107
- stroke method, 279, 280
- strokeRect method, 278, 420
- strokeStyle property, 278, 332, 335, 337
- strokeText method, 284
- stroking, 278, 284, 296
- strong (HTML tag), 223, 224, 226
- structure, 176, 210, 215
- structure sharing, 79
- style, 226
- style (HTML tag), 227–228
- style attribute, 226–228, 260
- style sheet, *see* CSS
- submit, 315–316, 318, 319
- submit event, 319, 339, 380, 385, 425
- substitution, 54
- subtraction, 14, 117
- suggestion, 328
- sum function, 5, 78
- summing (exercise), 78, 409
- summing example, 4, 81, 89, 199
- survey, 283
- Sussman, Gerald, 190
- SVG, 275–278, 295
- switch keyword, 35
- synchronization, 371, 381, 382, 385
- synchronous I/O, 183, 304, 348, 354, 420
- syntax
 - arithmetic, 13
 - brace notation, 63
 - conditional execution, 29, 35
 - declaration notation, 45
 - error handling, 145
 - expressions, 23
 - functions, 42
 - loops, 31, 33
 - namespace function, 179
 - numbers, 12, 173
 - reserved words, 26
 - statements, 24
 - strict mode, 140
 - strings, 14
 - variables, 24
- syntax highlighting example, 223–224
- syntax tree, 192–195, 216–217
- SyntaxError type, 194

T

- tab character, 15, 33
- TAB key, 318
- tabbed interface (exercise), 251, 418
- tabindex attribute, 241, 318
- table, 67–69, 108, 232, 261
- table (HTML tag), 232, 254, 261, 422

table example, 108–111, 114, 232, 416
 tableFor function, 68
 tag, 209–210, 215, 228. *See also names of specific tags*
 tagName property, 232
 tainting, 338
 talk, 367–368, 374–376, 382
 talksAbout function, 219
 tampering, 311
 tangent, 76
 target property, 238, 243, 321, 421
 task management example, 72
 taste, 175, 188
 TCP, 208, 299, 369
 td (HTML tag), 232
 template, 380, 382, 387, 426
 template-repeat attribute, 387, 426
 tentacle (analogy), 25, 64, 66
 ternary operator, 17, 20
 test method, 154
 test suite, 141–142
 testing framework, 142
 text, 421
 text field, 245, 250, 316–317, 319–320, 328, 339
 text input, 28
 text node, 217, 219, 221, 332, 418
 text wrapping, 295
 text-align (CSS), 232
 textAlign property, 284, 419
 textarea (HTML tag), 248, 316, 319, 320, 325, 327, 425
 textBaseline property, 284, 419
 TextCell type, 111, 114
 textContent property, 223, 421
 TEXT_NODE code, 217, 418
 th (HTML tag), 232
 then method, 309–310, 421
 theory, 143
 this, 62, 101, 103, 125–126, 131, 140, 179
 thread, 247, 348, 349
 throw keyword, 145, 148, 150, 361, 413
 Tiger type, 136
 tile, 292
 time, 155, 158, 381
 time field, 336
 timeline, 211, 230, 235, 246, 348
 timeout, 247, 369, 370, 378
 times method, 257
 timing, 394
 title, 379
 title (HTML tag), 210, 211
 toDataURL method, 337–338, 342
 toLowerCase method, 62, 232
 tool, 153, 172, 332, 334, 340, 342
 tools object, 334
 top (CSS), 229–231, 233, 342
 top-level scope, *see* global scope
 toString method, 102, 104, 105, 107, 120
 toUpperCase method, 62, 232, 356
 tr (HTML tag), 232
 trackDrag function, 334, 341, 422
 trackKeys function, 270, 273
 transform (CSS), 275
 transformation, 286–289, 297, 419
 translate method, 287, 288
 Transmission Control Protocol, *see* TCP
 transparent, 277, 285, 343
 transpilation, 200
 trapezoid, 296, 419
 traversal, 161
 tree, 92, 102, 192, 217
 treeGraph function, 392
 trial and error, 269, 281
 triangle (exercise), 37, 407
 trigonometry, 76, 231
 trim method, 74
 true, 16
 trust, 212
 try keyword, 145–146, 307–308, 338, 361, 413, 421
 Turkish, and censored keyboard, 250
 turn, 119, 120
 Twitter, 300
 type, 12, 15, 115, 139
 type attribute, 316, 319
 type coercion, 18–19, 29
 type observation, 390, 397, 402
 type property, 192, 237
 typeof operator, 15, 79, 410
 typing, 240, 248, 250
 typo, 139

U

- unary operator, 15
- uncaught exception, 147, 308, 361
- undefined, 18–19, 26, 42, 47, 63, 140, 144
- underline, 226
- underscore character, 25, 36, 109, 127, 166
- Unicode, 16, 155, 170–171, 240, 351
- unicycling, 367
- uniformity, 192, 341
- uniqueness, 228
- unit (CSS), 231, 245
- Universal Resource Locator, *see* URL
- Unix, 359, 361
- Unix time, 159, 371
- unLink function, 354
- unshift method, 72
- UnterlinedCell type, 112
- unwinding the stack, 145
- upcasing server example, 356
- upgrading, 177
- upload, 323
- URL, 209, 303, 311, 337, 358
- URL encoding, 301, 426
- URL field, 336
- url module, 358, 376
- urlToPath function, 358, 364
- use strict, 140
- user experience, 235, 306, 318, 342, 368, 381
- user interface, 147
- users' group, 367
- UTF-8, 353, 354

V

- validation, 144, 150, 319, 375, 377
- value, 12
- value attribute, 316, 319, 322
- var keyword, 24, 26, 43, 140
- variable
 - assignment, 25, 43, 45
 - best practices, 200
 - debugging, 147
 - definition, 24, 202, 416
 - functions as, 42, 45
 - global, 43, 140, 180, 273, 350
 - for loop, 33
 - model of, 25, 66

- naming, 25–27, 35, 43, 52, 76, 141
- overview, 32
- from parameter, 43, 49
- persistence, 325
- scope and, 202
- variadic function, 75
- vector (exercise), 117, 411
- vector graphics, 284
- Vector type, 117, 120, 141, 257, 420
- verbosity, 332, 349, 361
- version, 180, 210, 300
- version control, 176
- View type, 122, 127, 130
- viewport, 242, 262, 264, 290–291, 294
- virus, 212
- vocabulary, 41, 82, 91, 94
- void operator, 26
- volatile data storage, 12

W

- walk, 344
- walking, 293
- wall, 120, 124, 255
- wall following, 129, 413
- Wall type, 124
- WallFollower type, 129
- wave, 259, 267, 268
- Web, *see* World Wide Web
- web application, 6, 325, 331, 387
- web browser, *see* browser
- web programming, 213
- web sockets, 369
- web worker, 247
- WebDAV, 364
- webgl (canvas context), 277
- website, 212–213, 301, 305, 364, 367
- weekday example, 177, 181, 183, 187
- weekend project, 365
- Weizenbaum, Joseph, 2
- weresquirrel example, 60
 - analysis, 70–72
 - correlation in, 66–68
 - computing, 68–69
 - objects, 63–65
 - as maps, 69–70
 - which property, 237
- while loop, 5, 31, 33, 53, 168, 267
- whitespace, 32, 35, 74, 155, 171, 219, 416, 418

Why's Poignant Guide to Ruby, 22
width (CSS), 342
window, 236, 237, 243, 246, 350
window variable, 77
Windows, 364
with statement, 141
withContext function, 146–147
word boundary, 160
word character, 155, 160, 170
work list, 423
workbench (exercise), 327, 421
world, 119, 120, 253
World type, 12–124, 126–127, 130
World Wide Web, 6, 87, 183, 207, 209,
212–213, 299
writable stream, 355–358
write method, 355, 356
writeFile function, 353, 356, 425
writeHead method, 354
writing code, 7, 119
WWW, *see* World Wide Web

X

XML, 218, 276, 302, 304, 305
XML namespace, 276
XMLHttpRequest, 302–304, 306, 312,
319, 425
xmlns attribute, 276

Y

yield (reserved word), 26
Yuan-Ma, 10, 346

Z

Zawinski, Jamie, 152
zero-based counting, 56, 61, 159
zeroPad function, 54
zigzag shape, 419
zooming, 295