

INDEX

A

A mode. *See* Aperture Priority mode
aberrations, 44–45, 54
Action/sports mode, 9
AI Servo focusing, 200
alpenglow, 151
ambient light, 13, 131–136, 137, 176, 180, 181
angles of view, 56, 64, 65
anti-aliasing filter (AA), 25
Aperture Priority mode, 8, 9, 133, 134
apertures. *See also* f-stops
 and depth of field, 16–17
 in exposure modes, 9
 with neutral density filters, 104, 105
 settings, 2, 5–7, 51–54, 77, 78, 184
apparent light size, 166–168, 169–170, 175
architectural photography, 48, 58–59, 78
artifacts, 25, 48
astronomical photography, 25
auto-exposure (AE) lock, 139
auto-exposure (AE) modes, 8, 12, 30
Auto mode, 8, 9, 133, 134
autofocus
 mechanisms, 193, 196–202
 and metering calculations, 12
 in pre-set modes, 10
 SLR advantages, 81
 with telephoto lenses, 69
autofocus (AF) assist beam, 200–201
autofocus (AF) points, 198–199
autofocus (AF) sensors, 196–197, 198–199, 202
autofocus processor (AFP), 197
Av mode. *See* Aperture Priority mode

B

B mode. *See* Bulb mode
backgrounds, 70, 169–170, 180
ball tripod heads, 86–87
banding noise, 36
barrel distortion, 63
Bayer array, xiv, 23–24
Bayer demosaicing, 24–25
birefringence, 101
bit depth, 20–21
bits per pixel (bpp), 20–21
black-and-white photography, 147
blown highlights. *See* clipping
blur. *See also* camera shake; motion blur
 as aberrations, 44–45
 in depth of field, 15–17
 and focal length, 48

 and focus, 68
 with image averaging, 109–110
 and long exposures, 134
 and shutter speed, 3–5
bokeh, 16, 70
bounced flash, 125, 166, 168, 180
bpp (bits per pixel), 20–21
brightness. *See also* highlights; midtones; shade
 and shadows
 and noise, 38
broad lighting, 173
Bulb mode, 8, 9

C

camera bodies, xiv–xv
camera shake
 creative, 195
 and exposure time, 179
 and focal length, 48
 minimization, 3, 5, 69, 83–84, 184–187
cameras. *See also* compact cameras; digital
SLR cameras; mirrorless cameras; pinhole
cameras
 bodies, xiv–xv
 choosing, 74–75, 81
 comfort with, 1, 185–186
 condensation protection, 162–163
 model differences, 48, 75, 134–135, 139, 192,
 199, 200
candid shots, 66, 79
center-weighted metering, 11–12, 13
chroma noise, 39–40
chromatic aberration, 44–45
circles of confusion, 15–16
cleaning practices
 lens care, 93
 sensors, 214–218
cleaning tools, 215–218
clipping, 31, 80
cloud cover, 152–153, 153–154
color
 and depth, 156
 human perception of, xii
 and polarizers, 100
 and time of day, 145, 146–151
color casts, 93–94, 105, 106, 111, 130
color channels, 20–21
color filters
 on lenses, 92, 93–94
 in sensor arrays, 23–24
color temperature, 129
color tint, 129

compact cameras, xv
 choosing, 74–75, 77, 79, 81
 f-stop values, 6
 focal lengths, 48, 51, 64
 ISO ranges, 7
 maximum aperture ranges, 54
 shutter speed range, 188
 using, 184
 viewfinders, 76
 wide-angle on, 56
composite images, 84
compositions
 and focal lengths, 46–47, 49–51, 84
 ground-level, 187
 rule of thirds, 202, 204–206
 symmetry, 207
 with telephoto lenses, 65–68, 70–71
 with wide-angle lenses, 56–58, 60, 62–63
continuous focusing, 200, 201
continuous shot mode, 193
contrast
 aberrations, 44–45
 and autofocus, 196–198
 and depth, 156
 and filters, 102–103, 113–114
 and flash lighting, 124–125
 histograms, 31–33
 in natural light, 145, 147, 152–153
 silhouettes, 159
converging vertical lines, 58–59, 63, 78
creative program modes, 8, 81
cropped sensor cleaning, 216
cropped sensor factor, 48, 83
cropping, 205–206
curtain syncs, 140–141

D

dawn, 151
demosaicing, 24–25
depth
 and distance, 65–68, 156, 160
 sense of, 170–171
depth of field
 and camera shake, 184
 and camera type, 79
 concepts, 2, 14–17
 and f-numbers/f-stops, 6, 52, 53, 109, 189
 and ND filters, 104, 105
 with telephoto lenses, 68, 69–71
 and tripods, 84
 wide-angle lenses and, 62
diffraction, 17, 105, 107

diffusers, 125–126, 130, 168
digital SLR cameras, xiv–xv
 f-stop increments, 6
 focal lengths, 48
 ISO ranges, 7
 maximum aperture ranges, 53, 54
 pixel size, 79
 summary comparisons, 74–75
 viewfinders, 76
digital zoom, 51
distance
 and depth, 62, 65–68, 138, 156, 160
 of light source, 169–170
distortion, 44–45, 63
documentary photography, 48
DSLR cameras. *See* digital SLR cameras
dusk, 151
dust, 210–213
dynamic range, 80, 113

E

edge distortion, 63
editing. *See also* Photoshop
 dust spot removal, 218
 image averaging, 109–110
 of lighting, 112, 118, 121
 red-eye reduction, 129
 software, 36, 39, 195
electronic viewfinders (EVF), 76
enclosed spaces, 60
evaluative metering, 12, 13
EVF. *See* electronic viewfinders (EVF)
exposure. *See also* flash exposure
 concepts, 2
 in high- and low-key images, 29–31, 137
 uneven, 61–62, 112–113
exposure compensation
 with flash, 134–136
 in fog, 155
 silhouettes, 159
 using, 13–14
exposure modes, 8–10, 81
exposure times
 and focal length, 48, 83
 in fog, 162
 and motion, 104, 105, 107–109
exposure triangle, 2, 184–185

F

f-stops
 and aperture, 5–7, 51–52, 54
 with neutral density filters, 106–107, 114
 in pre-set modes, 9
 and shutter speed, 184, 189

fill flash, 128, 132–133, 134, 176, 179
fill light ratio, 176–177
fill lighting, 175–180
filter mounting systems, 110–111
filters. *See also* graduated neutral density (GND)
 filters; neutral density (ND) filters
 in digital sensor arrays, 23–24, 25
 lens, 92–95
 stacking, 94, 111
fixed-pattern noise, 36
flare. *See* lens flare
flash brackets, 127
flash diffusers, 125–126, 130
flash exposure, 131–135
flash exposure compensation (FEC), 134–136, 179
flash exposure lock (FEL), 139
flash lighting. *See also* fill flash
 with AF assist beam, 201
 and camera type, 81
 concepts and equipment, 124–130, 131, 166
flash metering, 138–139
flash ratio, 132–133, 134, 135–136, 176–177, 179
focal lengths, 46–49, 56, 64
focal plane, 15
focus
 accuracy of, 68–69
 and recompose, 69, 198
 tracking, 200
focus lock, 198, 200–201, 202
fog
 and camera protection, 162–163
 distance and depth, 67–68, 156
 lighting in, 154–155, 157–158
 location and timing, 160–162
 silhouettes in, 159
foreground, 58, 67, 68
frame rates, 81
freeze, 3–4, 190–191, 193–194

G

ghosting, 94
glare, 102–103, 125–126, 139
GND. *See* graduated neutral density (GND) filters
golden hour, 145, 149–151
gradients
 in GND filters, 114–117
 Photoshop, 112, 119
graduated neutral density (GND) filters, 61–62,
 92, 111–121
grain, 34. *See also* noise
gray cards, 11
grayscale images, 20, 147

H

handheld shooting
 settings for, 5, 7, 134
 techniques, 185–186
hard edge GND filters, 115–117
hard light, 125, 139, 166–169, 178–179, 210–211
haze. *See also* fog
 filters for, 92, 93
high dynamic range (HDR) photography, 80,
 84, 121
high-key images, 28–31, 137, 176
high-speed photography, 193–194
highlights
 clipped, 31, 80
 in histograms, 26–27, 28–29
 and light source, 166–168
histograms, 26–33
hot shoe mounts, 131

I

illumination. *See* light and lighting
image averaging, 109–110
image bit depth, 20–21
image histograms, 26–33
image quality
 filters and, 94, 119, 120
 lens types and, 77
 sensor size and, 79–80
 and UV filters, 93
image stabilization (IS), 84, 187, 192
incident light, 10–11, 211
interior spaces, 60
IS (image stabilization), 84, 187, 192
ISO speed
 in exposure modes, 9
 in exposure triangle, 2, 184
 and image noise, 7, 36, 40, 80
 and neutral density filters, 106
 settings, 35, 81, 84, 189

J

JPEG file bit depth, 21

K

key lights, 166–175
key triangle, 171–173

L

Landscape mode, 9
landscape photography. *See also* natural lighting
 camera direction, 146
 cameras for, 25, 79
 composition, 58

GND filters, 61, 112, 114–119
lenses, 48, 67–68
layering, 67–68
LCD/LED screens, 5, 76, 81, 97, 190
lens collars, 87
lens filters, 92–95. *See also* graduated neutral density (GND) filters; neutral density (ND) filters; polarizing filters/polarizers
lens flare, 48, 62, 93, 94
lens hoods, 62
lenses. *See also* telephoto lenses; wide-angle lenses
 changing, 214
 dust on, 212
 elements, xii–xiii, 44, 213
 and f-stop values, 6
 fixed vs. interchangeable, 74–75, 77–79, 81
 types, 43, 49–51, 54
light and lighting. *See also* flash lighting; natural lighting; portrait photography
 and aperture settings, 5
 and autofocus, 197–198
 color filters for, 93–94
 concepts, xii
 distribution, 124–126
 with neutral density filters, 106–107
 positioning, 126
 and shutter speed, 3, 195–196
 in viewfinders, 76
light-gathering ability, 51–52, 54
light meters, 10–11
lighting direction, 166, 170–175
live-view rear LCD, 81
loop lighting, 173
low-key images, 28–31, 137, 176
luma noise, 39–40
luminance, 11

M
M mode. *See* Manual mode
macro lenses, 77, 78
macro photography, 78, 86
manual control, 81
Manual mode, 8, 9, 133, 134
matrix metering, 12, 13
maximum apertures, 52–54
medium-angle lenses, 48
medium-telephoto lenses, 64, 71
metering, 10–14, 136–139
microlens arrays, 26
middle gray, 11
midtone, 26–27, 28, 30, 113
mini tripods, 88
minimum apertures, 53
mirror lock-up (MLU), 187

mirror mechanism, 76, 81
mirrorless cameras, xv, 48, 74–75, 76
mist. *See* fog
moiré, 25
monopods, 89
motion
 and autofocus, 200
 and neutral density filters, 104, 105
 and shutter speed, 3–5
motion blur
 creative use of, 189–195
 and curtain syncs, 140–141
 with image averaging, 109–110
 shutter speed, 2, 3
multiple exposures, 119

N
natural lighting
 and cloud cover, 153–154
 components and quality, 144–153
 as fill lighting, 180
 in mist and fog, 154–155, 157–158
 silhouettes in, 159
neutral density (ND) filters, 92, 104–111
Night/low-light mode, 9
noise
 and camera type, 80
 concepts, 2, 34–41
 in fog, 162
 and microlens design, 26
 and shutter speed, 189
noise-reduction software, 36, 39

O
off-axis/on-axis fill light, 177–179, 180
one-axis stabilization, 192
one-over-focal-length rule, 49, 83
one-shot focusing, 200, 202
opening up. *See* f-stops
optical low-pass filter (OLPF), 25
optical quality, 44
optical zoom, 51
overcast sunlight, 152–153
overexposure
 clipping, 31
 defined, 2
 and noise, 38
 unintentional, 11, 13–14, 184

P
P mode. *See* Program mode
painted effects, 195
pan-tilt tripod heads, 86
panning, 191–192
panoramic photos, 84, 103

partial metering, 11–13
perspective
 creative, 88, 187
 and focal lengths, 46–47, 49–51
 telephoto, 65–66
 wide-angle, 56–58
photography
 investments and shooting style, 81
 learning and mastery, xi, xvi
photon collection. *See* photosites
Photoshop
 filters, 112, 118–119, 121, 195
 locating sensor dust with, 213
photosites, xiv, 22–26
pinhole cameras, 17
pixels
 in fixed-pattern noise, 36
 on histogram axis, 26–27
 in sensor arrays, 22–26
 size, 16, 40, 79–80
point-and-shoot cameras. *See* compact cameras
polarizing filters/polarizers, 60–61, 92, 95–104, 111, 147
Portrait mode, 9, 202
portrait photography
 depth of field, 53, 79
 fill lighting, 175–180
 focal lengths, 48, 57
 focus, 202
 light distribution, 125
 metering, 13
 natural lighting, 152
 single light source lighting, 166–175
posterization, 21, 22
pre-focusing, 193, 201
pre-set modes, 8–10
prime lenses, 51, 54
print size and circles of confusion, 15–16
Program mode, 8, 9, 133, 134

Q
quick-release mechanisms, 87

R
radial blend GND, 115
random noise, 36
RAW files, 81, 93
red-eye reduction, 129
reflectance, 10–11, 13–14, 137, 138–139
reflected light, 10–11, 92, 101, 168
reflections, 92, 101, 139, 146
reflectors, 180
Rembrandt lighting, 171–173
remote release devices, 187

reverse grad filters, 120
RGB histograms, 26
rule of thirds, 202, 204–206

S

S mode. *See* Shutter Priority mode
sensor arrays, 22–26
sensors. *See also* autofocus (AF) sensors
 and camera types, 48, 74–75, 79–80
 cleaning, 214–218
 dust on, 78, 210–211, 213
 function, xiii–xiv, 22–26
 and noise, 40
shade and shadows
 detail in, 80
 fill lighting, 176–179
 histograms, 26–27, 28–29
 and light source, 166–169
 and lighting direction, 170–175
 shooting in, 152–153
 by time of day, 145–151
shake reduction (SR), 187
sharpness. *See also* depth of field
 and aperture, 105, 107, 189
 and autofocus, 196–197
 circles of confusion, 15–17
 and focal length, 48–49
 noise, 34
 and shutter speed, 3
shooting styles, 81
shooting techniques
 handheld, 185–186
 high-speed photos, 193–194
short lighting, 173
shutter button technique, 186
shutter lag, 81, 193, 200
shutter mechanisms, 76, 81, 188
Shutter Priority mode, 8, 9, 133, 134, 195–196
shutter speed. *See also* exposure times
 for camera shake, 69, 184–185
 creative use of, 188–196
 in exposure modes, 9
 and flash ratio, 132–133, 134
 in fog, 162
 settings, 2, 3–5, 52
signal-to-noise ratio (SNR), 34, 35
silhouettes, 159
single-lens reflex (SLR), 77
Single-Lens Translucent (Sony SLT) cameras, 75
single light source lighting, 166–175
slow sync, 134

SLR cameras. *See also* digital SLR cameras
 single-lens reflex defined, 77
smartphones, xv, 188
SNR. *See* signal-to-noise ratio (SNR)
soft edge GND filters, 115–117
soft light, 125, 166–169, 174–175, 178–179, 210–211
Sony SLT (Single-Lens Translucent) cameras, 75
spatial frequency, 39–40
Sports/action mode, 9
sports photography, 48, 53, 193–194, 201
spot metering, 11–13
step-up/step-down adapters, 95, 111
stopping down. *See* f-stops
street photography, 48
strength-to-weight ratio, 87
studio lighting, 176, 178–179, 180
subjects. *See also* portrait photography
 and autofocus, 197–198, 200–201, 202
 distance and composition, 62–63, 65–69, 70–71
 and flash error, 138–139
 focal lengths for, 48
 lighting of, 126–129, 144–153
 in motion, 189–194
 reflectance of, 10–11, 12–14, 137
 in rule of thirds, 204–206
sunlight. *See also* natural lighting
 with fill lighting, 175–176
 and polarizers, 96–100
 by time of day, 145–153
sunrises and sunsets, 149–151, 154

T

tabletop tripods, 88
telephoto lenses
 alternatives to, 187
 collars, 87
 focal lengths, 46–47, 48
 using, 63–71
theater photography, 53
through the lens (TTL) metering, 136–139
TIFF file bit depth, 21
time-lapse photography, 84
tonal ranges
 and GND filters, 113
 high- and low-key, 28–31
 histogram characteristics, 27–28
 by time of day, 144
tripod heads, 86–87
tripod lens collars, 87

tripods
 alternatives to, 186–187
 choosing, 84–86, 88–89
 using, 69, 83–84, 88, 192
Tv mode. *See* Shutter Priority mode
twilight, 151
two-point perspective, 58

U

ultra-wide-angle lenses, 56, 57, 61, 78
underexposure
 concepts, 2
 on high-key images, 30, 31
 and noise, 38
 unintentional, 11, 13, 14
underwater photography, 92, 93
UV/haze filters, 92, 93

V

vanishing point, 58
vertical line convergence, 58–59, 63, 78
vertical line sensors, 202
vibration reduction (VR), 84, 187, 192
viewfinders, 74, 76, 106, 185, 212
vignetting, 44–45, 94

W

weather conditions, 146, 153–155
well lit, 134, 179
white balance
 and filters, 92, 93
 with flash, 129–130
 in golden hour, 149
 in overcast sunlight, 153
wide-angle lenses
 with filters, 94, 95, 98–100, 103–104, 116, 118
 focal lengths, 46–48
 using, 55–63
wildlife photography, 48, 64, 66, 152

X

X-sync speed, 134

Z

zoom
 digital vs. optical, 51
 manual control, 81
zoom burst, 194–195
zoom lenses, 49–51, 54