

INDEX

NUMBERS

3' (3 prime) end, 117-118

5' (5 prime) end, 117-118

A

A (adenine), 85, 107-108, 157

acetaldehyde dehydrogenase
(ALDH1, ALDH2), 66-67,
69-70

acetic acid, 67, 69, 70

actin, 71, 72

actin filament, 71

ADA (adenosine deaminase)
deficiency, 199-200

adenine (A), 85, 107-108, 157

adenosine deaminase (ADA)
deficiency, 199-200

ADH (alcohol dehydrogenase),
66-67, 69-70

adipose tissue, 49

agar-based plates, 190, 191, 192

alanine, 74, 75, 167-171

alcohol, 59, 64-65, 67-70, 191

alcohol dehydrogenase (ADH),
66-67, 69-70

ALDH1 (acetaldehyde dehydroge-
nase), 66-67, 69-70

ALDH2 (acetaldehyde dehydroge-
nase), 66-67, 69-70

amino acids

about, 23, 38, 57-58, 73-76
codons, 166, 168-170,
171, 173

protein creation and, 73-76,
77-80, 167-172

replacing one with another,
75-76, 77

sequences of, 57-58,
77-80, 174

side chains, 74-75

strings of, 57, 167, 172-174

structure of, 74-75, 86

in transcription/translation,
57, 154, 166-173

amino acids, types of, 23, 57, 74

alanine, 74, 75, 167-171

arginine, 74, 154, 169

asparagine, 74, 169

aspartate, 74

cysteine, 74, 169

glutamate, 74

glutamic acid, 74, 76,
154, 169

glutamine, 74, 169

glycine, 74, 169

histidine, 74, 167-170

isoleucine, 74, 154, 169

leucine, 74, 154, 169

lysine, 74

methionine, 74, 166-170

phenylalanine, 74, 169

proline, 74, 154, 169

serine, 74, 75, 154, 167-169

threonine, 74, 169

tryptophan, 74, 169

tyrosine, 74, 75, 154, 169

valine, 74, 76, 169

amoebas, 19, 22, 48

anaphase, 126

animal cloning, 205-208

animal genome, 192-193, 207

animals, transgenic, 192-195

antibiotic, 190

anticodons, 171-172

arginine, 74, 154, 169

asexual reproduction, 100

asparagine, 74, 169

aspartate, 74

aspiration, 33

ATP, 33

axons, 24

B

bacteria

about, 22, 32, 33, 48, 52, 155

E. coli (Escherichia coli),
100, 185

intestinal bacteria, 48

thermus aquaticus, 204

basal cells, 103, 128

base sequences

DNA, 79-80, 86, 88, 108,
112, 139, 150, 157, 191,
197, 208

mRNA, 146, 153, 167-168,
170-171

RNA, 141, 146-150, 153,
160-161, 170-171, 203

tRNA, 165, 170-171

bead structure, DNA, 42-44, 70,
144-145

benzene rings, 75

biocatalysts, 69

blood, 49, 75-76

blood cells, 75-76

blood sugar, 61-62, 185, 196.

See also glucose

blood vessels, 51, 59

bone tissue, 49

breed improvement, 183-184

breeding, 193, 195, 206

C

C (carbon), 117-118, 159

C (cytosine), 85, 107-108,
157, 158

cancer

brain tumors, 200

breast cancer, 200

causes of, 130, 137, 194,
196-198

gene therapy for, 196,
198-200

intestinal cancer, 196

as lifestyle-related disease,
196-198

screening DNA for, 88

skin cancer, 194

treatments for, 181-184, 194
tumors, 130, 200

carbohydrates, 23

carbon (C), 117-118, 159

- carbon dioxide, 67, 69, 70
 carboxy-terminal domain (CTD), 153
 carcinogens, 137
 cardiac muscle, 50
 catalysts, 65, 69
 cDNA (circular DNA), 188, 190
 cDNA libraries, 188
 cell body, 24
 cell cycle, 128–129
 cell division
 about, 70, 92, 97–103, 122, 123, 124–127
 cancer and, 130
 cell cycle, 128–129
 cytokinesis, 124, 127, 129
 mitosis, 124–127, 129
 cell membranes, 23, 27–32, 36, 52, 70
 cell nucleus. *See* nucleus
 cell organelles, 23, 31–35, 52, 127, 174
 cell plates, 127
 cells
 abnormalities in, 10, 130, 137–138, 182–183
 communication between, 29
 defined, 16–19
 discovery of, 18, 20
 energy production in, 23, 32–33, 61, 75
 eukaryotic organisms, 51–52, 152n
 functions, 59–60
 as living organisms, 20–24, 31
 multicellular organisms, 19, 48–52, 100–103
 name origin of, 18, 18n
 single-celled organisms, 19, 22, 24, 48–52, 97–100
 structure of, 23, 25–26, 73, 124
 cells, types of
 animal, 123, 127
 basal, 103, 128
 blood, 75–76
 cancer, 130
 dendrites, 24
 embryonic stem (ES), 193, 208, 209
 human, 21, 24, 31, 32, 123
 induced pluripotent stem (iPS), 209
 liver, 59, 62, 62n, 67, 141
 muscle, 60–62, 71
 nerve/neurons, 24, 50, 141
 plant, 127
 prokaryotic organisms, 51–52
 skin, 49, 57, 102–103, 128, 209
 somatic, 207–208
 stem, 193, 208, 209
 totipotent, 193, 209
 cell walls, 127
 centrosomes, 25, 124–125
 chemical reactions, 65–67, 69–70, 72
 cholesterol, 23
 chromatin, 122, 128, 144–145, 148
 chromosomes, 88–89, 122–126, 128
 sex chromosomes, 123
 circular DNA (cDNA), 188, 190
 circulatory system, 51
 cloning
 animal, 205–208
 Dolly the sheep, 207–208
 ethical concerns, 208
 human, 208
 transduction and, 186, 189–191
 coding strands, 146–147
 codons, 166, 168–170, 171, 173
 anticodons, 171–172
 stop, 169, 170, 172–173
 collagen, 49, 57, 72
 columnar epithelium, 49
 conditions. *See* diseases
 connective tissue, 49, 50
 cristae, 33
 crossbreeding, 193, 195, 206
 CTD (carboxy-terminal domain), 153
 cut and paste gene recombination, 186, 188–189
 cysteine, 74, 169
 cytokinesis, 124, 127, 129
 cytoplasm, 25, 31, 38, 44–45, 52, 125, 126, 152, 201
 cytosine (C), 85, 107–108, 157, 158
- D**
- dehydrogenase enzymes, 66–67, 69–70
 demographic studies, 196
 denatures, 204
 dendrites, 24
 deoxyribonucleic acid, 43. *See also* DNA
 deoxyribonucleotides, 83, 158. *See also* nucleotides
 deoxyribose, 84–85, 117–118, 158–159
 dermis, 102
 destination DNA, 189
 detoxification, 67, 69
 diabetes, 184, 196
 digestive system, 32, 48–51, 59, 61–62, 67, 69–70
 diseases. *See also* cancer
 adenosine deaminase (ADA) deficiency, 199–200
 brain tumors, 200
 causes of, 10, 130, 137, 194, 196–197
 gene therapy for, 196, 198–200
 heart disease, 197, 209
 lifestyle-related, 196–198
 macular degeneration, 203
 metabolic syndrome, 196, 197
 personalized medicine for, 196–198
 RNA-based medicines for, 203
 sickle-cell, 76
 treatments for, 181–184, 194, 196–200, 203
 dizygotic cells, 89

- DNA (deoxyribonucleic acid), 43
 abnormalities and mutations, 130, 137–138, 158, 193, 208
 about, 11–12, 35–36, 37, 52, 56–59
 bases/characters of, 85–86, 107–108, 157–160
 base sequences of, 79–80, 86, 88, 108, 112, 139, 150, 157, 191, 197, 208
 bead structure of, 42–44, 70, 144–145
 characters of/bases, 85–86, 67–108, 157–160
 chromosomes, 88–89, 122–126, 128
 coding strands, 146–147
 double-helix, 81–82, 106, 108–109, 146
 double-stranded structure of, 106–109, 117, 146, 149–150
 genome, 88–90, 192–193
 manipulating, 181–183
 nucleotides, 70, 73, 80–87, 106, 107, 109, 111, 115, 117, 158
 proteins and, 42–45, 56–62, 70, 72, 114–115
 pure, 191–192
 structure of, 42–44, 70, 77–87, 106–109, 117, 144–145, 160, 164
 sugar-phosphate backbone of, 107, 158–159, 191
 synthesis, 114, 116–117
- DNA, types of
 circular (cDNA), 188, 190
 destination, 189
 junk, 143
 pure, 191–192
- DNA ligase, 189, 205
- DNA polymerase, 70, 108–120, 158, 203
- DNA replication, 58, 69, 70, 92, 105–106, 108–120, 128
- 3' (3 prime) end, 117–118
- 5' (5 prime) end, 117–118
 about, 138
 double-helix, 81–82, 106, 108–109, 146
 duplex structure and, 105–108, 146
 genes and, 105–106
 hydrogen bonds, 76, 107, 110
 Okazaki fragments, 118–119
 polymerase role in, 108–120, 158
 proteins and, 114–115
 RNA primer, 115–116, 188
- Dolly (sheep), 207–208
- double-helix, DNA, 81–82, 106, 108–109, 146
- E**
- E. coli (Escherichia coli), 100, 185–186, 189–191
- EcoRI, 188
- embryonic stem (ES) cells, 193, 208, 209
- embryos, 193, 205–206, 209
- endoplasmic reticulum, 25, 31–32, 36, 165, 174
- energy production, cell, 23, 32–33, 61, 75
- enzymes
 about, 57, 61–68, 72
 acetaldehyde, 66–67
 binding to, 64
 catalysts, 65, 69
 chemical reactions, 65–67, 69–70, 72
 conformation changes in, 64
 defined, 61–62, 64, 72
 dehydrogenase enzymes, 66–67, 69–70
 DNA ligase, 189, 205
 DNA polymerase, 70, 108–120, 158, 203
 protective enzymes, 66
 proteins and, 61–70
 restriction enzymes, 188, 204–205
 ribozymes, 202
- RNA polymerase, 148–154
 spliceosomes, 154
- epidermis, 102
- epithelial tissue/epithelium, 49, 50
- ES (embryonic stem) cells, 193, 208, 209
- Escherichia coli (E. coli), 100, 185–186, 189–191
- eukaryotic organisms, 51–52, 152n
- evolutionary process, 142, 155–156, 208
 molecular evolution, 208
- exons, 153–156
- exon shuffling, 155–156
- F**
- fats, 23, 26–27, 49, 59, 61, 196
- fertilization, 96, 101, 205–207
- fibrous connective tissue, 49
- Fire, Andrew Z., 201
- 5' (5 prime) end, 117–118
- flat epithelium, 49
- foraminifera, 177
- G**
- G (guanine), 85, 107–108, 157
- G₁/G₂ phases, 128–129
- gel electrophoresis, 191
- gene expression, 46–47, 143, 201–204
- gene recombination, 183–191
- genes
 abnormalities and mutations, 130, 137–138, 158, 193, 208
 about, 11, 36, 44–46, 52, 56–58
 ADA gene, 199–200
 as blueprints, 11, 44, 45, 57–58, 77–79, 106, 137–139, 146, 153, 183
 building proteins and, 77–80
 cancer and, 88, 130, 137, 194, 196, 197, 200
 chromosomes and, 88–89, 122–126, 128

- genes, *continued*
 DNA replication and, 105–106
 evolutionary process and, 142, 155–156, 208
 exons, 153–156
 fossil remains of, 143
 introns, 153–154, 155, 165, 188
 pseudogenes, 142–143
 splicing, 154, 155
 structure of, 78–80
 transgenes, 193
 tumor suppressor genes, 130
- gene therapy, 196, 198–200
- genetic advances, future, 209
- genetic code, 80, 167–168
- genetic diseases. *See* diseases
- genetic information, 138–141
- genetic technologies
 animal cloning, 205–208
 breed improvement through hybridization, 183–184
 breeding/crossbreeding, 193, 195, 206
 cut and paste gene recombination, 186, 188–189
 detecting and isolating DNA, 191–192
 future of molecular biology, 209
 gene recombination, 176, 183–191
 gene therapy, 196, 198–200
 genomics, 209
 multiplication, 189–190
 personalized medicine using, 196–198
 polymerase chain reaction (PCR), 70, 108–120, 187–189, 191, 203–205
 proteomics, 209
 RNA interference, 201–203
 RNA renaissance, 201
 transduction and cloning, 186, 189–191
 transgenic animals, 192–195
- genome
 animal, 192–193, 207
 human, 88–90
 Human Genome Project, 88
- genomics, 209
- globins, 76
- glucose, 23, 33, 61–62, 69
- glutamate, 74
- glutamic acid, 74, 76, 154, 169
- glutamine, 74, 169
- glycine, 74, 169
- glycogen, 61–62, 62n, 69
- glycogen synthase, 61, 69
- Golgi apparatus, 25, 31, 32, 34, 174
- Greek prefixes/suffixes
 chroma, 122
 lyso, 34
 peroxi, 34
 some, 34
- guanine (G), 85, 107–108, 157
- H**
- H (hydrogen), 9, 159
- hair, 57
- heart, human, 21, 31, 51, 57, 103
- heart disease, 197, 209
- hemoglobin, 72, 75–76, 138
- heterochromatin, 145
- histidine, 74, 167–170
- histones, 42, 43, 122, 123, 144
- homeostasis, 72
- Hooke, Robert, 18, 20
- Hooke's microscope, 18
- hormones, 72
- human cloning, 208
- Human Genome Project, 88
- hybridization, 184
- hydrogen (H), 9, 159
- hydrogen bonds, 76, 107, 110
- hydrophilic phospholipids, 28
- hydrophobic interactions, 76
- hydrophobic phospholipids, 28
- hydroxyl (OH), 159
- hypodermis, 102
- I**
- immune system, 57, 69
- immunoglobulin, 72
- induced pluripotent stem cells (iPS cells), 209
- insulin, 72, 185
- intestinal bacteria, 48
- intestines, 48, 51, 59, 61, 196
- introns, 153–154, 155, 165, 188
- iPS cells (induced pluripotent stem cells), 209
- isoleucine, 74, 154, 169
- J**
- junk DNA, 143
- K**
- keratin, 57, 72
- knockout mice, 192–195
- L**
- lacteal glands, 207
- large intestine, 48, 51, 196
- leucine, 74, 154, 169
- lifestyle-related diseases, 196–198
- ligaments, 49
- lipids, 23, 27–30
- liver
 cells, 59, 62, 62n, 67, 141
 functions, 32, 61–64, 66–67, 69
 toxicity, 64, 66–67
- lungs, 51, 103
- lysine, 74
- lysosomes, 25, 32, 34
- M**
- macular degeneration, 203
- maltose, 61
- matrix, 33
- medical treatments. *See* diseases
- Mello, Craig C., 201
- membrane fusion, 29–30, 32
- membranes, cell, 23, 27–32, 36, 52, 70
- membrane transport vesicles, 26
- messenger RNA. *See* mRNA
- metabolic syndrome, 196–197
- metabolism, 59, 67, 199, 203

- metaphase, 125
methionine, 74, 166–170
mice, 192–195, 202, 208
microRNA (miRNA), 202
microtubules, 125–126
miRNA (microRNA), 202
mitochondria, 25, 32–34
mitosis, 124–127, 129
mitotic division, 126
mitotic spindle, 126
molecular evolution, 208
molecules, 9–10, 16–18, 23, 29–36, 57, 60
monomers, 86
monozygotic cells, 89
mosaics, 193, 195
M phase, 128–129
mRNA (messenger RNA), 44, 201–202
 base sequences, 146, 153, 167–168, 170–171
 in transcription, 146–147, 153–154
 in translation, 80, 165–166
MSG, 74
Mullis, Kary, 204
multicellular organisms, 19, 48–52, 100–103
muscle cells, 60–62, 71
muscle fibers, 71
muscles, 49–50, 59, 60, 62n, 71–72
muscular contraction, 57, 60, 71–72
muscular tissue, 49, 50
mutations, 130, 137–138, 158, 193, 208
myosin, 57, 71, 72
myosin filament, 71
- N**
neomycin, 195
nerve cells, 24, 50, 141
nervous system, 50
nervous tissue, 49, 50
neurons, 24, 50, 141
Nobel Prize, Chemistry, 204
- Nobel Prize, Physiology and Medicine, 194, 201
nonnucleated organisms, 52
nuclear envelope, 36, 44, 52, 124–126, 128, 152, 165
nuclear localization signal, 38
nuclear pore complex, 36, 44
nuclear transfer, 208
nucleated organisms, 52
nucleic acids, 23, 36, 43, 153, 199, 201, 202. *See also* DNA; RNA
nucleoid body, 52
nucleolus, 25
nucleosides, 85
nucleosomes, 43, 144
nucleotide bases, 85–86, 107–108, 157–160
nucleotides, 70, 73, 80–87, 106, 107, 109, 111, 115, 117, 158
nucleus
 defined, 35–36, 124
 image of, 25, 35, 36, 81, 124, 126
 presence or absence of in cells, 51–52
 structure of, 37–47
 true, 52
nutrients, 31, 48, 59, 69, 72, 127, 130
- O**
obesity, 196
OH (hydroxyl), 159
Okazaki, Reiji, 119
Okazaki fragments, 118–119
organelles, 23, 31–35, 52, 127, 174
organs
 in circulatory system, 51
 defined, 50
 in digestive system, 32, 48–51, 59, 61–62, 67, 69–70
 heart, 21, 31, 51, 57, 103
 intestines, 48, 51, 59, 61, 196
 lacteal glands, 207
 liver, 59, 61–64, 62n, 66–67, 69, 141
 lungs, 51, 103
 in nervous system, 50
 in respiratory system, 51
 skin, 49, 57, 102–103, 128, 209
 overhangs, 188–189, 205
 oxygen, 9, 33–34, 72, 75
- P**
paramecia, 18, 48, 52, 98, 100
PCR (polymerase chain reaction), 70, 108–120, 187–189, 191, 203–205
Pegapatnib, 203
peroxisomes, 32, 34
personalized medicine, 196–198
phenylalanine, 74, 169
phosphate groups, DNA, 107, 191
phospholipid bilayers, 28–29, 31
phospholipids, 27–30
phosphoric acid, 84–85, 117, 158–159
plasmid, 189–190, 204–205
pluripotent stem cells, 209
polymerase, DNA, 70, 108–120, 158, 203
polymerase, RNA, 148–154
polymerase chain reaction (PCR), 70, 108–120, 187–189, 191, 203–205
pores, of nuclear envelope, 36
polysaccharides, 23, 28
pre-initiation complex, 166
prokaryotic organisms, 51–52
proline, 74, 154, 169
prophase, 124
proteins
 about, 11–12, 23, 28, 29, 32, 36, 56–60
 amino acids and, 73–76, 77–80, 167–172
 creation of, 56–58, 73–76, 77–80, 132, 138, 161, 167–172
 defined, 57, 60

- proteins, *continued*
 DNA and, 42–45, 56–62, 70, 72, 114–115
 DNA replication and, 114–115
 enzymes and, 61–70
 folded forms, 174, 174n
 functions of, 56–60, 72
 genes and building proteins, 77–80
 hemoglobin and, 72, 75–76, 138
 muscular contraction and, 57, 60, 71–72
 in nucleus, 37–39
 properties of, 77
 role in cell division, 70
 starch breakdown and, 61, 62
 structure and shape of, 73–76, 86, 161, 174, 174n
 synthesis, 46–47, 165–167, 202
 proteins, types of, 57, 69, 72
 actin, 71, 72
 ADA, 199–200
 globins, 76
 histones, 42, 43, 122, 123, 144
 insulin, 72
 myosin, 57, 71, 72
 subunits, 76, 165–166
 proteomics, 209
 protozoa, 48, 52, 100, 178
 pseudogenes, 142–143
 pure DNA, 191–192
 pyruvic acid, 33
- Q**
 quantitative PCR, 204. *See also* PCR (polymerase chain reaction)
- R**
 replication. *See* DNA replication
 reproduction, cell. *See* cell division
 reproduction, human and animal, 92–97, 101
 respiratory system, 51
 restriction enzymes, 188, 204–205
 ribonucleotides, 159
 ribose, 159
 ribosomal RNA (rRNA), 161, 165
 ribosomes, 31, 32, 34, 38, 45, 80, 114, 152
 in translation, 165–166, 170–173
 ribozymes, 202
 RISC (RNA-Induced Silencing Complex), 202
 RNA. *See also* mRNA; tRNA
 about, 11–12, 37, 43, 44, 45, 56, 57, 156–162
 bases/characters of, 156–158
 base sequences of, 141, 146–150, 153, 160–161, 170–171, 203
 characters of/bases, 156–158
 flexibility of, 160–161, 164
 messenger (mRNA), 152, 153, 161
 miRNA (microRNA), 202
 molecules, 202
 ribonucleotides, 159
 siRNA (short interfering RNA), 201–203
 structure of, 160–161, 164
 sugar-phosphate backbone of, 158–159
 types of, 161–162
 RNA-based medical treatments, 203
 RNA-Induced Silencing Complex (RISC), 202
 RNA interference, 201–203
 RNA polymerase, 148–154
 RNA primers, 115–116, 188, 204
 RNA renaissance, 201
 RNA sequences, 58
 rough endoplasmic reticulum, 25
 rRNA (ribosomal RNA), 161, 165
 RT-PCR, 204. *See also* PCR (polymerase chain reaction)
- S**
 SELEX method (Systematic Evaluation of Ligands by Exponential Enrichment), 203
 sensory epithelium, 49
 serine, 74, 75, 154, 167–169
 sex chromosomes, 123
 short interfering RNA (siRNA), 201–203
 sickle-cell disease, 76
 single-celled organisms, 19, 22, 24, 48–52, 97–100
 siRNA (short interfering RNA), 201–203
 skeletal muscle, 50
 skin, 49, 57, 102–103, 128, 209
 skin cancer, 194
 small intestine, 48, 51, 59, 61
 smooth endoplasmic reticulum, 25
 somatic cells, 207–208
 S phase, 128–129
 spindle apparatus, 126
 spindle fibers, 125–126
 spliceosomes, 154
 splicing, 154, 155
 starch, 23, 61
 stem cells
 about, 193, 208, 209
 embryonic stem (ES) cells, 193, 208, 209
 induced pluripotent stem cells (iPS cells), 209
 totipotent cells, 193, 209
 steric structure, 76
 sticky ends, 188, 205
 stomach, 48–51, 59
 stop codons, 169, 170, 172–173
 stratum basale, 103
 substrates, 64
 subunits, 76, 165–166
 sugar-phosphate backbones, 107, 158–159, 191
 sugars
 blood, 61–62, 185, 196
 DNA vs. RNA, 158–159
 glucose, 23, 33, 61–62, 69

symbiotic relationships, 48
Systematic Evaluation of Ligands
by Exponential Enrichment
(SELEX) method, 203

T

T (thymine), 85, 107–108,
157–160
telophase, 126
tendons, 49
thermus aquaticus, 204
3' (3 prime) end, 117–118
threonine, 74, 169
thymine (T), 85, 107–108,
157–160
tissues
about, 49–50, 73, 103
adipose, 49
blood, 49, 75–76
bone, 49
connective, 49, 50
epithelial/epithelium, 49, 50
fibrous connective, 49
muscular, 49, 50
nervous, 49, 50
stomach, 48–51
topoisomerase, 70
totipotent cells, 193, 209
trachea, 51
transcription
about, 45, 58, 138–142
chromatin and, 144–145, 148
coding strands, 146–147
exons and introns, 153–156
heterochromatin, 145
mRNA in, 146–147, 153–154
pseudogenes, 142–143
RNA polymerase, 148–154
splicing, 154
transcription of genetic
information, 139
transduction and cloning, 186,
189–191
transfer RNA. *See* tRNA
transgenes, 193
transgenic animals, 192–195
translation
amino acids in, 166–173

codons, 166, 168–170,
171, 173
mRNA in, 80, 165–166
pre-initiation complex, 166
protein synthesis mechanism,
165–167
ribosomes in, 165–166,
170–173
tRNA and, 165–167, 170–173
wobble base pairing, 171
transport vesicles, 26
tRNA (transfer RNA)
about, 161, 165–167, 202
base sequences of, 165,
170–171
in translation, 165–167,
170–173
true nucleus, 52
tryptophan, 74, 169
tumors, 130, 200
tumor suppressor genes, 130
tyrosine, 74, 75, 154, 169

U

ultraviolet (UV) light, 137,
191, 194
unicellular organisms. *See* single-
celled organisms
UV (ultraviolet) light, 137,
191, 194

V

valine, 74, 76, 169
vectors, 185, 189–190, 195,
199, 205
vesicles, 26, 31, 32
visceral muscle, 50

W

water, 8–9, 23, 67, 69, 70,
84, 187
wobble base pairing, 171

Z

zygotes, 101