

INDEX

A

absolute zero, 87, 88, 104–105
AC. *See* alternating current (AC)
active material, 132
air conditioners, 192
alkaline dry cell batteries, 125, 133–134
alternating current (AC), 64–66, 75–76, 113–116, 121, 123, 149, 173, 189–190
 circuits, 75–76
 power supply, 114, 121, 123, 186
amber, 25
ammeter, 143
Ampère, André Marie, 45
amperes/amps (A), 16, 45, 68
Ampère's law, 96, 107–108
anemometer/anemoscope, 154
anions, 127
anodes, 136–139, 169, 171, 193
appliances, electrical, 19, 24, 45, 46, 56–58, 71–72, 96, 123, 190
atomic numbers, 34
atomic structures, 34–35
atoms, 26–28, 34–35, 47, 127, 165
attraction, force of, 25, 49–50, 97, 108

B

base-collector junction, 179
base current, 178, 179–181, 182
base-emitter junction, 177–178
batteries, 45, 59–60
 AA, 46–47, 74
 chemical reactions and, 120
 coils and, 112
 coin, 140–141, 174
 creating your own, 140–141
 dry cell, 125, 130, 131, 132–134, 171–172, 178

 in flashlights, 59, 73
 lithium, 125
 as power supplies, 63–64, 124–125
 solar, 125
 supply voltage, 46–47
 types of, 125
 voltage of stacked, 47
bi-metal thermostats, 191
bipolar transistors, 188
boilers, 147
boiling water reactors, 151–152
boron, 167, 168
breakdowns, 187
breakers, 19, 21–23
 circuit, 19, 21

C

cadmium sulphide (CdS) cells, 193
calories, 85, 86, 104
capacitance, 115
capacitive reactance, 116
capacitors, 115–116, 187
cathodes, 136–139, 169, 171, 193
cations, 127, 128
CdS (cadmium sulphide cells), 193
cells, 124–132
 cadmium sulphide, 193
 chemical, 124–132
 fuel, 124–125, 135–138
 galvanic, 126, 130
 physical, 124–125
 solar, 125, 193
 voltaic, 125
 water, 135–137
charges, 29
 attraction and repulsion, 25, 49–50, 97, 108
 electrical discharges, 31–33, 51
 measuring, 49
 negative/positive, 29, 30–33, 36–39, 42, 47–48, 50–52
 polarity of, 41
 stored on capacitors, 115
chemical cells/reactions, 124–132, 137, 138
circuits
 alternating current, 75–76
 in appliances, 56–58
 breakers, 19, 21
 closed, 61, 73
 connection methods used in, 69–72, 78–80
 creating your own, 141, 142
 diodes in, 171
 direct current, 64, 74–75
 drawings of, 73, 74
 electrical parts of, 61–66, 73
 in flashlights, 58–61, 73
 integrated (ICs), 183
 parallel, 79
closed current, 61
coal (as fuel), 147, 149
coils, 108, 111–115
coin batteries, 140–141, 174
collector current, 179–181
collector-emitter current, 182, 188
collectors, 177–180, 182
combined cycle generation, 149, 150–151
compasses, 95
compound semiconductors, 163
condensers, 149, 151
conductance (G), 77
conductivity, 34–35, 77, 135, 166, 168
 photoconductivity, 193, 195
 superconductivity, 88, 105
conductors, 30–31, 98–100, 108–110, 127, 148, 161, 162
connections, electrical, 69–72, 78–80
constant-voltage diodes, 187
consumed power, 17–18
consumer electric products, 20–24. *See also* electrical appliances

contactless switches, 181–182
 contacts, switch, 60, 61, 73, 188
 contact-type sensors, 191
 control rods, 151
 converters, 189–190
 copper
 atoms, 35
 plate, 126, 127, 128, 130, 140
 wires, 31, 104, 128
 copy machines, 43
 cotton, 41–42, 51
 Coulomb, Charles Augustine, 49
 Coulomb's force, 29, 43, 49–50
 coulombs (Q), 45, 49–50, 104
 counter-electromotive force, 112
 current (*I*)
 alternating, 64–66, 75–76,
 113–116, 121, 123, 149,
 173, 189–190
 base, 178, 179–181, 182
 closed, 61
 collector, 179–181
 collector-emitter, 182, 188
 defined, 16, 45, 51, 128
 direct, 64, 66, 74–75, 123,
 149, 173, 189–190
 direction of, 33, 51–52, 63–66,
 75, 96–97, 98–101
 drain, 189
 fixed, 63, 74
 flow of, 15–17, 20–24, 58,
 61, 63–68, 73–78, 96,
 108–109, 128
 forward direction, 187
 induced, 111
 lagging, 113
 leading, 116
 limiters, 21
 measuring, 16, 143
 rated, 23
 size of, 52
 speed of, 53
 temperature differences,
 142–143
 water, 181

D

dam-type power generation,
 152–153
 DC. *See* direct current (DC)
 depolarizers, 131
 digital cameras, 175
 diodes, 163, 169–171, 173, 177,
 183, 186–188, 189
 bridges, 186
 constant-voltage, 187
 light-emitting, 141, 174–175
 photodiodes, 193–194
 Zener, 187–188
 direct current (DC), 64, 66, 74–75,
 123, 149, 173, 189–190
 circuits, 64, 74–75
 power supply, 74
 direction, current, 33, 51–52,
 63–66, 75, 96–97, 98–101
 discharges, electrical, 31–33, 51
 doping, 164
 drain, 189
 current, 189
 dry cell batteries, 125, 130, 131,
 132–134, 171–172, 178

E

effective resistance, 69–72, 78–80
 effective voltage, 75–76, 123, 149
 electric
 current. *See* current
 generators, 101, 110,
 120–123, 147–149,
 152–154
 heaters, 62, 74
 outlets, 23–24, 63–64,
 123, 149
 power, 17–18, 19, 45, 46
 resistance. *See* resistance (*R*)
 shocks, 40, 66
 wires, 74, 77, 88, 96, 107,
 108, 148. *See also* coils
 electrical
 appliances, 19, 24, 45, 46,
 56–58, 71–72, 96, 123, 190

 charges. *See* charges
 connections, 69–72, 78–80
 discharges, 31–33, 51
 potential, 46–47
 electricity, nature of, 25–29
 electrochemical reactions, 132
 electrodes, 127, 136, 169, 177
 electrolytes, 126, 130, 132, 140
 electromagnetic
 force, 109, 111
 induction, 111–112
 waves, 91, 106–107
 electromotive force, 61, 73,
 100, 110, 111, 112,
 122, 130
 electrons, 26–29, 34–35, 47–48
 in chemical reactions, 128–129,
 137, 138
 collisions of, 89–90, 93, 105
 free, 27–28, 35, 47–48, 166,
 167, 170, 171
 holes, 167, 170, 174, 177–178
 movement and electric charges,
 49, 51–53
 single, 48
 speed of, 53
 valence, 34–35, 48,
 165–166, 167
 electron shells, 34–35, 47–48, 165
 electrostatic force, 29, 43, 49–50
 electrostatic induction, 40, 50
 emitter, 177–180, 182
 energy
 defined, 46
 heat, 61, 62
 light, 61, 62
 measuring, 46
 solar, 124–125
 thermal, 106, 124
 environmentally friendly
 power, 154
 escaped electrons. *See* free
 electrons
 Europe, voltage in, 45
 extrinsic semiconductors, 164, 168

F

farads, 115
field-effect transistor (FET),
188-189
fixed current, 63, 74
flashlights, 58-61, 73
Fleming, John Ambrose, 109
Fleming's left-hand rule,
98-99, 109
Fleming's right-hand rule,
100-101, 110, 121, 148
flow, current, 15-17, 20-24, 58,
61, 67-68, 73-78, 96,
108-109, 128
fluorescent lights, 92-93, 106-107
force of attraction, 25, 49-50,
97, 108
force of repulsion, 49-50, 97
forward bias voltage, 173, 174
forward direction current, 187
Francis turbine, 153
free electrons, 27-28, 35, 47-48,
166, 167, 170, 171
frequency, 65, 75, 122
frictional electricity, 38, 49. *See*
also static electricity
fuel (oil, coal, and gas), 147,
149, 150
fuel cells, 124-125, 135-138
fuel reformers, 139
full-wave rectification, 186-187
fuses, 19

G

gallium arsenide, 163
galvanic cells, 126, 130
gamma rays, 91
gas (as fuel), 147, 149, 150
gas turbine generation, 149, 150
gate, 189
generators, 101, 110, 120-123,
147-149, 152-154
geomagnetism, 95
germanium, 163-164
giga-, 46
glass, 41-42, 51
graphical symbols, 73-74

H

hair, 41-42, 51
half-wave rectification, 186-187
heat energy, 61, 62
heaters, electric, 62, 74
heat generation, 85-93, 104-105,
123, 143-144
heat rays. *See* infrared rays
hertz (Hz), 65, 75, 122, 149
high potential electricity flow, 16,
46-47
high-temperature resistance, 89
high-temperature
superconductors, 105
holes, 167, 170, 174, 177-178
home distribution boards, 20-21
hydroelectric
generator, 110, 152-154
power generation, 120, 147
hydrogen
gas, 129, 130, 131
ions, 129, 137, 138, 139
Hz (hertz), 65, 75, 122, 149

I

ICs (integrated circuits), 183
impedance, 116
induced current, 111
induced electromotive force,
111, 114
inductance, 112
induction
electromagnetic, 111-112
electrostatic, 40, 50
motors, 190
mutual, 114
inductive reactance, 113
infrared rays, 90-91, 106
innermost shells, 47
instantaneous voltage, 75-76
insulators, 30, 32, 161, 162
integrated circuits (ICs), 183
intensity of electricity, 45
internal combustion generation,
149, 150
International System of Units
(SI units), 46

intrinsic semiconductors, 164
inverse ohms, 77
inverters, 189-190
ionization, 129
ions, 127, 129

J

Japan, 45, 65, 153, 154
Joule, James Prescott, 104
joule heat, 86, 104
joules (J), 45, 46, 104
junction transistors, 188

K

Kaplan turbine, 154
kilo-, 46
kilowatt hours (kWh), 18-19, 46

L

lagging current, 113
leading current, 116
LED (light-emitting diode), 141,
174-175
Lenz, Heinrich Freidrich Emil, 111
Lenz's law, 111
light bulbs, 59, 60-62, 71-72, 73
light emission, 92-93, 106-107
series connection of, 79, 80
light emission, 91-93, 106-107,
174-175
light-emitting diode (LED), 141,
174-175
light energy, 61, 62
light water reactors, 151
lighting, electric, 175, 190
lightning, 32-33, 51, 198
lights, fluorescent, 92-93,
106-107
liquefied natural gas (LNG), 149
lithium batteries, 125
LNG (liquefied natural gas), 149
loads, 61, 62, 73, 136, 182, 187
loops, 99, 121, 122, 148
low potential electricity flow, 16,
46-47
low power factor, 113

low-temperature resistance, 89, 104
luminescence, 90–93, 106–107, 175

M

magnetic fields, 94–98, 100, 107–109, 111, 114, 121, 148
magnetism, 94–97, 107–108, 110, 111
magnets, 94, 107, 110, 111
manganese dioxide, 132, 134
manganese dry cell batteries, 125, 131, 132, 134
mega-, 46
metal-oxide semiconductor field-effect transistors (MOSFETs), 189
metals
 aluminum, 88–89, 140
 bi-metal thermostats, 191
 copper, 34–35, 41–42, 47–48, 51
 properties of, 35
 steel, 41–42, 51
mho. See siemens per meter (S/m)
micro-, 46
microwaves, 91
milli-, 46
mobile phones, 175
moderators, 151
MOSFETs (metal-oxide semiconductor field-effect transistors), 189
motion, 73
motors, 98–99, 101, 109, 110, 190
mutual induction, 114

N

negative electrical properties, 27–28, 31, 166
negative ions, 127
negative poles, 46–47, 73, 132, 140, 171, 177–178
negative temperature coefficient (NTC) thermistors, 192

neutrons, 27, 47–48
newtons (N), 49
non-contact type sensors, 191
north magnetic pole, 94–95, 99, 100–101, 107, 110, 111, 121–122
NPN-type transistors, 177–178, 188
NTC (negative temperature coefficient) thermistors, 192
N-type semiconductors, 166, 169–171, 172
nuclear
 fission, 147, 151
 power generation, 120, 147, 151–152
 reactors, 147, 151
nucleus, 26–27, 34–35, 47–48
nylon, 41–42, 51

O

Ohm, Georg Simon, 73
ohms (Ω), 62, 73, 77, 162
Ohm's law, 67–68, 76
oil (as fuel), 147, 149, 150
optical sensors, 192–195
outermost shells, 35, 47, 48, 165
outlets, 23–24, 63–64, 123, 149
oxidizing agents, 131

P

paper, 41–42, 51
parallel circuits, 79
parallel connections, 69–72, 79–80
peak voltage, 75–76, 123, 149
Peltier device/effect, 144
Pelton wheel, 153
phase difference, 113
phosphorus, 168
photoconductivity, 193, 195
photodiodes, 193–194
photoelectric effect, 192, 195
photoemission effect, 195
phototransistors, 193, 195–196
photovoltaic effect, 193
physical cells, 124–125
pico-, 46
plugs, 24, 63–64

P-N junction, 169, 170, 174, 193
PNP-type transistors, 177–178, 181, 188
polarization, 41, 131
polyester, 41–42, 51
polyethylene, 41–42, 51
positive electrical properties, 27–28, 168
positive ions, 127
positive poles, 46–47, 61, 73, 132, 171, 177–178, 179
positive temperature coefficient (PTC) thermistors, 192
potential barriers, 170–171
potential difference, 15–16
power generation
 dam-type, 152–153
 hydroelectric, 120, 147
 nuclear, 120, 147, 151–152
 thermal, 120, 147, 149–152
 wind, 154
power lines, 20
power (P), 17–18, 19, 45, 46
power plants, 20, 120, 147–154
power supplies, 63–64, 72, 182
 alternating current, 114, 121, 123, 186
 batteries, 63–64, 124–125
 direct current, 74
 voltage, 60–61, 62, 73–74, 78, 115
power transistors, 188
pressurized water reactors, 151–152
primary cells, 124–125
primary sides, 114
primary voltage, 115
propeller wind turbine, 154
protons, 27, 29, 34, 47–48
PTC (positive temperature coefficient) thermistors, 192
P-type semiconductors, 168, 169–171, 172
PVC (vinyl), 37, 39, 41–42, 51

R

radio waves, 91, 106
rated current, 23

- reactors
 - boiling water, 151–152
 - light water, 151
 - nuclear, 147, 151
 - pressurized water, 151–152
 - rectification, 170, 173
 - red light, 91, 106
 - reduction–oxidation (redox), 132
 - refrigerators, 190, 192
 - repulsion, force of, 49–50, 97
 - resistance (R), 61–62, 67–74, 76, 77, 79–80, 85, 88–89, 104, 105, 182
 - resistancies, connecting, 69–72, 78–80
 - resistivity (ρ), 77, 162
 - resistors, 183
 - reverse-bias voltage, 171, 193
 - reverse-direction voltage, 187
 - reverse electromotive force, 130
 - rice cookers, 22
 - rubber, 41–42, 51
- S**
- safety breakers, 21–23
 - secondary cells, 124–125
 - secondary sides, 114
 - Seebeck effect, 142–144
 - self-inductance, 112
 - semiconductors, 30, 163, 166–171, 172
 - devices, 160–164, 161, 163, 169, 176, 183, 188–189
 - sensors
 - contact-type, 191
 - defined, 190
 - non-contact-type, 191
 - optical, 192–195
 - temperature, 190–192
 - series connections, 69–72, 78–80
 - shocks, electric, 40, 66
 - Siemens, Ernst Werner von, 77
 - siemens per meter (S/m), 77
 - silicon, 163–166, 167
 - crystals, 165, 168
 - dioxide, 164
 - silk, 41–42, 51
 - single electrons, 48
 - single-phase alternating current, 189–190
 - SI prefixes and units, 46
 - size, current, 52
 - smoothing capacitors, 187
 - sodium hydroxide, 135–136
 - solar
 - batteries, 125
 - cells, 125, 193
 - energy, 124–125
 - sound, 73
 - source, 189
 - south magnetic pole, 94–95, 99, 100–101, 107, 110, 121–122
 - speed, current/electron, 53
 - static electricity, 25, 29, 32, 36–40, 49–53
 - electrostatic force, 29, 43, 49–50
 - triboelectric series, 51–53
 - uses of, 43–44
 - steam engines, 45
 - steam generation, 149, 150
 - steel, 41–42, 51
 - sulfuric acid, 127, 129
 - sum of reciprocals, 70–71
 - superconductivity, 88, 105
 - supply voltage, 46–47
 - switches, 59, 60–61, 73, 74, 176, 181–182
 - symbols
 - amperes/amps (A), 16, 45, 68
 - charges (Q), 49
 - conductance (G), 77
 - coulombs (C), 45, 49–50, 104
 - current (I), 16, 143
 - farads (F), 115
 - giga- (G), 46
 - hertz (Hz), 65, 75, 122, 149
 - joules (J), 45, 46, 104
 - kilo- (k), 46
 - kilowatt hours (kWh), 18–19, 46
 - micro- (μ), 46
 - milli- (m), 46
 - mega- (M), 46
 - newtons (N), 49
 - ohms (Ω), 68, 73, 77, 162
 - pico- (p), 46
 - power (P), 17–18, 19, 45, 46
 - resistance (R).
 - See resistance (R)
 - resistivity (ρ), 77, 162
 - siemens per meter (S/m), 77
 - tera- (T), 46
 - time (t), 52
 - units and SI prefixes, 46
 - voltage (V). See voltage (V)
 - volts (V), 15, 17–18, 45, 68
 - watt seconds (Ws), 46, 104
 - watts (W), 17, 45
- T**
- tags, consumer electronic, 45
 - tea kettles, 14, 18, 22
 - temperature sensors, 190–192
 - tera-, 46
 - Thales (philosopher), 25
 - thermal
 - emission, 90–93, 106
 - energy, 106, 124
 - power generation, 120, 147, 149–152, 149–154
 - vibration, 87–90, 104–105
 - thermistors, 191–192
 - thermocouples, 143
 - thermoelectric phenomena, 144
 - thermopiles, 125, 141–143
 - thermostats, 191
 - time (t), 52
 - toasters, 74
 - traffic signals, 175
 - transformation ratio, 115
 - transformers, 20, 114–115
 - stations, 20
 - transistors, 163, 176–183, 183, 188–189
 - amplification, 181
 - bipolar, 188
 - field-effect, 188–189
 - junction, 188
 - MOSFET, 189
 - phototransistors, 193, 195–196
 - PNP-type, 177–178, 181, 188
 - power, 188

triboelectricity, 38
triboelectric series, 40-43, 51-53
turbine engines, 147, 149,
152, 153

U

UHF waves, 91
ultraviolet rays, 91, 93, 106, 107
United States, voltage in, 45
utility pole transformers, 20

V

valence electrons, 34-35, 48,
165-166, 167
valence shells, 48
VHF waves, 91
vinyl (PVC), 37, 39, 41-42, 51
violet light, 91, 106
visible light, 91, 93, 106
Volta, Alessandro, 45, 126
voltage (V)
100V, 14, 45
120V, 22, 45, 72, 75, 76, 80,
123, 149
170V, 75, 76, 149
240V, 45
changes in, 20
defined, 15, 45, 46-47
effective, 75-76, 123, 149
in electrical appliances, 19,
24, 45, 46, 71-72, 96,
123, 190
forward bias, 173, 174
instantaneous, 75-76
international differences, 45
peak, 75-76, 123, 149
positive and negative poles,
46-47, 61, 73, 132, 171,
177-178, 179
potential and, 46-47
power supply, 60-61, 62,
73-74, 78, 115
reverse-bias, 171, 193

reverse-direction, 187
supply, 46-47
voltaic cells, 125
volts (V), 15, 17-18, 45, 68

W

water
cells, 135-137
current, 181
levels, 15-16
turbine, 147, 152, 153-154
wheels, 17, 59-60
Watt, James, 45
watt seconds (Ws), 46, 104
watts (W), 14, 17, 19, 45
waveforms, 187
wavelength, 91, 106
waves
electromagnetic, 91, 106-107
radio, 91, 106
UHF, 91
VHF, 91
wind power generation, 154
wires
coils, 108, 111-115
copper, 31, 104, 128
electric, 74, 77, 88, 96, 107,
108, 148
wood, 41-42, 51
wool, 41-42, 51

X

X rays, 91

Z

Zener diodes, 187-188
zinc
chloride, 132
ions, 129
plate, 126, 127, 128
powder, 133