

index

A

absolute value, 103, 159
adding labels to a displayed value, 108–109
adding a Sequence Beam to a Loop of
 Switch block, 223–228
algorithm, defined, 86
ambient light, measuring, 63
analyzing data, 210, 214
and, logic operation, 186
AroundTheBlock program, 50,
 221–223, 230
art and engineering, 4
assumptions, 88, 233
automatic routing of data wires, 101
A-weighted decibel (dbA), 62

B

backup copies of programs, 11
beep while moving, 71–72
blocks, 5, 9. *See also individual block names*
 connecting with data wires, 97–98
 copying, 137, 198
 in NXT-G 1.1 vs. NXT-G 2.0, 255–256
 running, 73
 selecting 66–67
BlockStartTest program, 229
Bluetooth, 11
Brick. *See* NXT Intelligent Brick
bugs, 12
bumped, Touch Sensor, 58
BumperBot program, 59–61
BumperBot2 program, 71–72, 80
BumperBot3 program, 80–83, 184–185,
 186–188
BumperBotWithSound program, 62–63
busy loop, 223
buttons. *See* NXT buttons

C

changing a variable's value, 135–136
Chime My Block, 161–164
clearing the screen. *See* Display block
CoastBack program, 54–44

CoastTest program, 53–55
collecting brightness data, 210–211
Color Lamp block, 227
 Configuration Panel, 227
Color Sensor, 2, 63–64
 Color Sensor mode, 67
 color values, 67
 feedback box, 64, 67
 Light Sensor mode, 64
 View menu, 64
Color Sensor block, 142
 Configuration Panel, 142
 light intensity value, 142
colors, identifying, 64, 67
comma-separated values, 212–214
comments, 13–15
 adding, 14, 51
 comment tool, 14–15
 defined, 13
 program description, 14
 rules for working with, 15
 and the Switch block, 78
common palette, 8
Compare block, 127, 142
 Configuration Panel, 127
compiling, 9
complete palette, 8
computer math, 179
concatenate, 107
conditional, 73
configuration icons, 16
Configuration Panel, 9, 15–16
 changing panels, 15
 disabled items, 16
 general layout, 15
Constant block, 145–146
 choose from list, 145–146
 Configuration Panel, 145
 custom, 146
constants, 144–146
 changing a constant's value, 145–146
 managing, 145
control algorithm, 243
Controller, 9, 11

converting numbers to text, 105
counting objects, 135–136
Create My Block button, 162
Create New Program, 7, 10
Create Pack and Go, 175
crowbar and pin technique, 224–228
custom palette, 8, 163, 174–175

D

data, 97
data collection. *See* data logging
data hub, 99
 opening and closing, 99–101
data logging, 209–220
 collecting sensor data, 210–211
 controlling the amount of data, 216–217
 gaps in the data, 214–216
 timestamp, 212–214
 using LEGO MINDSTORMS Education
 NXT Software 2.0, 217–220
data plug, 100
 pass-through, 105–106, 109
 restoring pass-through data plugs,
 106–107
data types, 104–105
data wires, 97–110
 broken, 109
 cycles, 109
 and data types, 104–105
 deleting, 101
 drawing, 100–101
 and the Loop block, 123–129, 229
 organizing, 157
 routing, 101
 and Sequence Beams, 229
 and starting blocks, 229
 and the Switch block, 111–121, 229
 and time values, 126
dB (decibel), 62
dBA (A-weighted decibel), 62
debugging, 12–13, 95, 208, 237
 steps, 12
 using Sound blocks, 95

decibel (dB), 62
 design process, 86–88
 detecting

- a clap, 62
- an obstacle, 60, 91, 112
- a person, 69–70

 Display block, 11, 152–155

- clearing the screen, 156–158
- controlling image location, 154
- controlling the line setting, 166–167
- drawing, 155
 - a circle, 155
 - a line, 155, 156–158
- images, 152
- point, 155
- text, 12
- X and Y values, 152, 154

 displaying instructions, 235–238
 displaying a number, 105, 136

- floating-point numbers, 183

 displaying the tone frequency, 105
 displaying the volume using text, 117–121
 DisplayNumber My Block, 166–174, 205

- building, 167–172
- configuration items, 166, 171–172
- testing, 170
- using, 173, 204, 222, 243, 251

 Don't Repeat Yourself (DRY) principle, 138, 206
 DoorChime program, 68–70, 161–164, 223–228, 230–232
 Download and Run Selected button, 50
 downloading a program, 9, 11
 drawing. *See* Display block
 DRY (Don't Repeat Yourself) principle, 138, 206

E

Edit Constants dialog, 145
 Edit Variables dialog, 131–132
 edit-compile-test cycle, 13
 ending a program. *See* Stop block
 engineering, 4
 error value, 244

- calculating, 246–247
- percent error, 245

 exclusive or (xor), logic operation, 186
 Exit button, 59, 147

F

feedback box, 48, 58
 File Access block, 195–196, 200, 255

- Configuration Panel, 195–196
- and data types, 196, 200
- operations, 196

 FileReader program, 200–201, 237–238
 files, 195–208

- closing, 196, 197, 202, 208
- common problems, 208
- common uses for, 195
- creating, 196, 215
- deleting, 196, 197, 207, 208
- downloading, 208
- errors in, 199–200
- gaps in, 214–216
- initial size, 215–216
- managing, 207–208
- naming, 196, 198
- reading, 196, 200, 208, 238
- uploading, 208, 212
- uses, 195
- writing, 196, 197, 200, 208

 finding a light source, 140, 141
 firmware, 5, 9

- updates, 5

 flashing the light, 227–228
 floating-point math, 183

- and the Number to Text block, 183
- precision, 183
- range, 183

 following a wall, 89–91

G

gain, 248
 gears, 45
 generating a random number, 184
 GentleStop program, 97–101, 112–113
 Getting Started window, 7, 11
 grouping common settings, 138

H

hard-coded values, 234
 hardware, 5
 Hello program, 10–11
 HelloDisplay program, 11–12
 help file, 6, 103
 help panel, 9

hertz (Hz), 103
 HiTechnic, 3

I

IDE (integrated development environment), 5, 7
 initializing the display, 135
 initializing variables, 140, 201–204
 integer math, 179–180

- division, 180
- order of operations, 180, 181
- range of values, 179
- scaling values, 180, 181

 integrated development environment (IDE), 5, 7

K

Keep Alive block, 79–80

L

LabVIEW, 5
 Light Sensor, 2, 63–64

- Configuration Panel, 63
- feedback box, 64
- trigger value, 64, 76
- View menu, 64

 Light Sensor block, 142, 241
 light source, finding, 140, 141
 LightPointer program, 138–144
 line following, 75–78, 233–251

- control algorithm, 243
- controlling the motors, 248
- error value, 244–247
- how far from the edge, 244–247
- trigger values, 234–235, 239–242

 LineFollower program, 75–78, 233–243
 LineFollower2 program, 244–251
 LineFollowerConfig program, 235–238
 Logic block, 185–186

- Configuration Panel, 186

 logic operations, 186. *See also individual operations*
 logic value, 104
 LogicToText program, 113–116
 Loop block, 51–52, 79

- checking the condition at the beginning of the loop, 129
- checking two conditions, 187

- Condition data plug, 125
- Configuration Panel, 79
- control options, 79
- Count data plug, 123
- and data wires, 123–129
- expanding, 226–227
- the final loop count value, 124
- and multiple Sequence Beams, 229
- nested, 124
- restarting a loop, 124
- setting the loop condition, 125
- loop body, 79
- loop condition, 79
- LoopCountTest program, 123, 229
- LoopCountTest2 program, 124
- LoopCountTest3 program, 124
- LoopStartTest program, 229

M

- managing constants, 144–146
- managing the custom palette, 174–175
- managing memory, 207–208
- managing variables, 131–132
- magnifying glass tab, 9
- manual routing of data wires, 101
- math
 - computer, 179
 - floating-point, 183
 - and the Number to Text block, 183
 - precision, 183
 - range, 183
 - integer, 179–180
 - division, 180
 - order of operations, 180, 181
 - range of values, 179
 - scaling values, 180, 181
- Math block, 103, 255
- maze, solving, 86–88
 - following a wall, 89–91
 - going through an opening, 93–95
 - testing, 95
 - turning a corner, 91–93
- memory tab, 207
- millisecond, 126
- mindsensors, 3
- MINDSTORMS NXT Kit, 1
 - building pieces, 2
 - versions, 3

- MINDSTORMS software
 - sections, 7–9
 - versions, 3, 255–256
- more help link, 9
- Motor block, 52–53, 248
 - comparison with Move block, 53, 248
 - steering, 248–251
 - three phases of a motion, 52
- motors, 2, 45
 - power, 45
 - speed, 45
- Move block, 46–48, 248
 - comparison with Motor block, 53, 248
 - controlling the Power setting, 97–98
 - degrees and rotations, 47
 - determining duration, 49
 - feedback boxes, 48
 - following a curve, 50
 - next action, 48
 - problem with coasting, 53–55
 - random duration, 184–185
 - spinning the robot, 49
 - synchronized motion, 46
- multiple Sequence Beams. *See* Sequence Beams
- multitasking, 221
- My Block, 161–177. *See also individual My Block names*
 - broken, 176
 - Builder window, 162
 - configuration settings, 164–166, 177
 - names, 165–166
 - copying, 175, 230
 - creating, 161–163
 - and data plugs, 164–166
 - adding, 177
 - and data wires, 164
 - deleting, 174
 - editing, 163–164
 - icons for, 162
 - moving, 174–175
 - nested, 176
 - organizing, 174–175
 - renaming, 174
 - and Sequence Beams, 230
 - sharing, 175
 - testing, 170
 - and variables, 176

- My Portal, 8
- MyBlockTest program, 230

N

- National Instruments, 5
- Navigation Panel, 9
- nested blocks, 78
- not, logic operation, 186
- Number to Text block, 105, 255
 - Configuration Panel, 105
 - and floating-point numbers, 183
- NXT Button block, 148
 - Configuration Panel, 148
- NXT buttons, 147
 - adjusting a value, 150
 - clearing the screen, 156–158
 - controlling a loop, 149
 - pressed vs. bumped, 151–152, 237
- NXT Data Logging application, 219–220
- NXT Intelligent Brick, 3
- NXT-G, 5
 - moving from 1.1 to 2.0, 255
 - side-by-side installation, 256
- NXTSketch program, 155–159

O

- Odometer program, 181–182
- off-by-one error, 124
- old programs, using, 256
- online community. *See* websites, NXT-G
- or, logic operation, 186
- out of memory error, 207

P

- percent error, 245
- persistence, 195
- pixel, 152
- Play button, 11
- pointer tool, 15
- port, 58
- PowerSetting program, 148–152, 173
- PowerSettingWithImages program,
 - 153–155
- precision, 183
- program flow, 73
 - and multiple Sequence Beams, 229–230
- programmable timers, 126–129

programming palettes, 8, 9
programming structures, 73
programs. *See also individual program names*
assumptions, 88, 233
copying, 175
downloading, 9
initial condition, 88
instructions, 235-238
practices, 6, 61, 93, 95, 137, 138, 166, 232
qualities of good, 4
requirements, 86, 233
running, 11
sharing, 174
testing, 90
writing, 9
ProgTimer1 My Block, 164-165
prompting the user, 235-238
proportional controller, 244
pseudocode, 83-85

Q

question mark tab, 9

R

Random block, 184
Configuration Panel, 184, 185
limits, 184
Range block, 189
reading a program configuration file, 238-241
Record/Play block, 55-56
RedOrBlue program, 64-67, 189-192
RedOrBlueColorMode program, 64-67, 192-194
RedOrBlueCount program, 133-137, 197-199, 201-206
refactoring, 206
reflected light, measuring, 63
remembering, a position, 140
remote control tool, 56
requirements, 4
for programs, 86, 233
Reset Motor block, 55
returning to a position, 143-144
right-hand rule algorithm, 86
Robo Center, 8

Rotation Sensor, 2, 45, 70-71
Configuration Panel, 70
Rotation Sensor block, 70-71
NXT-G 1.1 vs. NXT-G 2.0, 103, 158-159, 256

S

saving your work, 10
scaling values, 180
Sensor blocks, 57, 99, 113
advantages of, 113
sensors, 2, 57. *See also individual sensor names*
selecting a port, 61
Sequence Beams, 9, 73
adding, 221-223, 225-226
keeping out of trouble, 232
multiple, 221-232
and My Blocks, 230
and program flow, 229-230
synchronizing, 230-232
side-by-side installation, 256
SimpleMove program, 46
simplifying assumption, 64
sleep timer, 79
software, 5
Sound block, 10, 69, 103
controlling tone with, 103-104
controlling volume with, 102, 117
and debugging, 95
playing sound file with, 10
playing tone with, 69
Sound Sensor, 2, 61-62
Configuration Panel, 61
trigger value, 61
View menu, 62
SoundMachine program, 101-109, 117-121
source code, 9, 83
for example programs, 6
square root, 103
stall, motor, 47
Start Data Logging block, 217-218
Start New Program. *See Create New Program*
steering, 47-48
Stop block, 80
Stop Data Logging block, 217-218

storing
program data, 195, 197-199, 201-205
program settings, 195, 235-238
Switch block, 64-65, 73-75, 255
and comments, 78
conditions list, 116-117
adding a condition, 116,
the default condition, 117, 119
fixing the order, 119-120
removing a condition, 116
Configuration Panel, 74-75
and data types, 111
and data wires 111-121
connecting data wires, 111,
114-116, 120
input data plug, 111
multiple Sequence Beams, 229
passing data in, 113
passing data out, 113-114
Flat and Tabbed View, 74, 78, 113
more than two choices, 76, 116-117
nested, 77
numbers as input, 117
NXT-G 1.1 vs. NXT-G 2.0, 117
tabs, 74, 121
trigger, 74
value control, 111

T

target value, 239
Temperature Sensor, 3
testing, 13, 52, 93, 137, 242
single block, 50
Text block, 107
combining values, 212-214
Configuration Panel, 107
text value, 104
ThereAndBack program, 49-50
three-state controller, 243
time values, 126
Timer block, 125-126
Configuration Panel, 125
range of values, 126
trigger, 126
Timer1 program, 126
Timer2 program, 127
Timer3 program, 129
timers, 125

timestamp, 212
Touch Sensor, 2, 58
 Configuration Panel, 58
 feedback box, 58
 View menu, 59
 waiting for the user, 66
Touch Sensor block, 114
TriBot, building instructions, 17
 alternate placement for Color Sensor, 42
 alternate placement for Ultrasonic
 Sensor, 43
 wires, 41
trigger, 58, 74, 234–235
truth table, 186
tuning a controller, 248

U

Ultrasonic Sensor, 2, 68
 Configuration Panel, 68
 feedback box, 68
 inches and centimeters, 99
 range, 68
 trigger, 68, 69
 View menu, 68
Ultrasonic Sensor block, 99
undo, 10
USB, 11

V

Variable block, 132
 Configuration Panel, 132
variables, 131–144, 243
 creating, 131–132, 133–134
 and data types, 132
 deleting, 132
 in place of long data wires, 138, 243
 initializing, 140, 201–204
 and My Blocks, 176
 naming, 132, 133
VerifyLightPointer program, 209–217
VerifyLightPointer2 program, 218–219
Vernier, 3
View menu, 48, 59

W

Wait block
 Sensor, 57
 Time, 13
Wait for Completion, 13
WallFollower program, 83–96
websites, NXT-G, 2, 253
wheel circumference, 181
wheels as dials, 101–102, 155–158
 NXT-G 2.0, 158
whole numbers. *See* integer math
work area, 8

X

xor. *See* exclusive or (xor), logic operation