

INDEX

SYMBOLS & NUMBERS

- + (addition operator), 48–49
- += (addition shorthand), 62
- * (asterisk), importing all functions with, 241
- / (division operator), 58
- /= (division shorthand), 62
- "" (double quotation marks), for strings, 66
- = (equal sign), assigning values to variables with, 28
- == (equal to), 84
- ** (exponential operator), 60–61, 91–92
- > (greater than), 88
- >= (greater than or equal to), 89–90
- # (hash mark), for comments, 35
- < (less than), 88–89
- <= (less than or equal to), 89–90
- * (multiplication operator), 58
- *= (multiplication shorthand), 62
- != (not equal to), 86–87
- " (single quotation marks), for strings, 66
- [] (square brackets), for defining lists, 168
- (subtraction operator), 48
- = (subtraction shorthand), 62
- """ (triple quotation marks), for docstrings, 152–153
- 2D lists, 208–213, 216
- 3D lists, 218–225

A

- a (append permission), 233
- addition operator (+), 48–49
 - shorthand (+=), 62
- aliases, for modules, 241
- and operator, 93

- API (application programming interface), Minecraft Python
 - installing on Mac, 15
 - installing on Windows, 6
- append permission (a), 233
- append() function, 171–172
- application programming interface. *See* API
- arguments, 34, 147–148
 - line breaks in, 153
 - math operators in, 54–55
- arrays. *See* lists
- asterisk (*), importing all functions with, 241
- attributes, 257. *See also* variables
 - accessing, 259–260
 - class, 271–273

B

- block hits program, 180–182, 196–198
 - scoreboard, 192–194, 205–206
- blocks
 - changing, 52–53, 138–139, 196–198
 - finding highest, 90
 - identifying, 85
- IDs
 - cheat sheet, 283
 - finding by, 97–98, 186–187, 207–208
 - reminder program, 155–156
- moving, 163–165
- placing, 49, 55–56
 - by user input, 74–75
- random, 160–161, 183
- replacing, 173–174
- stacking, 49–50

- blocks, *continued*
 - state, 158–159
 - wool, setting color by name, 158–159
- Boolean operators. *See* logical operators
- Boolean values, 82–83
- break statements, 139, 207
- building quickly, 55–57

C

- chat
 - persistent, 139–140
 - posting to, 67–68, 69–70
 - usernames, 72–73
- cheat sheet, block IDs, 283
- choice() function, 182
- class attributes, 271–273. *See also* attributes, global variables
- classes, 257–260, 273–274
- close() function, 233–234, 247–248
- color of wool blocks, setting by name, 158–159
- command prompt, 21, 23–24
- comments, 35, 152–153
- comparators, 83–91, 104–105, 131–132
- concatenation, 71–72, 83
- conditions, 81, 104–105, 131–132
- connecting to Minecraft, 34
- constructor, 259
- coordinates, 31–32
- copying structures, 225–229, 242–246, 248–252
- count variables, 124, 127–128
- crater program, 105–106
- curse program, 128–129

D

- dance floor, generating, 135–137
- data. *See also* files
 - storing with variables, 28
 - types, 31
- debugging, 42–44
- decimal values, 37–38
- decrementing values, 128

- def keyword, 146
- del keyword, 172–173
- delays, setting in programs, 39–40
- dictionaries. *See also* `shelve` module
 - defining, 188–189
 - items
 - accessing, 189
 - adding, 191–192
 - changing, 191–192
 - deleting, 192
 - looping over, 205
 - readability, 205
- diving contest program, 132–134
- division operator (`/`), 58
 - shorthand (`/=`), 62
- docstrings, 152–153
- double quotation marks (`""`),
 - for strings, 66
- dump() function, 239–240

E

- elif statements, 109–110, 112–113
- else statements, 107, 141, 206–207
- else-if statements. *See* elif statements
- equal to (`==`), 84
- equal sign (`=`), assigning values to variables with, 28
- errors
 - debugging, 42–44
 - handling, 76–78
 - index, 168–169
 - scope, 162
 - syntax, 30
 - type, 147–148, 154–155
- exception handling, 76–78
- exponential operator (`**`), 60–61, 91–92
- expressions, 47–48

F

- False (Boolean value), 82
- files, 231–235
 - opening, 232–233, 247
 - reading, 234–235
 - saving, 233–234, 247–248

- shelve module, using with, 247–248
- writing to, 233–234
- Flask module, 253–255. *See also* modules, pip
- floats, 37–38
 - converting to strings, 71–72
- flower trail, creating, 130–131
- forest, building, 148–150
- for loops, 195–196
 - with dictionaries, 205
 - generating 2D lists with, 216
 - with multidimensional lists, 208–213, 218–225
- for-else loops, 206–207
- functions, 145. *See also* methods
 - arguments, 147–148
 - calling, 146–147
 - defining, 146
 - returning values with, 153–155, 179, 266

G

- getBlock() function, 85
- getHeight() function, 90
- getPos() function, 56
- getTilePos() function, 51
- ghost structures
 - castle, 266–268
 - hotel, 275–277
 - house, 263–265
 - tree, 280–281
 - village, 269–271
- gifts program, 110–111
- global variables, 162–163
- greater than (>), 88
- greater than or equal to (>=), 89–90

H

- hardcoded values, 68
- hash marks (#), for comments, 35
- "Hello, Minecraft World", posting to chat, 67–68
- hot and cold game, 141–143

I

- IDLE, 20–24
- if statements, 103–105
 - with Boolean operators, 119–120
 - in functions, 157–158
 - with lists, 185–186
 - nested, 115, 137
 - with range checks, 117
- importing modules, 39–40, 238–241
- immutable
 - strings, 175
 - world, 82–83, 108–109
- in operator, 185–186
- increment, 127–128
- indentation, 76, 104, 146
- index, of a list, 168–169, 213–214, 223–225
- infinite loops, 127–128
- inheritance, 273–275, 278–280
- __init__() method, 258–260, 278–280
- input
 - numbers only, 77–78
 - placing blocks by, 74–75
- input() function, 68–69
- installation. *See* Mac, Raspberry Pi, Windows
- int() function, 74
- integers, 31
 - converting to a string, 71–72
 - range checks, 117, 135
- iteration, 123–124

J

- Java
 - installing on Mac, 14
 - installing on Windows, 4–5
- joining strings, 71–72

K

- keys, in dictionaries, 188–189

L

- lava trap, setting, 52–53
- len() function, 179

- less than (<), 88–89
- less than or equal to (<=), 89–90
- lists, 167–169, 208–213
 - copying, 183–185
 - creating, 168
 - generating with `range()`, 198–199, 200–201
 - index positions of, 168–169, 213–214, 223–225
 - items in
 - accessing, 168–169
 - adding, 171–172
 - changing, 169
 - deleting, 172–173
 - finding, 185–186
 - inserting, 172
 - length, 179
 - slicing, 184–185
 - three-dimensional, 218–225
 - two-dimensional, 208–213, 216
- list slice, 184–185
- `list()` function, 200–201
- `load()` function, 241
- local variables, 162–163
- logical operators, 92–100
 - and, 93
 - and if statements, 119–120
 - not, 96–97
 - or, 95
 - order of operations, 98–99
 - and while loops, 134–135
- loops. *See* for loops, while loops

M

- Mac, setup instructions, 11–18
- magic wand program, 196–198
- math module, 142
- math operators, 48–58
 - addition (+), 48–49
 - exponential (**), 60–61, 91–92
 - division (/), 58
 - multiplication (*), 58
 - order of operations, 61
 - shorthand, 62
 - subtraction (-), 48
- methods, 257, 261–263. *See also*
 - classes, functions
 - adding to subclasses, 275

- inheritance, 274
 - overriding, 278–280
 - returning values with, 266
- Midas touch program, 138–139
- Minecraft
 - API (application programming interface)
 - installing on Mac, 15–16
 - installing on Windows, 6–7
 - connecting programs to, 34
 - game
 - installing on Mac, 12–13
 - installing on Windows, 2–3
 - playing offline
 - on Mac, 18
 - on Windows, 9–10
 - server
 - installing on Mac, 15–16
 - installing on Windows, 6–7
 - worlds, creating new
 - on Mac, 17
 - on Windows, 8–9
- modules, 238–241
 - installing with pip, 252–253
 - nicknames for, 241
 - pickle, 238–241
 - shelve, 247–248
 - time, 39–40
- moving block program, 163–165
- multiplication operator (*), 58
 - shorthand (*=), 62

N

- nicknames, for modules, 241
- night vision sword program, 186–187
- not equal to (!=), 86–87
- not operator, 96–97

O

- object-oriented programming, 257–258
- objects, 257–260, 269–270
- offline, playing Minecraft
 - on Mac, 18
 - on Windows, 9–10
- `open()` function, 232–233, 247

operators. *See* logical operators,
math operators
or operator, 95
order of operations
 logical operators, 98–99
 math operators, 61
OS X, setup instructions, 11–18

P

package manager, 252
parameters, of functions, 148
permissions, for files, 232–233, 239
pickle module, 238–241
pillars, building, 202–203
pip, installing modules with,
 252–253
pixel art, 214–215
pollBlockHits() function, 180–182,
 196–198
position, of player, 31–33. *See also*
 teleporting
 changing, 34
 finding, 51, 56
 in specific environments,
 85–86, 87–88, 90–91,
 93–96
 in specific locations, 91–92,
 100–101
 highest and lowest, 169–171
postToChat() function, 67–68
print() function, 66–67
progress bar, 173–174
pyramid, building, 203–204
Python
 installing on Mac, 13
 installing on Windows, 3–4
Python shell, 20–21, 23–24

Q

quotation marks
 for docstrings, 152–153
 for strings, 66

R

r (read permission), 233
r+ (read-and-write permission), 233

randint() function, 62–63
random module, 62–63, 182–183
range checks, 117, 135
range() function, 198–199, 200–201
Raspberry Pi, setup instructions,
 18–19
read-and-write permission (r+), 233
read permission (r), 233
read() function, 234
readline() function, 234–235
refactoring, 150–152
return keyword, 153–155, 179, 266
reversed() function, 201–202
running a program, 36

S

scope, of variables, 162–163
scoreboard, for block hits game,
 192–194, 205–206
secret passage, building, 115–116
server
 installing on Mac, 15
 installing on Windows, 6
setBlock() function, 49, 158–159
setBlocks() function, 55–56
setPos() function, 38
setTilePos() function, 34–35
setting() function, 82–83
setup instructions
 for Mac, 11–18
 for Raspberry Pi, 18–19
 for Windows, 2–11
shell, 20–21, 23–24
shelve module, 247–248
shorthand operators, 62
shower program, 120–122
sightseeing guide, creating,
 190–191
single quotation marks (''),
 for strings, 66
sleep() function, 39–40
slices, of lists, 184–185
sliding program, 177–178
smashing, preventing, 82–83,
 108–109
Spigot
 on Mac, 15–18
 on Windows, 6–11

- spires, creating, 58–60
- sprint record, 78–80
- sqrt() function, 142
- square brackets ([]), for defining lists, 168
- square root, calculating, 142
- stairs, building, 199–200
- state, of blocks, 158–159
- statements, 29–30, 47–48
- str() function, 71–72, 83
- strings, 66
 - accessing characters in, 175
 - concatenating, 71–72
 - converting to integers, 74
- subclasses, 273–275, 278–280
- subtraction operator (-), 52
 - shorthand (--), 62
- super jump program, 63–64
- superclasses, 273–275, 278–280
- survival mode
 - on Mac, 18
 - on Windows, 10–11
- sword
 - hits, 180–182, 196–198
 - magic wand, 196–198
 - night vision, 186–187
- syntax, 29–30

T

- teleporting, 31–35, 40–42
 - by location name, 190–191, 260–261
 - by point score, 113–114
 - precisely, 38–39
 - to random locations, 125–126
 - restrictions, 118–119
- text. *See* files, strings
- text editor, 21–23
- three-dimensional lists, 218–225
- throwing an exception, 76
- time module, 39–40
- to-do list, 235–237
- triple quotation marks ("""), for docstrings, 152–153
- True (Boolean value), 82
- try-except statements, 76–78
- tuples, 175–176, 179

- two-dimensional lists, 208–213, 216
- TypeError, 147–148, 154–155

U

- UnboundLocalError, 162
- usernames, adding to chat, 72–73

V

- values
 - in dictionaries, 188–189, 191–192
 - of variables, 28
- variables, 28–31, 168
 - assigning values to, 28
 - changing values of, 31
 - global, 162–163
 - local, 162–163
 - naming, 28–29
 - syntax, 29–30

W

- w (write permission), 232–233
- waiting, in programs, 39–40
- wand, magic, 196–198
- watery curse program, 128–129
- weather-worn wall, building, 217–218
- website, creating with Flask, 253–255
- while loops, 123–124
 - conditions, 131–132
 - ending, 127–128, 139
 - with if statements, 137
 - infinite, 127–128, 130
 - with return statements, 160
- while-else statements, 141
- Windows, setup instructions, 2–11
- wool blocks, setting color by name, 158–159
- worlds (Minecraft), creating new
 - on Mac, 17
 - on Windows, 8–9
- write permission (w), 232–233
- write() function, 233–234

X

- x, y, and z coordinates, 31–32