

INDEX

Symbols

- 2D slices, 192, 196
- 3D graphics pipeline, 136
- 3D printing, 309
- 3D textures, 193
- 3D transformations, 137–139
- 8-bit images, 91
- 16-bit resolution, of sound, 59, 62
- 555 IC, 305
- @ syntax, 280
- % (modulus operator), 46
- // operator, 6
- * operator, 8

A

- Abbot, Edwin, A., 131
- Adafruit_Python_DHT library, 274, 279
- ADC (analog-to-digital converter), 237
- AJAX (Asynchronous JavaScript and XML) framework, 280
- algorithmic complexity, 61
- alpha channel, 164
- amplitude, 58
- analog-to-digital converter (ADC), 237
- animation class, matplotlib module, 244
- Arduino, 236, 249
 - analog data, 241
 - analogRead, 240
 - analogWrite, 261
 - ATmega328, 237
 - bootloader, 237
 - controlling motors, 260
 - delay, 241
 - digitalWrite, 260
 - ecosystem, 237–239
 - hardware, 237
 - loop, 240, 259
 - serial communications, 241
 - Serial Monitor, 238
 - setup, 240, 258

- sketches, 238
- Uno, 236–237, 254
- argparse module, 10, 30, 48, 64, 244, 265
 - add_argument, 30, 265
 - group, 10
- ArgumentParser, 10, 30, 80, 95, 110, 125, 244, 265
 - parse_args, 10, 30
- artificial life. *See* Conway's Game of Life
- ASCII art, 89–90
 - aspect ratio, 91
 - brightness, 91, 92
 - averaging, 93
 - command line options, 95
 - font, 91
 - generating, 90–92
 - ramp, 91, 92
 - tiles, 91
 - writing to text file, 95
- aspect ratio, 91, 138
- assert method, 108
- Asynchronous JavaScript and XML (AJAX) framework, 280
- Atmel AVR, 236
- Audacity, 59
- audio signal, 253
- autostereograms, 117
 - command line options, 125
 - creating, 123–125
 - creating tiled image, 122–123
 - depth map, 120
 - depth perception, 119, 120
 - example of, 118, 128
 - linear spacing, 118, 119
 - random dots, 122
 - repeating patterns, 119
 - repeating a tile, 121–122
 - repeat interval, 124
 - wall-eyed viewing, 119
- average color, 103
- avoiding loops, 77

B

- backing up Raspberry Pi
 - code, 313
 - OS, 314
- base, 306
- battery, 306
- battery pack, 256
- Berra, Yogi, 87
- billboarding, 160, 165–166
- blending, 164
 - of 3D volumetric data, 192
 - Open GL, 164
- Boids simulations, 71
 - adding a boid, 79–80
 - animation, 81
 - boundary conditions, 74–75
 - drawing, 75–76
 - initial conditions, 73
 - limiting vector magnitude, 81
 - obstacle avoidance, 86
 - rules, 72, 77–79
 - scattering, 80
 - tiled boundary conditions, 74
 - time step, 81
- bootloader, 237
- Bottle web framework, 274, 278, 280
- breadboard, 236, 239, 284, 304, 307

C

- camera, Raspberry Pi, 315
- capacitance, 305
- capacitor, 305
- cellular automaton, 41
- central processing unit (CPU), 133
- centroid, 79
- circuit diagram, 307
- collections module, 61
- collector, 306
- color cube, 194
- color representation, 195
- command line arguments.
 - See* `argparse` module
- computer-generated swarms.
 - See* Boids simulations
- computer simulations. *See* Boids simulations; Conway's Game of Life; Karplus-Strong algorithm

- config.txt*, 316
- constant time operation, 61
- continuity, circuit, 307
- Conway, John, 41
- Conway's Game of Life, 41
 - boundary conditions, 43–44
 - cells, 42
 - glider, defining, 46
 - Gosper Glider Gun, 52
 - initial conditions, 45–46
 - patterns
 - blinker, 51, 52
 - block, 51, 52
 - glider, 51, 52
 - loaf, 51, 52
 - rules, 42, 44
 - toroidal boundary conditions, 43, 46–47
- CPU (central processing unit), 133
- `cpuinfo`, 317
- CT scan, 191

D

- DC motor, 250
- `dd` utility, 314
- decorators, 280
- depth encoding, 120
- depth map, 120
- depth perception, 119
- deque class, 61, 241
 - `appendleft`, 242
 - `pop`, 242
- deque container, 242
 - example, 61
 - ring buffer, 62
- DHT11, 273, 274. *See also* weather monitor
- dictionaries, 5
 - `items` method, 6
- diodes, 305
- Document Type Declaration (DTD), 5
- double buffering, 146

E

- EAGLE software, 308
- electrical waveform, 307
- Embedded PostScript (EPS), 29
- emitter, 306

- enclosure, 309
- epitrochoids, 20
- EPS (Embedded PostScript), 29
- equation of motion, particle systems, 162
- espeak, 316
- Extensible Markup Language (XML), 4
- extracting duplicate tracks, 7

F

- face culling, 195
- farad, 305
- far plane, 138
- fast Fourier transform. *See* FFT
- FBO (frame buffer objects), 195
- FFT (fast Fourier transform), 252, 307
 - amplitude, 252
 - example, 253
 - frequency, 253
 - sampling rate, 254
- field of view, 138
- file handles, 105
- fixed-function graphics pipeline, 135
- flocking behavior. *See* Boids simulations
- flot library, 274
 - adding interactivity with, 290
 - installing, 279
 - plotting with, 281–282
- flux, 307
- fountain particle systems, 160
 - animation, 166
 - Camera class, 173–174
 - clipping, 170
 - equation of motion, 162
 - fragment shader, 171
 - gravity, 162
 - initial velocity, 163
 - keyboard handler, 185
 - mathematical model, 161
 - parabola, 161
 - particle velocity, 162
 - random velocities, 168
 - spherical coordinates, 163
 - time lag, 163, 168
 - vertex shader, 169–171
- fractions module, 24
- fragment shader, 136
- frame buffer objects (FBO), 195
- frequency, 55
 - fundamental, 56, 57

G

- Game of Life. *See* Conway's Game of Life
- GCD (greatest common divisor), 21
- gcd method, 24
- geometric primitive, 138
- Gerber, 309
- GL_CW, 196
- GLFW, 134, 196, 227
 - glfwCreateWindow, 143, 183
 - glfwGetTime, 145, 185
 - glfwInit, 143, 183
 - glfwMakeContextCurrent, 143, 183
 - glfwPollEvents, 145, 186
 - glfwSetKeyCallback, 144, 184
 - glfwSetMouseButtonCallback, 144, 184
 - glfwSetTime, 145
 - glfwSetWindowSizeCallback, 144, 184
 - glfwSwapBuffers, 145, 186
 - glfwTerminate, 145, 186
 - glfwWindowHint, 143, 183
 - glfwWindowShouldClose, 145, 185
 - keyboard events, 144
 - window resizing events, 144
- GL_QUAD, 136
- GLSL (OpenGL Shading Language), 191–192
 - clamp method, 170
 - compiling, 140
 - computing position, 149
 - discard method, 150
 - example, 139
 - float, 169
 - fragment shader, 136, 140, 171
 - gl_FragColor, 201
 - gl_FragCoord, 215
 - gl_Position, 139, 170, 201, 214
 - in, 139, 169
 - length, 215
 - linking, 140
 - mat4, 139, 200, 214
 - mod method, 170
 - normalize, 215
 - out, 140, 169
 - rasterization, 140
 - sampler2D, 214
 - sampler3D, 214
 - setting fragment color, 150
 - shader, 133

GLSL (OpenGL Shading Language),

continued

- texture, 215
- texture2D, 171
- uniform, 139, 169, 200, 214
- vec2, 169, 214
- vec3, 139, 169
- vec4, 139, 200, 214
- vertex shader, 136, 149, 169–171

glTexImage3D, 198

GL_TRIANGLES, 195

GL_TRIANGLE_STRIP, 141

GND (ground) connection, 239

graphics processing unit (GPU),
133, 191

grayscale

- images, perceiving, 90

- values, 90

greatest common divisor (GCD), 21

ground (GND) connection, 239

guitar, 56

H

harmonics, 58

hdmi_force_hotplug, 316

high-definition multimedia interface
(HDMI), 273, 316

histograms, 5, 10

homogeneous coordinates, 138

hot glue, 254

humidity sensor. *See* DHT11; weather
monitor

hypotrochoid, 20

I

IC (integrated circuit), 304–305, 306

ICSP (in-circuit serial
programming), 237

illusions. *See* autostereograms

image based rendering, 192

in-circuit serial programming
(ICSP), 237

integrated circuit (IC), 304–305, 306

iTunes playlists, parsing

- collecting track statistics, 8–9
- command line options, 10–11
- plotting track statistics, 9–10

J

JavaScript Object Notation (JSON)
object, 285

jQuery library, 280
and flot, 281

JSON (JavaScript Object Notation)
object, 285

K

Karplus-Strong algorithm, 57–59
low-pass filter, 58

KiCad software, 308

L

laser, 249

- patterns, generating, 250–253
- pointer, 250

laser printing, 309

LDR (light-dependent resistor), 239,
304, 305

LED (light-emitting diode), 289, 305

light intensity, 240

light sensor, 304

linear spacing, 118, 119

list comprehension, 31

loops, avoiding, 77

low-pass filter, 58

luminance, 93

M

magnitude, of vectors, 73
limiting, 81

major scale, 60

mapping, grayscale values to ASCII
characters, 90

matplotlib library, 5, 44, 65

- animation, 44, 48

 - FuncAnimation, 76

- axes, 243

- figure, 243

- imshow, 44, 45

- interpolation, 44

- mouse button press, 79

- mpl_connect, 79

- pyplot, 9

 - set_data, 243

matrix multiplication, 138

- medical data, 193
- metal-oxide-semiconductor field-effect transistor (MOSFET), 256, 306
- microcontroller, 310
- microfarad, 305
- min method, 122
- minor pentatonic scale, 60
- mirrors, 250, 254–255
- modelview matrix, 201
- modelview transformations, 138
- modulus (%) operator, 46
- MOSFET (metal-oxide-semiconductor field-effect transistor), 256, 306
- motor control, 251–252
- MRI, 191
- multimeter, 307
- musical scales, 60

N

- N*-body simulation, 72
- nearest neighbor search problem, 116
- near plane, 138
- normal vectors, 165–166
- numpy library, 104, 142
 - abs, 263
 - arrange, 59, 168
 - arrays, 44, 48, 147
 - applying operations to elements, 9
 - concatenate method, 79, 198
 - repeat, 168
 - reshape, 46, 76, 93, 105
 - shape, 93, 105
 - slice, 46
 - sum, 77
 - zeros, 46, 48
 - average, 93, 105
 - broadcasting, 73
 - cross, 172
 - fft, 263
 - frombuffer, 263
 - image.crop, 94
 - linalg.norm, 172
 - optimization, 77
 - random module
 - choice, 45, 64
 - rand, 73
 - sin, 59
 - sum, 263

O

- ohms, 305
- OpenGL, 134
 - 3D graphics pipeline, 136
 - 3D transformations, 137–139
 - modelview, 138
 - projection, 138
 - alpha blending, 164
 - alpha channel, 164
 - billboarding, 165
 - binding, 134
 - blending, 164
 - clamp texture, 156
 - color representation, 195
 - context, 142
 - depth buffer, 173
 - displaying, 142
 - face culling, 195
 - geometric primitive, 137
 - glActiveTexture, 148, 172, 203
 - glBindBuffer, 147, 167, 203, 220
 - glBindFramebuffer, 203
 - glBindRenderbuffer, 204
 - glBindTexture, 148, 156, 173, 198, 203
 - glBindVertexArray, 147, 148, 167, 173, 203, 206, 220
 - glBlendFunc, 173
 - glBufferData, 147, 167, 203, 220
 - GL_CCW, 196, 206
 - glCheckFramebufferStatus, 204
 - glClear, 145, 185
 - glClearColor, 143, 183
 - GL_CULL_FACE, 205
 - glDepthMask, 173
 - glDrawArrays, 148, 173
 - glDrawElements, 206
 - GL_ELEMENT_ARRAY_BUFFER, 203
 - glEnable, 143, 173
 - glEnableVertexAttribArray, 147, 220
 - glFramebufferRenderbuffer, 204
 - glFramebufferTexture2D, 204
 - glfwSwapBuffers, 145
 - glGenBuffers, 147, 167, 203, 220
 - glGenFramebuffers, 203
 - glGenRenderbuffers, 203
 - glGenTextures, 156, 198, 203
 - glGenVertexArrays, 147, 167, 203, 220
 - glGetUniformLocation, 146
 - glPixelStorei, 156, 198
 - GL_POINTS, 163

- OpenGL, *continued*
 - GL_QUAD, 136
 - glRenderbufferStorage, 204
 - GLSL. *See* GLSL
 - glTexImage2D, 156, 204
 - glTexImage3D, 198
 - glTexParameterf, 156, 198
 - glTexParameteri, 203
 - GL_TEXTURE0, 173
 - GL_TRIANGLES, 195
 - GL_TRIANGLE_STRIP, 137, 141
 - glUniform1f, 148
 - glUniform1i, 148, 173
 - glUniformMatrix4fv, 148, 172, 205
 - glUseProgram, 146, 148
 - glVertexAttribPointer, 147, 220
 - glViewport, 143, 183
 - linear filtering, 156
 - rasterization, 136
 - sparks, drawing, 163–164
 - state machine, 134
 - texture mapping, 141
 - texture unit, 148
 - vertex array object (VAO), 141
 - vertex buffer object (VBO),
 - 141, 168
 - vertex shader, 169
 - OpenGL Shading Language. *See* GLSL
 - orthographic projection, 138
 - oscilloscope, 307
 - os module
 - listdir, 104, 197
 - path, 65
 - abspath, 104, 197
 - join, 104, 197
 - overtones, 56
- P**
- parabola, 161
 - parallel processing, 133
 - parametric equations, 18
 - for a circle, 19
 - for a Spirograph, 19–22
 - particle systems, 159. *See also* fountain
 - particle systems
 - pass keyword, 7
 - pattern, laser, 251
 - PCB (printed circuit board), 305
 - manufacturers, 309
 - pentatonic scale, 60
 - performance analysis, 78
 - peripherals, recommended for
 - Raspberry Pi, 276
 - perspective projection, 138, 139
 - photomosaics, 101
 - averaging color values, 103, 105–106
 - command line options, 110
 - creating, 108–109
 - grid, 102, 106
 - matching images, 104, 106–107
 - measuring distance, 104
 - reading input images, 104
 - RGB values, 104, 107
 - splitting target image, 103, 106
 - photoresistor, 239, 304, 305
 - piano option, 69
 - Pillow module, 23, 92, 104, 121
 - PIL. *See* Python Imaging Library (PIL)
 - ping command, 312
 - playlists. *See* iTunes playlists, parsing
 - p-list (property list) files, 5
 - plistlib module, 5
 - readPlist, 6
 - position vectors, 77
 - power adapter, 317
 - power management, Raspberry Pi, 312
 - power supply, 306
 - printed circuit board (PCB), 305
 - manufacturers, 309
 - Processing, 238
 - projection matrix, 201
 - projection transformations, 138
 - property list (p-list) files, 5
 - prototyping, 304
 - public/private key, 314
 - PuTTY, 314
 - PWM pins, 252
 - pyaudio module, 261
 - get_device_count, 261
 - get_device_info_by_index, 261
 - open, 262
 - paInt16, 262
 - stream, 263
 - pygame module, 61, 63
 - event, 69
 - mixer, 63
 - type, 69
 - PyOpenGL module, 142, 196

- Python Imaging Library (PIL)
 - convert method, 93
 - Image, 105, 156
 - convert, 123
 - copy, 124
 - crop, 94, 106
 - load, 105, 124
 - new, 107, 121, 122
 - open, 93, 104, 156, 197
 - paste, 108, 121
 - pixel access, 124
 - size, 106, 124
 - thumbnail, 110
 - ImageDraw, 122
 - luminance, 93
- pyttsx library, 316

R

- radians, 163
- random module
 - choice, 65
 - hideturtle, 29
 - randint, 27, 63, 122
 - random, 169
 - uniform, 27
- range method, 22
- Raspberry Pi, 273, 311
 - ALSA utilities, 315
 - audio output jack, 315
 - backing up
 - code, 313
 - OS, 314
 - camera, 315
 - config.txt*, 316
 - configuring for Python, 277
 - connecting via SSH, 279
 - cpuinfo, 317
 - espeak, 316
 - hardware version, 317
 - HDMI, 316
 - hdmi_force_hotplug*, 316
 - models, 275
 - power adapter, 317
 - power management, 312
 - pyttsx library, 316
 - raspistill command, 315
 - rechargeable battery pack, 317
 - recommended peripherals, 276
 - rsync utility, 313
 - setting up, 276

- programming environment, 278–279
 - Wi-Fi, 277–278
- shutting down, 282–283
- speech API, 316
- tips, 311
- weather monitor. *See* weather monitor
- WiFi Config, 311
- wpa_supplicant*, 311
- Raspbian, 277
- raspistill command, 315
- rasterization, 136
- raw_input*, 266
- ray, 192
- ray casting, 195–196
- rechargeable battery pack, 317
- rectifiers, 305
- reflection, 250
- relative paths, 105
- resistance, 305
- resistor, 239, 305
- resistor divider, 240
- resolution
 - image, 102
 - sound, 59
- Reynolds, Craig, 71
- RGB values, 104
- ring buffer, 57, 61
- rotation matrix, 166
- rsync utility, 313

S

- sampling rate, 59
- scatter plots, 5
- schematic, 307
- scipy module
 - arrays, *squareform*, 77
 - spatial.distance* module, 77
- semiconductor, 304
- semitones, 60
- serial module, 242
 - close, 243, 265, 266
 - flush, 243
 - generating laser patterns, 250
 - readline, 243
 - Serial, 242, 266
 - write, 265, 266
- Serial Monitor, 241
- serial port string, 266

- set.intersection method, 8
- set object, 8
- shaders, 133, 139
 - fragment, 140
 - vertex, 139–140
- signature, email, 89
- sine wave, 55, 59
- sketches, 238, 240. *See also* Arduino
- soldering, 307
- sound
 - amplitude, 58
 - frequency, 55
 - fundamental frequency, 56
 - overtones, 56
- Sparkfun TB6612FNG, 251
 - connecting, 257
- spectral plot, 56
- speech API, 316
- spherical coordinates, 163
- split, 243
- Spirographs. *See also* turtle module
 - equations, 19–22
 - periodicity, 21
- SSH, 314
- ssh-keygen utility, 314
- state machine, 134
- struct.pack, 265, 266
- surface-mounted component, 305
- Suzuki, Shunryu, 1
- system resources, 105

T

- TB6612FNG, SparkFun, 251
 - connecting, 257
- temperature sensor. *See* DHT11
- text-based graphics. *See* ASCII art
- texture mapping, 141–142
- texture unit, 148
- through-hole component, 305
- timeit module, 78
- time module, sleep, 64
- timing, 78
- tkinter module, 23
 - canvas.postscript, 29
- tones, 60
- transistor, 306
- translation matrix, 138
- turn-on voltage, for LEDs, 305
- turtle module, 22
 - down, 22
 - drawing a circle, 22

- drawing a Spirograph, 25
- hiding the cursor, 29
- listen, 30
- mainloop, 22
- onkey, 30
- ontimer, 27
- setpos, 22
- setting the cursor, 23–24
- setup, 30
- showturtle, 29
- title, 30
- up, 22
- window_height, 26
- window_width, 26

V

- VAO (vertex array object), 141
- VBO (vertex buffer object), 141
- vectors
 - magnitude of, 73
 - limiting, 81
 - normal, 165
 - position, 77
 - velocity, 73
- velocity vectors, 73
- vertex array object (VAO), 141
- vertex buffer object (VBO), 141
- vertex shader, 136
- volume rendering, 191
 - 2D slices, 196, 220
 - computing texture
 - coordinates, 222
 - fragment shader, 223
 - keyboard handler, 223–224
 - rendering, 221
 - vertex shader, 222
 - 3D texture coordinates, 193
 - color cube, 194
 - computing rays, 195
 - defining, 202
 - drawing, 205–206
 - drawing front-faces, 205
 - geometry definition, 201–202
 - rendering back-faces, 204–205
 - setting up FBO, 203–204
 - keyboard handler, 228
 - maximum intensity projection
 - (MIP), 232
- ray casting, 195–196
 - algorithm, 212
 - blending, 216

- computation, 216
- drawing, 213
- fragment shader, 214–216
- initialization, 212
- vertex shader, 214
- reading data, 197–199
- resize handler, 206
- scaling, 232
- volumetric data, 191

W

- wave module, 59
- WAV file format, 59–60
 - creating, 59
 - playing, 63
 - writing, 62–63
- weather monitor
 - exporting sensor data, 295
 - hardware, 283–284
 - HTML structure, 286
 - initiating data sensor requests, 286–287
 - LED checkbox, 289
 - main function, 284–285
 - plotting data, 285–288, 295
 - retrieving sensor data, 287–288
 - sample data, 294
 - schematic for, 283
 - sensor data requests, 285
 - update method, 288–289
- Wi-Fi adapter sleep mode, 312
- Wi-Fi command line setup, 311
- WiFi Config utility, 311
- Win32 Disk Imager, 314
- wire, 305
- Wiring, 238
- wpa_supplicant, 311

X

- XML (Extensible Markup Language), 4

Z

- zip method, 74